

GENERATION LIGHTING


GENERATION LIGHTING



The Generation Lighting Collection is the continuation of generations of design experience serving the unique needs of builders and contractors, while appealing to homeowners and remodelers. Today, our wide assortment of indoor to outdoor lighting and ceiling fans offers timely and timeless looks at a compelling value. We're proud to bring over 100 years of lighting knowledge and legacy relationships to the world of popular design, making great style accessible to everyone.



CLASSIC / MODERN

Lighting is an important building element with a key central function. It also has the design flexibility to express the perfect style, from modern to classic. Our selection spans this full creative range, where each light has just the right amount of detail to be appropriate, impactful, and memorable.





CEILING / WALL

We appreciate fixtures that make a dramatic statement in context to their application and environment. From a focal point chandelier to decorative sconces, our ceiling and wall designs bring a whole room to life with light.



INDOOR / OUTDOOR

Interior design has moved outside for continuous indoor/outdoor living. We've responded with lights that work in harmony across both settings, favoring clean lines for easy assimilation with a variety of architectural styles.



DECORATIVE / FUNCTIONAL

Purposeful and affordable lighting doesn’t have to be plain or generic. We bring a valuable decorative perspective together with practical function, in a variety of task lights for dedicated applications.

FAMILIES / FINISHES

We extend the range of favorite profiles by building lighting families around a key shape or detail. This allows for continuity and includes a variety of individual finishes, adding personalization for each fixture.





SINGLE / MULTIPLE

Using the same visual language in different ways increases the scope and choice in your design plan. A single fixture creates focus; or, use one form repeated, as a building block for a larger or more dramatic array.





UPLIGHT / DOWNLIGHT

Fixed lighting is all about the proper dedicated positioning of light where it is needed. We provide options, with many pieces designed to work dual ways—as a supporting layer of uplight or a more directed spot of downlight.



BEAUTIFUL / ECONOMICAL

Across this collection, we're devoted to producing lighting that is as striking as it is useful and economical. By design, every light is intended to create beautiful spaces of great value.



FEATURED DESIGNS



DREW & JONATHAN

Through their lighting collection, Drew and Jonathan Scott express the sense of home they have felt through every step of their journey—a reflection of their experiences, designed for yours. Their modern home furnishings and décor represent the guiding principles in all their work: Quality craftsmanship, inspirational design, and a desire to improve your everyday life. With casual and refined styles that seamlessly fit into your home, you can focus on what matters most: making memories of your own.

drew & jonathan™



#visualcomfort

Get Inspired @VISUALCOMFORT

FINISH NAME & CODES

Aged Iron	[AI]	Matte Black	[MB]
Antique Bronze	[-71]	Midnight Black	[-112]
Antique Bronze	[ANBZ]	Midnight Black	[MBK]
Antique Brushed Nickel	[-965]	Mocha Bronze	[MBZ]
Antique Forged Iron	[AF]	Oil Rubbed Bronze	[ORB]
Antique Gild	[ADB]	Oxford Bronze	[-746]
Astral Bronze	[ASTB]	Oxidized Bronze	[-46]
Autumn Bronze	[-715]	Oxidized Bronze	[OZB]
Black	[-12]	Paintable Ceramic	[-714]
Black	[BK]	Painted Brushed Nickel	[-753]
Bronze	[-710]	Pewter	[-155]
Bronze (Outdoor)	[-10]	Pewter Bronze	[-778]
Brushed Nickel	[-962]	Polished Brass	[-02]
Brushed Stainless	[-98]	Polished Nickel	[PN]
Brushed Steel	[-BS]	Restoration Bronze	[RSZ]
Burled Iron	[-780]	Rustic Iron	[RI]
Burnished Bronze	[BB]	Satin Aluminum	[-04]
Chrome	[-05]	Satin Brass	[-848]
Chrome	[CH]	Satin Nickel	[-849]
Copper Oxide	[CO]	Satin Nickel	[SN]
Corinthian Bronze	[CB]	Slate Grey Metal	[SGM]
Dark Antique Brass	[DAB]	Stardust	[-846]
Dark Bronze	[DBZ]	Statuary Bronze	[-51]
Dark Weathered Iron	[DWI]	Tarnished Silver	[TRD]
Dark Weathered Zinc	[DWZ]	Textured Black	[TXD]
Driftwood	[DFW]	Washed Pine	[-872]
Espresso	[ES]	Weathered Copper	[-44]
Forged Iron	[-185]	Weathered Pewter	[-57]
Grecian Bronze	[GBZ]	White	[-15]

ICON LEGEND

ADA ADA Compliant
Meets the 4" maximum extension requirement of the Americans with Disabilities Act.

DAMP Damp Rated
Safety listed for damp location.

Dark Sky
Has 180° light cut-off to minimize light pollution in the night sky.

EN★ ENERGY STAR® Qualified
Meets strict energy efficiency guidelines set by the EPA and Department of Energy.

FL Fluorescent Light Source
Has a fluorescent option.

WOD Integrated LED Warm-On-Dim
LED fixture for which the color temperature warms as the fixture dims.

LED LED
Has integrated LED or has an LED option.

Mounting Options
These fixtures may: a) mount up or down, b) have a flush or semi-flush option, or c) have configuration options, such as movable heads or arms. Details are provided in the item description.

SS StoneStrong
Constructed with a unique synthetic composite engineered to withstand even the harshest environmental conditions, and backed by a 5-year warranty.

T24-1 Title 24
Can be used to comply with California Energy Commission (CEC) 2016 Title 24 Part 6 High Efficacy LED Light Source Requirements if used with lamps (not included) that are registered and appear in the CEC Appliance Database.

T24-2 Title 24
Can be used to comply with California Energy Commission (CEC) 2016 Title 24 Part 6 High Efficacy LED Light Source Requirements if used with included lamps that are registered and appear in the CEC Appliance Database.

T24-3 Title 24
Can be used to comply with California Energy Commission (CEC) 2016 Title 24 Part 6 High Efficacy LED Light Source Requirements. These fixtures are registered and appear in the CEC Appliance Database.

T24-4 Title 24
Can be used to comply with California Energy Commission (CEC) 2016 Title 24 Part 6 High Efficacy LED Light Source Requirements. These fixtures are not required to be registered with the CEC nor appear in the CEC Appliance Database (generally fluorescent and outdoor inseparable LED luminaires).

Wildlife Friendly Lighting
When used with lamp S9188, the amber LED @590nM complies with marine turtle safe lighting requirements within coastal regions.

50 LB Weighs Over 50 lbs.
This fixture weighs over 50 pounds and must be supported independently of outlet box.

WET Wet Rated
Safety listed for wet location.

THINGS TO NOTE

Light bulbs are not included with lighting fixture products shown in this catalog, unless otherwise noted. Generation Lighting reserves the right, at any time to make changes in the construction and design of products listed without notice. The changes may be necessary by law or the availability of supplies.

ENERGY STAR® is a registered trademark of the United States Environmental Protection Agency.

14 **VISUAL INDEX**

70 **TABLE**

CEILING

84 CHANDELIERS

114 LINEAR

132 LANTERNS

144 HANGING SHADES

150 PENDANTS

182 FLUSH & SEMI-FLUSH

WALL

198 WALL SCONCES

208 VANITY & MIRRORS

254 STEP & HALL LIGHTS

260 **OUTDOOR**

354 **CEILING FANS**

404 **LIGHTING SYSTEMS**

440 **RECESSED**

460 **BUILDER SERIES**

528 **RESOURCES**

CONTENTS

BINX

DREW & JONATHAN

p.76

FINISHES | MATERIALS

- Satin Brass (SB1) White Linen Fabric Shade
- Midnight Black (MBK1) White Linen Fabric Shade



Medium
Task Lamp

BUCKLEY

DREW & JONATHAN

p.78

FINISHES | MATERIALS

- Gloss White (GW1) Satin Brass White Linen Fabric Shade
- Gloss Navy (GNV1) Satin Brass White Linen Fabric Shade
- Gloss Black (BK1) Satin Brass White Linen Fabric Shade



Medium
Table Lamp

FERNWOOD

DREW & JONATHAN

p.82

FINISHES | MATERIALS

- Matte White (MWT) Satin Brass White Linen Fabric Shade
- Navy (NVY) Satin Brass White Linen Fabric Shade
- Midnight Black (MBK) Satin Brass White Linen Fabric Shade



Medium
Table Lamp

MORSEBY

DREW & JONATHAN

p.80

FINISHES | MATERIALS

- Gloss White (GW1) Satin Brass White Linen Fabric Shade
- Gloss Navy (GNV1) Satin Brass White Linen Fabric Shade
- Gloss Black (BK1) Satin Brass White Linen Fabric Shade



Medium
Table Lamp

PENDER

DREW & JONATHAN

p.72

FINISHES | MATERIALS

- Satin Brass (SB1) Clear Glass White Linen Fabric Shade
- Midnight Black (MBK1) Clear Glass White Linen Fabric Shade



Medium
Table Lamp

PORTEAU

DREW & JONATHAN

p.74

FINISHES | MATERIALS

Satin Brass (SB)
White Linen Fabric Shade

Midnight Black (MBK)
White Linen Fabric Shade



Medium
Table Lamp

VISUAL INDEX CHANDELIERS

ALTURAS
p.98

FINISHES | MATERIALS

- Midnight Black (-112) Opal Etched Glass or Clear Seeded Glass Shades
- Brushed Nickel (-962) Opal Etched Glass or Clear Seeded Glass Shades
- Satin Brass (-848) Opal Etched Glass or Clear Seeded Glass Shades

EN★ DAMP T24-1 T24-2



Large Nine Light Chandelier



Medium Five Light Chandelier



Small Three Light Chandelier

ANSLEY
p.102

FINISH

- Aged Iron (AI)



Large Chandelier



Medium Chandelier

BURKE
DREW & JONATHAN
p.90

FINISHES | MATERIALS

- Brushed Steel (BS) White Linen Fabric Shades
- Satin Brass (SB) White Linen Fabric Shades
- Midnight Black (MBK) White Linen Fabric Shades

DAMP



Large Chandelier



Medium Chandelier

CAPALINO
DREW & JONATHAN
p.86

FINISHES | MATERIALS

- Brushed Steel (BS) White Linen Fabric Shades
- Satin Brass (SB) White Linen Fabric Shades
- Midnight Black (MBK) White Linen Fabric Shades

DAMP



Large Chandelier



Medium Chandelier

CELESTE
p.104

FINISH

- Aged Iron/Antique Gild (AI/ADB)

DAMP



Large Chandelier



Medium Chandelier

CHATEAU
p.110

FINISH

Mocha Bronze (MBZ)


Extra Large Chandelier


Large Chandelier


Medium Chandelier


Small Chandelier

DRISCOLL
p.92

FINISHES | MATERIALS

Brushed Nickel (-962)
Opal Etched Glass

Satin Brass (-848)
Opal Etched Glass

EN ★ T24-1 T24-2


Medium Five Light Chandelier


Small Three Light Chandelier

EGMONT
DREW & JONATHAN
p.88

FINISHES | MATERIALS

Brushed Steel (BS)
White Linen Fabric Shades

Satin Brass (SB)
White Linen Fabric Shades

Midnight Black (MBK)
White Linen Fabric Shades

DAMP


Extra Large Chandelier


Large Chandelier

ETHAN
p.112

FINISH | MATERIALS

Antique Forged Iron/Brushed Steel (AF/BS) Clear Glass


Extra Large Chandelier

HADDEN
DREW & JONATHAN
p.96

FINISHES | MATERIALS

Satin Brass (SB)

Midnight Black (MBK)

DAMP


Large Chandelier


Medium Chandelier


Small Chandelier

VISUAL INDEX CHANDELIERS

JONAH
p.107

FINISH | MATERIALS

Satin Nickel/Chrome (SN/CH)
White Opal Etched Glass



Large Two-Tier Chandelier



Medium Chandelier

LORAS
p.105

FINISH | MATERIAL

Dark Weathered Iron (DWI)
Clear Seeded Glass Shades

DAMP



Medium Chandelier

MARIELLE
p.108

FINISH

Antique Gild (ADB)

DAMP



Large Chandelier



Medium Chandelier

PORTEAU
DREW & JONATHAN
p.93

FINISHES | MATERIALS

Satin Brass (SB)
White Linen Fabric Shades

Midnight Black (MBK)
White Linen Fabric Shades

DAMP



Large Chandelier



Medium Chandelier

RAVENWOOD MANOR
p.106

FINISH

Stardust (-846)

DAMP T24-1



Large Nine Light Chandelier



Medium Five Light Chandelier

SOCORRO

p.113

FINISH

Stardust (-846)

DAMP T24-1



Extra Large
Six Light
Chandelier



Large
Six Light
Chandelier



Medium
Four Light
Chandelier

TOWNER

p.94

FINISHES | MATERIALS

Brushed Nickel (-962)
Midnight Black (-112) Shades

Satin Brass (-848)
Midnight Black (-112) Shades

EN ★ DAMP T24-1 T24-2



Large
Seven Light
Chandelier



Medium
Five Light
Chandelier



Small
Three Light
Chandelier

VALENTINA

p.109

FINISH

Oxidized Bronze (OBZ)



Medium
Chandelier

VISUAL INDEX LINEAR

ANSLEY
p.128

FINISH

Aged Iron (AI)

DAMP



Large Linear
Chandelier

BELTON
p.116

FINISHES | MATERIALS

Brushed Nickel (-962)
Clear Seeded Glass

Bronze (-710)
Clear Seeded Glass

Midnight Black (-112)
Clear Seeded Glass

EN★ DAMP T24-1 T24-2



Medium Four Light
Island Pendant

DUNNING
p.131

FINISH | MATERIAL

Stardust (-846)
Creme Parchment Glass



Four Light
Linear Pendant

ELMWOOD PARK
p.120

FINISHES | MATERIALS

Brushed Nickel (-962) Satin Etched Inner Glass, Clear Outer Glass

Bronze (-710) Satin Etched Inner Glass, Clear Outer Glass

EN★ DAMP T24-1 T24-2



Medium
Four Light
Island Pendant

ETHAN
p.130

FINISH | MATERIALS

Antique Forged Iron/Brushed Steel (AF/BS) Clear Glass



Medium Linear
Chandelier

JONAH
p.119

FINISH | MATERIALS

Satin Nickel/ Chrome (SN/CH)
White Opal Etched Glass

DAMP



Medium Linear
Chandelier

MITTE
p.126

FINISH | MATERIAL

Midnight Black (-112)
Clear Glass

EN★ DAMP T24-1 T24-2



Medium Four Light
Linear Lantern

MOFFET STREET
p.122

FINISHES

Satin Brass (-848)
Washed Pine (-872)
with Chrome Accents
Brushed Nickel (-962)
Bronze (-710)

EN★ DAMP T24-1 T24-2



Large Seven Light
Linear Lantern



Medium Six Light
Linear Lantern

OSLO
p.118

FINISHES | MATERIALS

Chrome (-05)
Cased Opal Etched Glass
Brushed Nickel (-962)
Cased Opal Etched Glass
Midnight Black (-112)
Cased Opal Etched Glass

EN★ DAMP T24-1 T24-2



Medium Three Light
Island Pendant

PERRYTON
p.124

FINISHES | MATERIALS

Chrome (-05)
Chrome and Cream Candle Holders
Satin Brass (-848)
Satin Brass and Cream Candle Holders
Bronze (-710)
Bronze and Satin Brass Candle Holders
Midnight Black (-112) Midnight Black and
Chrome Candle Holders

EN★ DAMP T24-1 T24-2



Medium Eight Light
Linear Lantern

RAVENWOOD MANOR

p.129

FINISH

Stardust (-846)

DAMP T24-1



Small Eight Light Chandelier

DAWES
p.143

FINISHES
- Brushed Nickel (-962) Clear Seeded Glass
- Bronze (-710) Clear Seeded Glass

EN★ DAMP T24-1 T24-2



Medium Three Light Lantern

LABETTE
p.140

FINISH
- Black (-12)

EN★ DAMP T24-1 T24-2



Large Four Light Lantern



Medium Three Light Lantern



Small Three Light Lantern

MITTE
p.138

FINISH | MATERIAL
- Midnight Black (-112) Clear Glass

EN★ DAMP T24-1 T24-2



Large Four Light Lantern



Small Four Light Lantern



Large One Light Pendant

MOFFET STREET
p.136

FINISHES
- Satin Brass (-848)
- Washed Pine (-872) with Chrome Accents
- Brushed Nickel (-962)
- Bronze (-710)

EN★ DAMP T24-1 T24-2



Extra Large Eight Light Lantern



Large Eight Light Lantern



Medium Four Light Lantern



Small Three Light Lantern

PERRYTON
p.134

FINISHES
- Chrome (-05) Chrome and Cream Candle Holders
- Satin Brass (-848) Satin Brass and Cream Candle Holders
- Bronze (-710) Bronze and Satin Brass Candle Holder
- Midnight Black (-112) Midnight Black and Chrome Candle Holders

EN★ DAMP T24-1 T24-2



Extra Large Eight Light Lantern



Large Eight Light Lantern



Medium Four Light Lantern



Small Four Light Lantern

ROMEE

p.142

FINISHES

- Chrome (-05)
- Brushed Nickel (-962)
- Bronze (-710)

EN★ DAMP T24-1 T24-2



Large
Eight Light
Lantern



Medium
Six Light
Lantern



Small
Three Light
Lantern

CORTES

DREW & JONATHAN

p.147

FINISH | MATERIALS

Satin Brass (SB) Natural Rattan White Linen Fabric Shade

DAMP



Large
Hanging Shade



Medium
Hanging Shade

NANCE

p.148

FINISHES | MATERIALS

Brushed Nickel (-962) Off-White Faux Silk Fabric, Satin Etched Glass Diffuser

Bronze (-710) Off-White Faux Silk Fabric, Satin Etched Glass Diffuser

EN★ T24-1 T24-2



Large
Three Light
Hanging Shade



Medium Two Light
Semi-Flush
Convertible
Hanging Shade

THURLO

DREW & JONATHAN

p.146

FINISH | MATERIAL

Satin Brass (SB) Natural Abaca Rope Shade

DAMP



Large
Hanging Shade



Medium
Hanging Shade



Small
Hanging Shade

BELCARRA

DREW & JONATHAN

p.152

FINISHES | MATERIALS

- Brushed Steel (BS) Etched White Glass
- Satin Brass (SB) Etched White Glass
- Midnight Black (MBK) Etched White Glass

DAMP



Medium Pendant



Small Pendant

BELLE

p.176

FINISHES

- Black (BK)
- Brushed Steel (BS)
- Dark Bronze (DBZ)
- Polished Nickel (PN)



Medium Pendant

CADENCE

p.167

FINISH

- Dark Antique Brass/Matte Black (DAB/MB)



Pendant



Mini Pendant

DIVISION STREET

p.170

FINISHES

- Brushed Nickel (-962)
- Bronze (-710)
- Stardust (-846)

EN★ DAMP T24-1 T24-2



Medium One Light Pendant

DRISCOLL

p.156

FINISHES | MATERIALS

- Satin Brass (-848) Opal Etched Glass
- Brushed Nickel (-962) Opal Etched Glass

EN★ DAMP T24-1 T24-2



One Light Mini Pendant

FREDRICKSBURG
p.171

FINISHES
- Satin Aluminum (-04)
- Weathered Copper (-44)
- Black (-12)

EN★ DAMP T24-1 T24-2



One Light
Indoor / Outdoor
Pendant

HOBSON
p.166

FINISHES
- Oil Rubbed Bronze (ORB)
- Satin Nickel (SN)



Medium
Pendant



Mini
Pendant



Mini
Pendant

HYDE
DREW & JONATHAN
p.154

FINISHES | MATERIALS
- Matte White (MWT) Opal Glass
- Navy (NVY) Opal Glass
- Midnight Black (MBK) Opal Glass



Large
Pendant



Medium
Pendant



Small
Pendant

JONAH
p.161

FINISH
- Satin Nickel/Chrome (SN/CH)



Mini Pendant

KEA
p.157

FINISHES | MATERIALS
- Bronze (-710) Clear Seeded Glass
- Brushed Nickel (-962) Clear Seeded Glass

EN★ DAMP T24-2



One Light
Mini Pendant

VISUAL INDEX PENDANTS

LORAS
p.159

FINISHES | MATERIALS
- Chrome (CH) Clear Seeded Glass
- Dark Weathered Iron (DWI) Clear Seeded Glass


Pendant


Mini Pendant

MARINO
p.160

FINISHES | MATERIALS
- Chrome (-CH) Clear Glass
- Satin Nickel (-SN) Clear Glass
- Oil Rubbed Bronze (-ORB) Clear Glass

DAMP T24-1


Medium One Light Pendant

MATRIMONIO
p.158

FINISH | MATERIALS
- Driftwood/Dark Weathered Zinc (DFW/DWZ) Clear Glass


Pendant


Mini Pendant

PEMBERTON
DREW & JONATHAN
p.155

FINISHES | MATERIALS
- Satin Brass/Matte White Shade (SBMWT)
- Satin Brass Midnight Black Shade (SBMBK)


Medium Pendant

PRATT STREET METAL
p.173

FINISHES | MATERIALS
- Satin Brass (-848) Prismatic Glass Diffuser
- Brushed Nickel (-962) Prismatic Glass Diffuser
- Autumn Bronze (-715) Prismatic Glass Diffuser

EN★ DAMP T24-1 T24-2


Large Three Light Pendant


Medium Two Light Pendant


Small One Light Pendant

PRATT STREET PRISMATIC

p.172

FINISHES | MATERIALS

- Brushed Nickel (-962) Prismatic Glass & Diffuser
- Autumn Bronze (-715) Prismatic Glass & Diffuser

EN★ DAMP T24-1 T24-2



Large Three Light Pendant



Medium Two Light Pendant



Small One Light Pendant

SOCORRO

p.164

FINISH

- Stardust (-846)



One Light Mini Pendant

STONE STREET

p.174

FINISH | MATERIALS

- Brushed Nickel (-962) Etched Glass Diffuser

EN★ DAMP T24-1 T24-2



Large Two Light Pendant



Medium One Light Pendant

TOWNER

p.168

FINISHES | MATERIALS

- Satin Brass (-848) Etched Glass Diffuser
- Brushed Nickel (-962) Etched Glass Diffuser

EN★ DAMP T24-1 T24-2



Five Light Cluster



Three Light Cluster



One Light Mini-Pendant

URBAN RENEWAL

p.162

FINISHES

- Black (BK)
- Brushed Steel (BS)
- Dark Bronze (DBZ)
- Polished Nickel (PN)

DAMP



Bell Pendant



Round Glass Pendant



Closed Cage Pendant



Round Cage Pendant

BOWAN
p.194

FINISH | MATERIAL
White (-15)
Satin Etched Glass
EN★ DAMP T24-3 LED ADA

Four Foot LED
Ceiling/Wall Mount

Two Foot LED
Ceiling
Flush Mount

CLIP CEILING
p.193

FINISH | MATERIAL
Brushed Nickel (-962)
White Acrylic Diffuser
EN★ DAMP T24-1 T24-2 T24-4 WOD LED



Large
Flush Mount



Medium
Flush Mount

CORTES
DREW & JONATHAN
p.184

FINISH | MATERIALS
Satin Brass (SB) Rattan/White Linen Shade/Etched White Glass Diffuser
DAMP



Medium Ceiling
Flush Mount

DROP LENS
p.196

FINISH | MATERIAL
White (-15)
Frosted Acrylic Diffuser
DAMP T24-3 LED

LED Linear
Ceiling
Flush Mount

LED Linear
Ceiling
Flush Mount

ETHAN
p.190

FINISH | MATERIALS
Antique Forged Iron/Brushed Steel (AF/BS) Clear Glass
DAMP



Large
Semi-Flush Mount

HYDE

DREW & JONATHAN

p.189

FINISHES | MATERIAL

- Matte White (MWT) Milk Glass
- Navy (NVY) Milk Glass
- Midnight Black (MBK) Milk Glass



Medium
Flush Mount

KOLMAR

p.197

FINISH | MATERIAL

- White (-15) White Acrylic Diffuser

EN★ DAMP T24-3 LED

Four Foot
LED Ceiling
Flush Mount

Two Foot
LED Ceiling
Flush Mount

LINEAR

p.195

FINISH | MATERIAL

- White(-15) White Acrylic Diffuser

DAMP T24-4 FL

Four Light
Ceiling
Flush Mount

Two Light
Ceiling
Flush Mount

Linear
Ceiling
Flush Mount

Linear
Ceiling
Flush Mount

MAHONE

p.187

FINISHES | MATERIALS

- Brushed Nickel (-962) White Acrylic Diffuser
- Antique Bronze (-71) White Acrylic Diffuser

EN★ DAMP T24-3 LED



Grande Oval LED
Flush Mount



Large LED
Flush Mount



Medium LED
Ceiling
Flush Mount

MITTE

p.190

FINISH | MATERIAL

- Midnight Black (-112) Clear Glass

EN★ DAMP T24-1 T24-2



Medium Two Light
Flush Mount

VISUAL INDEX FLUSH AND SEMI-FLUSH MOUNT

NASH
p.188

FINISHES | MATERIALS

- White (-15) Opal Etched Glass
- Chrome (-05) Opal Etched Glass
- Brushed Nickel (-962) Opal Etched Glass
- Satin Brass (-848) Opal Etched Glass
- Bronze (-848) Satin Etched Glass
- Midnight Black (-112) Opal Etched or Amber Scavo Glass

EN★ DAMP T24-1 T24-2

Large
Ceiling Flush Mount



Medium
Ceiling Flush Mount



Small
Ceiling Flush Mount

RHETT
p.185

FINISHES | MATERIALS

- Brushed Nickel (-962) Milk Glass
- Satin Brass (-848) Milk Glass
- Midnight Black (-112) Milk Glass

DAMP T24-3 LED



Medium
Ceiling Flush Mount

SOCORRO
p.191

FINISH

- Stardust (-846)

EN★ DAMP T24-1 T24-2



Large Three Light
Semi-Flush Mount



Large Two Light
Flush Mount

SUNSET DRIVE
p.186

FINISHES | MATERIALS

- Chrome (CH) Opal Etched Glass
- Brushed Steel (BS) Opal Etched Glass
- Oil Rubbed Bronze (ORB) Opal Etched Glass

EN★ DAMP T24-1 T24-2



Large Three Light
Flush Mount



Medium Two Light
Flush Mount

TOMKIN
p.192

FINISH | MATERIAL

- White (-15) White Glass

EN★ DAMP T24-1 T24-2



Small One Light
Ceiling Flush Mount,
Pull Chain

Small One Light
Ceiling
Flush Mount

WEBSTER

p.192

FINISHES | MATERIALS

- White (-15) Smooth White Glass
- Brushed Nickel (-962) Smooth White Glass
- Bronze (-71) Smooth White Glass

EN★ DAMP T24-1 T24-2



Small Two Light Wall / Ceiling Flush Mount



Small One Light Wall / Ceiling Flush Mount

ANSLEY

p.205

FINISH | MATERIAL

Aged Iron (AI)
White Linen

DAMP



One Light Sconce

BURKE

DREW & JONATHAN

p.200

FINISHES | MATERIALS

Brushed Steel (BS)
White Linen Fabric Shades

Satin Brass (SB)
White Linen Fabric Shades

Midnight Black (MBK)
White Linen Fabric Shades

DAMP



Medium Sconce

CAPALINO

DREW & JONATHAN

p.201

FINISHES | MATERIALS

Brushed Steel (BS)
White Linen Fabric Shades

Satin Brass (SB)
White Linen Fabric Shades

Midnight Black (MBK)
White Linen Fabric Shades

DAMP



Medium Double Sconce

EDLA

p.206

FINISH | MATERIAL

White (-15)
White Acrylic Diffuser

EN★ DAMP T24-1 T24-2



One Light Sconce

EGMONT

DREW & JONATHAN

p.201

FINISHES | MATERIALS

Brushed Steel (BS)
White Linen Fabric Shades

Satin Brass (SB)
White Linen Fabric Shades

Midnight Black (MBK)
White Linen Fabric Shades

DAMP



Medium Sconce

ETHAN
p.204

FINISH | MATERIALS

Antique Forged Iron/Brushed Steel (AF/BS) Clear Glass

T24-1



Sconce

LORAS
p.202

FINISHES | MATERIALS

Chrome (CH) Clear Seeded Glass

Dark Weathered Iron (DWI) Clear Seeded Glass

DAMP



Sconce

MARIELLE
p.204

FINISH

Antique Gild (ADB)

DAMP ADA



Double Sconce

MARLENA
p.205

FINISH | MATERIAL

Antique Bronze (ANBZ) Clear Glass

DAMP



Large Sconce

METROPOLIS
p.207

FINISHES | MATERIALS

Multiple Finishes (-999), Brushed Nickel Endcaps, Satin Etched Glass

EN★ DAMP T24-1 T24-2 ADA

One Light Sconce

MILA
p.204

FINISHES | MATERIALS

Brushed Steel (BS)
White Opal Etched Glass

Oil Rubbed Bronze (ORB)
White Opal Etched Glass

DAMP ADA



Wall
Sconce

NEARU
p.207

FINISHES | MATERIALS

Brushed Nickel (-962)
Opal Cased Etched Glass

Bronze (-710)
Opal Cased Etched Glass

EN★ DAMP T24-1 T24-2 ADA



One Light
Sconce

NEVA
p.206

FINISH | MATERIAL

White (-15)
White Glass

EN★ DAMP T24-1 T24-2 T24-4 LED WOD ADA



One Light
Sconce

PORTEAU
DREW & JONATHAN
p.200

FINISHES | MATERIAL

Satin Brass (SB)
White Linen Fabric Shade

Midnight Black (MBK)
White Linen Fabric Shade



Medium
Sconce

RAVEL
p.207

FINISH | MATERIAL

Brushed Nickel (-962)
Satin White Acrylic Diffuser

EN★ DAMP T24-4 LED WOD ADA



LED
Sconce

STEPPED GLASS

p.206

FINISH | MATERIAL

White (-15)
White Glass

EN★ DAMP T24-1 T24-2

One Light
Sconce

TOWNER

p.205

FINISHES | MATERIALS

Brushed Nickel (-962)
Black Metal Shade

Satin Brass (-848)
Black Metal Shades

EN★ DAMP T24-1 T24-2



One Light
Sconce

VISUAL INDEX VANITY

ABBOTT
p.246

FINISH | MATERIAL

Burnished Brass (BBS)
White Glass

DAMP T24-1


Three Light Vanity


One Light Sconce

ADELAIDE
p.220

FINISH | MATERIAL

Midnight Black (MBK)
Clear Seeded Glass

DAMP T24-1


Four Light Vanity


Three Light Vanity


Two Light Vanity


One Light Sconce

ALTURAS
p.236

FINISHES | MATERIALS

Chrome (-05)
Etched, White Inside Glass

Satin Brass (-848)
Etched, White Inside Glass

Brushed Nickel (-962)
Etched, White Inside Glass

Pewter Bronze (-778)
Etched, White Inside Glass

Midnight Black (-112)
Etched, White Inside Glass

EN★ DAMP T24-1 T24-2


Four Light Wall / Bath


Three Light Wall / Bath


Two Light Wall / Bath


One Light Wall / Bath Sconce

BAYFIELD
p.242

FINISHES | MATERIALS

Chrome (-05)
Etched, White Inside Glass

Brushed Nickel (-962)
Etched, White Inside Glass

Bronze (-710)
Etched, White Inside Glass

EN★ DAMP T24-1 T24-2


Four Light Wall / Bath


Three Light Wall / Bath


Two Light Wall / Bath


One Light Wall / Bath Sconce

BELCARRA
DREW & JONATHAN
p.213

FINISHES | MATERIALS

Brushed Steel (BS)
Etched White Glass

Satin Brass (SB)
Etched White Glass

Midnight Black (MBK)
Etched White Glass

DAMP


Four Light Wall / Bath


Three Light Wall / Bath


Two Light Wall / Bath


One Light Wall / Bath Sconce

BELTON

p.231

FINISHES | MATERIALS

- Chrome (-05) (Wall / Bath Only) Clear Seeded Glass
- Brushed Nickel (-962) Clear Seeded Glass
- Bronze (-710) Clear Seeded Glass
- Midnight Black (-112) Clear Seeded Glass

EN★ DAMP T24-1 T24-2 +



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

BRAUNFELS

p.248

FINISH | MATERIALS

- Satin Aluminum (-04) Frosted Acrylic Diffuser & Clear Acrylic Outer Shade

DAMP LED ADA +



Large LED Wall / Bath



Medium LED Wall / Bath



Small LED Wall / Bath

CANFIELD

p.225

FINISHES | MATERIALS

- Chrome (-05) (Wall / Bath Only) Etched, White Inside Glass
- Brushed Nickel (-962) Etched, White Inside Glass
- Bronze (-710) Etched, White Inside Glass
- Midnight Black (-112) Etched, White Inside Glass

EN★ DAMP T24-1 T24-2 +



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

CENTER STAGE

p.250

FINISHES

- Chrome (-05)
- Brushed Stainless (-98)

DAMP T24-1 +



Eight Light Wall / Bath



Six Light Wall / Bath



Five Light Wall / Bath



Four Light Wall / Bath



Three Light Wall / Bath

CROFTON

DREW & JONATHAN

p.211

FINISHES | MATERIALS

- Chrome (CH) Clear Glass
- Brushed Steel (BS) Clear Glass
- Satin Brass (SB) Clear Glass
- Midnight Black (MBK) Clear Glass

DAMP +



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

DRISCOLL

p.226

FINISHES | MATERIALS

- Chrome (-05) Opal Etched Glass
- Brushed Nickel (-962) Opal Etched Glass
- Satin Brass (-848) Opal Etched Glass

EN★ DAMP T24-1 T24-2



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

ELLIS HARPER

p.233

FINISH | MATERIAL

- Brushed Nickel (-962) Etched, White Glass

EN★ DAMP T24-1 T24-2



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

ELMWOOD PARK

p.224

FINISHES | MATERIALS

- Brushed Nickel (-962) Satin Etched Inner Glass, Clear Outer Glass
- Bronze (-710) Satin Etched Inner Glass, Clear Outer Glass

EN★ DAMP T24-1 T24-2



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

EMMONS

p.245

FINISHES | MATERIALS

- Brushed Nickel (-962) Satin Etched Glass
- Bronze (-710) Satin Etched Glass

EN★ DAMP T24-1 T24-2



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

FRANPORT

p.240

FINISHES | MATERIALS

- Chrome (-05) Etched, White Inside Glass
- Brushed Nickel (-962) Etched, White Inside Glass
- Bronze (-710) Etched, White Inside Glass
- Midnight Black (-112) Etched, White Inside Glass

EN★ DAMP T24-1 T24-2



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

HANFORD

p.244

FINISHES | MATERIALS

- Brushed Nickel (-962) Satin Etched Glass
- Bronze (-710) Satin Etched Glass

EN★ DAMP T24-1 T24-2



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

HETTINGER

p.234

FINISHES | MATERIALS

- Chrome (-05) Etched, White Inside Glass
- Satin Brass (-848) Etched, White Inside Glass
- Brushed Nickel (-962) Etched, White Inside Glass
- Bronze (-710) Etched, White Inside Glass
- Midnight Black (-112) Etched, White Inside Glass

EN★ DAMP T24-1 T24-2



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

KEMAL

p.232

FINISHES | MATERIALS

- Chrome (-05) Etched, White Glass
- Pewter Bronze (-778) Etched, White Glass
- Brushed Nickel (-962) Etched, White Glass

EN★ DAMP T24-1 T24-2



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

KERRVILLE

p.230

FINISHES | MATERIALS

- Chrome (-05) Satin Etched Glass
- Brushed Nickel (-962) Satin Etched Glass
- Bronze (-710) Satin Etched Glass

EN★ DAMP T24-1 T24-2



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

MITTE

p.218

FINISH | MATERIAL

- Midnight Black (-112) Clear Glass

EN★ DAMP T24-1 T24-2



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

VISUAL INDEX VANITY

OSLO
p.222

FINISHES | MATERIALS

- Chrome (-05) Cased Opal Etched or Clear Seeded Glass
- Brushed Nickel (-962) Cased Opal Etched or Clear Seeded Glass
- Bronze (-710) Cased Opal Etched or Clear Seeded Glass
- Midnight Black (-112) Cased Opal Etched or Clear Seeded Glass

EN★ DAMP T24-1 T24-2


Four Light Wall / Bath


Three Light Wall / Bath


Two Light Wall / Bath


One Light Wall / Bath Sconce

PROSPECT PARK
p.239

FINISH | MATERIALS

- Satin Nickel/Chrome (SN/CH) White Opal Etched Glass

DAMP


Three Light Vanity


Two Light Vanity


One Light Sconce

ROBIE
p.238

FINISHES | MATERIALS

- Chrome (-05) (Wall / Bath Only) Etched, White Inside Glass
- Brushed Nickel (-962) Etched, White Inside Glass
- Bronze (-710) Etched, White Inside Glass
- Midnight Black (-112) Etched, White Inside Glass

EN★ DAMP T24-1 T24-2


Four Light Wall / Bath


Three Light Wall / Bath


Two Light Wall / Bath


One Light Wall / Bath Sconce

SAYWARD
DREW & JONATHAN
p.210

FINISHES | MATERIALS

- Chrome (CH) Clear Glass
- Brushed Steel (BS) Clear Glass
- Satin Brass (SB) Clear Glass
- Midnight Black (MBK) Clear Glass

DAMP


Four Light Wall / Bath


Three Light Wall / Bath


Two Light Wall / Bath


One Light Wall / Bath Sconce

SEVILLE
p.228

FINISHES | MATERIALS

- Chrome (-05) Etched, White Inside Glass
- Brushed Nickel (-962) Etched, White Inside Glass
- Bronze (-710) Etched, White Inside Glass

EN★ DAMP T24-1 T24-2


Five Light Wall / Bath


Four Light Wall / Bath


Three Light Wall / Bath


Two Light Wall / Bath


One Light Wall / Bath Sconce

TOFFINO

DREW & JONATHAN

p.212

FINISHES | MATERIALS

- Chrome (CH) Milk Glass
- Brushed Steel (BS) Milk Glass
- Satin Brass (SB) Milk Glass
- Midnight Black (MBK) Milk Glass

DAMP +



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

TOWNER

p.216

FINISHES | MATERIALS

- Brushed Nickel (-962) Black Metal Shades
- Satin Brass (-848) Black Metal Shades

EN ★ DAMP T24-1 T24-2 +



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

URBAN RENEWAL

p.219

FINISHES

- Polished Nickel (PN)
- Dark Antique Brass (DAB)

DAMP T24-1 +



Two Light Wall / Bath



One Light Wall / Bath Sconce

VANDEVENTER

p.249

FINISH | MATERIAL

- Brushed Nickel (-962) White Acrylic Diffuser

DAMP T24-1 T24-3 ADA LED +



Medium LED Wall / Bath



Small LED Wall / Bath



LED Wall / Bath Sconce

WINDOM

p.214

FINISHES | MATERIALS

- Chrome (-05) (Wall / Bath Only) Etched Opal Glass
- Brushed Nickel (-962) Etched Opal Glass
- Satin Brass (-848) Etched Opal Glass
- Bronze (-710) Etched Opal Glass
- Midnight Black (-112) Etched Opal Glass

EN ★ DAMP T24-1 T24-2 +



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

ETHAN

p.252

FINISH | MATERIAL

Antique Forged Iron (AF)
Mirror Glass



Rectangular Mirror

INFINITY

p.252

MATERIAL

Beveled Glass Mirror



Large Rectangular Mirror



Medium Rectangular Mirror

JACKIE

p.253

FINISH | MATERIAL

Oil Rubbed Bronze (ORB)
Mirror Glass



Oval Mirror

KIT

p.253

FINISHES | MATERIALS

Burnished Brass (BBS)
Mirror Glass

Midnight Black (MBK)
Mirror Glass

Polished Nickel (PN)
Mirror Glass



Oval Mirror



Round Mirror

Rectangular Mirror

LED STEP/ HALL LIGHTING

p.256

FINISHES

- White (-15)
- Antique Bronze (-171)
- Satin Nickel (-849)

WET



Louver LED Step Light



Tarpa LED Step Light



Vitra LED Step Light



Louver LED Brick Light



Tarpa LED Brick Light

Vitra LED Brick Light

ADDRESS LIGHTS

p.346

FINISHES

- White (-15)
- White Plastic (-68)
- Antique Bronze (-71)
- Black (-12)

WET LED



120V LED Address Light



Low-Voltage Address Light



Low-Voltage Address Light Transformer



Number Tiles

ALBAN

p.262

FINISHES | MATERIALS

- Satin Aluminum (-04) Cylindrical or Square Glass
- Antique Bronze (-71) Cylindrical or Square Glass
- Black (-12) Cylindrical or Square Glass

EN★ WET T24-1 T24-2



Large One Light Outdoor Wall Lantern



Large One Light Outdoor Wall Lantern



Medium One Light Outdoor Wall Lantern



Medium One Light Outdoor Wall Lantern



Small One Light Outdoor Wall Lantern



Small One Light Outdoor Wall Lantern

BAKERSVILLE

p.284

FINISHES | MATERIALS

- Antique Bronze (-71) Clear Beveled or Satin Etched Glass
- Black (-12) Clear Beveled or Satin Etched Glass

EN★ WET DAMP T24-1 T24-2



One Light Outdoor Wall Lantern



One Light Outdoor Wall Lantern



Small One Light Outdoor Wall Lantern



Small One Light Outdoor Wall Lantern



Two Light Outdoor Ceiling Flush Mount



One Light Outdoor Pendant



One Light Outdoor Post Lantern

BAYSIDE

p.338

FINISHES | MATERIALS

- White Polycarbonate (-15) Frosted Ribbed Diffuser
- Black Polycarbonate (-12) Frosted Ribbed Diffuser

EN★ WET T24-1 T24-2 ADA



One Light Outdoor Wall Lantern



One Light Outdoor Wall Lantern



One Light Outdoor Wall Lantern



One Light Outdoor Wall / Ceiling Mount



One Light Outdoor Wall / Ceiling Mount

BRENTWOOD
p.304

FINISH | MATERIALS

Black (-12) Clear Beveled Glass or Etched, White Inside Glass

EN★ WET DAMP T24-1 T24-2


Medium One Light Uplight Outdoor Wall Lantern


Medium One Light Downlight Outdoor Wall Lantern


Small One Light Outdoor Wall Lantern


Two Light Outdoor Ceiling Flush Mount


One Light Outdoor Pendant


One / Three Light Outdoor Post Lantern

CALDER
p.320

FINISH | MATERIAL

Antique Bronze (-71) Satin Etched Glass

EN★ WET T24-1 T24-2 SS


Large One Light Outdoor Wall Lantern


Medium One Light Downlight Outdoor Wall Lantern


Small One Light Outdoor Wall Lantern


One Light Outdoor Post Lantern

CAPE MAY
p.282

FINISHES | MATERIALS

Burled Iron (-780) Etched, Hammered Glass with Light Amber Tint

Black (-12) Etched, White Inside Glass

EN★ WET DAMP T24-1 T24-2


Extra Large One Light Outdoor Wall Lantern


Large One Light Outdoor Wall Lantern


Extra Large One Light Uplight Outdoor Wall Lantern


Medium One Light Outdoor Wall Lantern


Small One Light Outdoor Wall Lantern


One Light Outdoor Pendant


One Light Outdoor Post Lantern

CHATHAM
p.278

FINISHES | MATERIALS

Weathered Copper (-44) Clear Seeded Glass with White Aluminum Backing, Frosted Seeded Glass or Clear Seeded Glass

Oxidized Bronze (-46) Clear Seeded Glass with White Aluminum Backing, Frosted Seeded Glass or Clear Seeded Glass

EN★ WET DAMP T24-1 T24-2


Large Two Light Outdoor Wall Lantern


Small One Light Outdoor Wall Lantern


Two Light Outdoor Post Lantern

CHILDRESS
p.276

FINISHES | MATERIALS

Antique Bronze (-71) Satin Etched Glass

Black (-12) Satin Etched Glass

EN★ WET T24-1 T24-2


Large One Light Outdoor Wall Lantern


Medium One Light Outdoor Wall Lantern


Small One Light Outdoor Wall Lantern


Outdoor One Light Post Lantern

VISUAL INDEX OUTDOOR

CLASSICO

p.302

FINISHES | MATERIALS

Polished Brass (-02)
Clear Beveled Glass

Black (-12) Clear Beveled Glass or
Clear Seeded Glass

WET DAMP T24-1



Large
One Light
Outdoor
Wall Lantern



Medium
One Light
Outdoor
Wall Lantern



Small
One Light
Outdoor
Wall Lantern



One Light
Outdoor
Semi-Flush
Convertible Pendant



One Light
Outdoor
Semi-Flush
Convertible Pendant



One Light
Outdoor
Post Lantern

COTSWOLD LANE

p.308

FINISHES | MATERIALS

Grecian Bronze (GBZ)
Clear Beveled Glass

Black (BK)
Clear Beveled Glass

WET DAMP



Extra Large
Outdoor
Wall Lantern



Large
Outdoor
Wall Lantern



Medium
Outdoor
Wall Lantern



Small
Outdoor
Wall Lantern



Extra Small
Outdoor
Wall Lantern



Large
Outdoor
Pendant



Medium
Outdoor
Pendant



Small
Outdoor
Pendant



Outdoor
Flush
Mount



Pocket
Outdoor
Wall Lantern



Large
Outdoor
Post



Small
Outdoor
Post

CRITTENDEN

p.332

FINISHES

Satin Aluminum (-04)
(Medium only)

Black (-12)

EN★ WET T24-1 T24-2



Large
One Light
Outdoor
Wall Lantern



Medium
One Light
Outdoor
Wall Lantern



Small
One Light
Outdoor
Wall Lantern

CROWELL

p.274

FINISHES | MATERIALS

- Antique Bronze (-71) Creme Parchment Glass
- Black (-12) Satin Etched Glass

EN★ WET DAMP T24-1 T24-2



Large One Light Outdoor Wall Lantern



Medium One Light Outdoor Wall Lantern



Small One Light Outdoor Wall Lantern



Two Light Outdoor Ceiling Flush Mount



One Light Outdoor Post Lantern

DAKOTA

p.318

FINISH | MATERIALS

- Espresso (ES) Clear Seeded Glass or Acid Etched Outside Spray/White Inside Glass

WET



Large Outdoor Wall Lantern



Medium Outdoor Wall Lantern



Small Outdoor Wall Lantern



Extra Small Outdoor Wall Lantern



Flush Mount



One Light Outdoor Post Lantern

DARBY

p.331

FINISH

- Oil Rubbed Bronze (ORB)

WET



Outdoor Wall Lantern

EDDINGTON

p.277

FINISHES | MATERIALS

- Antique Bronze (-71) Cased Opal Etched Glass
- Black (-12) Cased Opal Etched Glass

EN★ WET T24-1 T24-2



Large One Light Outdoor Wall Lantern



Medium One Light Outdoor Wall Lantern



Small One Light Outdoor Wall Lantern

FLOOD LIGHTS

p.348

FINISHES | MATERIALS

- Antique Bronze (-71) Aluminum
- Black (-12) Aluminum
- White (-15) Aluminum or Polycarbonate

EN★ WET T24-1 T24-2

One Light with Photo & Motion Sensor



One Light Adjustable Swivel



Two Light with Photo & Motion Sensor



Two Light Adjustable Swivel



Two Light Adjustable Swivel

FREDRICKSBURG

p.334

FINISHES

- Satin Aluminum (-04)
- Weathered Copper (-44)
- Black (-12)

EN★ WET DAMP T24-1 T24-2 T24-4



Large One Light Outdoor Wall Lantern



Small One Light Outdoor Wall Lantern



Indoor / Outdoor Pendant

HERRINGTON

p.296

FINISH | MATERIALS

- Black (-12) Clear Seeded or Etched, White Inside

EN★ WET DAMP T24-1 T24-2



Medium One Light Outdoor Wall Lantern



Small One Light Outdoor Wall Lantern



Two Light Outdoor Ceiling Flush Mount



One Light Outdoor Pendant



One Light Outdoor Post Lantern

HUNNINGTON

p.326

FINISHES | MATERIALS

- Weathered Pewter (-57) Clear Seeded or Etched Seeded Glass
- Black (-12) Clear Seeded or Etched Seeded Glass

WET DAMP T24-1



Large One Light Outdoor Wall Lantern



Small One Light Outdoor Wall Lantern



Two Light Outdoor Ceiling Flush Mount



One Light Outdoor Pendant



One Light Outdoor Post Lantern

JAMESTOWNE

p.298

FINISHES | MATERIALS

- Antique Brushed Nickel (-965) Clear Beveled Glass
- Antique Bronze (-71) Clear Beveled Glass
- Antique Bronze (-71) Frosted Seeded Glass or Etched Tiffany Glass with White Aluminum Backing
- Black (-12) Clear Beveled Glass
- Black (-12) Etched Tiffany Glass with White Aluminum Backing

EN★ WET T24-1 T24-2



Extra Large Two Light Outdoor Wall Lantern



Large One Light Outdoor Wall Lantern



Medium One Light Outdoor Wall Lantern



Small One Light Outdoor Wall Lantern



One Light Outdoor Post Lantern

KENT

p.292

FINISHES | MATERIALS

- Oxford Bronze (-746) Clear Seeded or Satin Etched Glass
- Black (-12) Clear Beveled or Satin Etched Glass

EN★ WET DAMP T24-1 T24-2



Extra Large One Light Outdoor Wall Lantern



Medium One Light Outdoor Wall Lantern



Large One Light Outdoor Wall Lantern



Small One Light Outdoor Wall Lantern



One Light Outdoor Semi-Flush Convertible Pendant



One Light Outdoor Pendant



One Light Outdoor Post Lantern

LANCASTER

p.300

FINISHES | MATERIALS

- Polished Brass (-02) Clear Curved Beveled Glass
- Antique Brushed Nickel (-965) Clear Curved Beveled Glass
- Antique Bronze (-71) Clear Curved Beveled Glass
- Black (-12) Clear Curved Beveled Glass

EN★ WET DAMP T24-1 T24-2



Extra Large Three Light Outdoor Wall Lantern



Large Two Light Outdoor Wall Lantern



Medium One Light Outdoor Wall Lantern



Medium One Light Outdoor Wall Lantern



Small One Light Outdoor Wall Lantern



Large Three Light Outdoor Pendant



Medium Two Light Outdoor Post Lantern



Large Three Light Outdoor Post Lantern

LENNEX

p.331

FINISH

- Slate Grey Metal (SGM)

WET



Rectangular Plate Wall Lantern

LIGHTHOUSE

p.322

FINISH | MATERIAL

Burnished Bronze (BB)
Opal Etched Glass

WET



Large Outdoor Wall Lantern



Small Outdoor Wall Lantern

MARKET SQUARE

p.328

FINISH | MATERIAL

Oil Rubbed Bronze (ORB)
Clear Seeded Glass

WET



Large Outdoor Wall Lantern



Medium Outdoor Wall Lantern

MARTINSVILLE

p.281

FINISHES | MATERIALS

Corinthian Bronze (CB)
Clear Seeded Glass

Black (BK)
Clear Seeded Glass

EN★ WET DAMP T24-1 T24-2



Extra Large Four Light Outdoor Wall Lantern



Large Three Light Outdoor Wall Lantern



Medium Two Light Outdoor Wall Lantern



Small One Light Outdoor Wall Lantern



Three Light Outdoor Pendant



Three Light Outdoor Post Lantern

MEDFORD LAKES

p.330

FINISH | MATERIALS

Statuary Bronze (-51) Etched Hammered with Light Amber Tint Glass

EN★ WET T24-1 T24-2



Large One Light Outdoor Wall Lantern



Medium One Light Outdoor Wall Lantern



Small One Light Outdoor Wall Lantern

MILLBROOKE

p.316

FINISH | MATERIAL

Antique Bronze (ANBZ)
Water Glass

WET DAMP SS



Extra Large Outdoor Wall Lantern



Large Outdoor Wall Lantern



Medium Outdoor Wall Lantern



Small Outdoor Wall Lantern



Extra Small Outdoor Wall Lantern



Post Lantern



Pendant

MULLBERRY HILL

p.324

FINISHES | MATERIALS

- White (-15) Clear or White Glass
- Pewter (-155) Clear or White Glass
- Bronze (-10) Clear or White Glass
- Black (-12) Clear or White Glass

EN★ WET T24-1 T24-2


One Light Outdoor Wall Lantern


One Light Outdoor Wall Lantern


One Light Outdoor Wall Lantern


One Light Outdoor Wall Lantern

NEW CASTLE

p.325

FINISHES | MATERIALS

- White (-15) Clear or Satin Etched Glass
- Antique Brushed Nickel (-965) Clear or Satin Etched Glass
- Antique Bronze (-71) Clear or Satin Etched Glass
- Black (-12) Clear or Satin Etched Glass

EN★ WET T24-1 T24-2


Large One Light Outdoor Wall Lantern


Large One Light Outdoor Wall Lantern


Small One Light Outdoor Wall Lantern


Small One Light Outdoor Wall Lantern

OUTDOOR CEILING FLUSH MOUNT

p.343

FINISHES | MATERIALS

- White Polypropylene (-15) Clear Textures Glass
- Black Polypropylene (-15) Clear Textured Glass

DAMP T24-1


Two Light Outdoor Ceiling Flush Mount


Two Light Outdoor Ceiling Flush Mount


Two Light Outdoor Ceiling Flush Mount


One Light Outdoor Ceiling Flush Mount

OUTDOOR POST LANTERNS

p.344

FINISHES | MATERIALS

- Black Polypropylene (-32) Clear Beveled Acrylic Diffuser
- Black (-12) Frosted or Clear Beveled Acrylic Diffuser
- Black Polycarbonate (-68) White Acrylic Diffuser

EN★ WET T24-1 T24-2


One Light Outdoor Post Lantern


One Light Outdoor Post Lantern


One Light Outdoor Post Lantern


One Light Outdoor Post Lantern


One Light Outdoor Post Lantern

OUTDOOR WALL LANTERNS

p.342

FINISHES | MATERIALS

- Black Polypropylene (-32) Clear Beveled Acrylic Diffuser
- White Polycarbonate (-15) Clear Glass or Clear Beveled Acrylic
- Black (-12) Clear or Satin Etched Glass or White Polycarbonate Diffuser

EN★ WET T24-1 T24-2


One Light Outdoor Wall Lantern


One Light Outdoor Wall Lantern

OUTDOOR WALL SCONCES

p.340

FINISHES | MATERIALS

White Polycarbonate (-15)
White Glass

Black Polycarbonate (-34)
White Glass

EN★ WET T24-1 T24-2

One Light Outdoor Wall Lantern



One Light Outdoor Wall Lantern



One Light Outdoor Wall Lantern



One Light Outdoor Wall Lantern



One Light Outdoor Wall Lantern



One Light Outdoor Wall Lantern

PAINTABLE CERAMIC WALL SCONCES

p.341

FINISH

Paintable Ceramic (-714)

EN★ WET T24-1 T24-2

Half Moon One Light Outdoor Wall Lantern

Rectangle One Light Outdoor Wall Lantern



Striation One Light Outdoor Wall Lantern

RANDHURST

p.331

FINISH

Copper Oxide (CO)

WET SS



Large Outdoor Wall Lantern

REDDING STATION

p.336

FINISHES

Tarnished Silver (TRD)

Restoration Bronze (RSZ)

Textured Black (TXB)

WET



Large Outdoor Wall Lantern



Medium Outdoor Wall Lantern



Small Outdoor Wall Lantern



Outdoor Pendant

RENVILLE

p.264

FINISHES | MATERIALS

Antique Bronze (-71)
Satin Etched Glass

Black (-12)
Satin Etched Glass

EN★ WET T24-1 T24-2



Large One Light Outdoor Wall Lantern



Small One Light Outdoor Wall Lantern

ROSCOE

p.323

FINISH | MATERIAL

- Textured Black (TXB) White Opal Etched Glass

WET SS



Large Outdoor Wall Lantern



Medium Outdoor Wall Lantern



Small Outdoor Wall Lantern

SEBRING

p.335

FINISHES | MATERIALS

- Weathered Copper (-44) Clear Seeded Glass
- Brushed Stainless (-98) Clear Seeded Glass
- Black (-12) Clear Seeded Glass

EN★ WET DAMP T24-1 T24-2



Large One Light Outdoor Wall Lantern



Small One Light Outdoor Wall Lantern



One Light Outdoor Flush Mount



One Light Outdoor Post Lantern

SEVIER

p.288

FINISHES | MATERIALS

- Antique Bronze (-71) Satin Etched or Clear Glass
- Black (-12) Satin Etched or Clear Glass

EN★ WET DAMP T24-1 T24-2



Extra Large One Light Downlight Outdoor Wall Lantern



Large One Light Downlight Outdoor Wall Lantern



Medium One Light Downlight Outdoor Wall Lantern



Small One Light Downlight Outdoor Wall Lantern



Large One Light Uplight Outdoor Wall Lantern



Medium One Light Uplight Outdoor Wall Lantern



Small One Light Uplight Outdoor Wall Lantern



One Light Outdoor Pendant



Large One Light Outdoor Post Lantern



Medium One Light Outdoor Post Lantern

TOMEK

p.272

FINISHES | MATERIALS

- Antique Bronze (-71) Etched, White Inside Glass
- Black (-12) Etched, White Inside Glass

EN★ WET DAMP T24-1 T24-2



Large One Light Outdoor Wall Lantern



Medium One Light Outdoor Wall Lantern



Small One Light Outdoor Wall Lantern



One Light Outdoor Post Lantern

VISUAL INDEX OUTDOOR

TRAFALGAR
p.280

FINISH | MATERIAL

Oxidized Bronze (-46)
Clear Seeded Glass

EN★ WET T24-1 T24-2


Large Three Light Outdoor Wall Lantern


Medium Two Light Outdoor Wall Lantern


Small Two Light Outdoor Wall Lantern


Three Light Outdoor Post Lantern

TYBEE
p.270

FINISHES | MATERIAL

Antique Bronze (-71)
Clear Glass

Black (-12)
Clear Glass

EN★ WET DAMP T24-1 T24-2


Extra Large One Light Outdoor Wall Lantern


Large One Light Outdoor Wall Lantern


Medium One Light Outdoor Wall Lantern


Small One Light Outdoor Wall Lantern


One Light Outdoor Pendant


One Light Outdoor Post Lantern

WHITAKER
p.329

FINISH | MATERIAL

Astral Bronze (ASTB)
Clear Seeded Glass

WET


Large Outdoor Wall Lantern


Small Outdoor Wall Lantern

WILBURN
p.266

FINISHES | MATERIAL

Antique Bronze (-71)
Etched, White Inside Glass

Black (-12)
Etched, White Inside Glass

EN★ WET DAMP T24-1 T24-2


Extra Large One Light Outdoor Wall Lantern


Large One Light Outdoor Wall Lantern


Medium One Light Outdoor Wall Lantern


Small One Light Outdoor Wall Lantern


Two Light Outdoor Flush Mount


One Light Outdoor Pendant


One Light Outdoor Post Lantern

WYNFIELD

p.314

FINISHES | MATERIALS

Black Powdercoat-12)
Frosted or Clear Beveled Glass

EN★ WET DAMP T24-1 T24-2



Large
Two Light
Outdoor
Wall Lantern



Medium
One Light
Outdoor
Wall Lantern



Small
One Light
Outdoor
Wall Lantern



Extra Small
One Light
Outdoor
Wall Lantern



Two Light
Outdoor Ceiling
Flush Mount



Medium
Two Light
Outdoor
Post Lantern



Small
One Light
Outdoor
Post Lantern

COLONY

p.380

FINISHES | MATERIALS

- Roman Bronze Housing with Bronze/ American Walnut Reversible Blades
- Brushed Steel Housing with Silver/ American Walnut Reversible Blades
- Midnight Black Housing with American Walnut/Midnight Black Reversible Blades
- Aged Pewter Housing with Light Grey Weathered Oak Blades
- Matte White Housing with Matte White Blades



Colony 60 LED



Colony 60



Colony 52 LED



Colony 52

CRUISE

p.395

FINISHES | MATERIALS

- Roman Bronze Housing with American Walnut ABS Blades
- Midnight Black Housing with Black ABS Blades
- White Housing with White ABS Blades



Cruise Outdoor 52

DISCUS

p.375, 394

FINISHES | MATERIALS

- Brushed Steel Housing with Silver/ American Walnut Reversible Blades
- Aged Pewter Housing with Light Grey Weathered Oak Blades
- Midnight Black Housing with Midnight Black Blades
- Matte White Housing with Matte White Blades
- Roman Bronze Housing with Bronze/ American Walnut Reversible Blades
- Polished Nickel Housing with Silver/ American Walnut Reversible Blades
- Matte Black Housing with Matte Black Blades
- Painted Brushed Steel Housing with Painted Brushed Steel ABS Blades



Discus Smart 52 LED



Discus Classic 52 LED



Discus Classic 44 LED



Discus Ornate 52 LED



Discus Outdoor 52 LED

ERA

p.364

FINISHES | MATERIALS

- Brushed Steel Housing with Silver/ American Walnut Reversible Blades
- Aged Pewter Housing with Light Grey Weathered Oak Blades
- Matte White Housing with Matte White Blades
- Midnight Black Housing with Midnight Black/American Walnut Reversible Blades



Era 52 LED



Era 52 Hugger LED



Era 44 LED



Era 44 Hugger LED

JOVIE

p.356, 390

FINISHES | MATERIALS

- Brushed Steel Housing with Silver/ American Walnut Reversible Blades
- Aged Pewter Housing with Light Grey Weathered Oak Blades
- Matte White Housing with Matte White Blades
- Midnight Black Housing with Midnight Black/American Walnut Reversible Blades



Jovie 58 LED



Jovie 58



Jovie 52 LED



Jovie 52



Jovie 44 LED



Jovie 44



Jovie Outdoor 58 LED



Jovie Outdoor 58

LINDEN

p.384, 392

FINISHES | MATERIALS

- Brushed Steel Housing with Silver/ American Walnut Reversible Blades
- Aged Pewter Housing with Light Grey Weathered Oak Blades
- Matte White Housing with Matte White Blades
- Midnight Black Housing with Midnight Black/American Walnut Reversible Blades



Linden DC 52 LED



Linden 52 LED



Linden 52 LED 3



Linden 52



Linden 48 LED



Linden 48 LED



Linden Outdoor 52 LED



Linden Outdoor 44

LOWDEN

p.370

FINISHES | MATERIALS

- Brushed Steel Housing with Silver/ American Walnut Reversible Blade
- Brushed Steel Housing with Silver/Light Grey Weathered Oak Reversible Blades
- Midnight Black Housing with Midnight Black/American Walnut Reversible Blades
- Aged Pewter Housing with Light Grey Weathered Oak Blades
- Matte White Housing with Matte White Blades



Lowden Smart 60 LED



Lowden 52 LED

ORBIS

p.372

FINISHES | MATERIALS

- Satin Brass Housing with Matte White Blades
- Brushed Steel Housing with Silver/ American Walnut Reversible Blades
- Midnight Black Housing with Midnight Black/American Walnut Reversible Blades
- Matte White Housing with Matte White Blades



Orbis 52 LED



Orbis 52 Hugger LED

SYRUS

p.374

FINISHES | MATERIALS

- Midnight Black Housing with Midnight Black/American Walnut Reversible Blades
- Brushed Steel Housing with Silver/ American Walnut Reversible Blades
- Oil Rubbed Bronze Housing with Oil Rubbed Bronze/American Walnut Reversible Blades
- Matte White Housing with Matte White Blades



Syrus 52 LED

TITUS

p.368

FINISHES | MATERIALS

- Satin Brass Housing with Matte White ABS Blades
- Brushed Steel Housing with Silver ABS Blades
- Midnight Black Housing with Midnight Black ABS Blades
- Matte White Housing with Matte White ABS Blades



Titus 54 Hugger LED



Titus 44 Hugger LED

VISUAL INDEX BUILDER SERIES

ALTURAS

p.462

FINISHES | MATERIALS

- Chrome (-05) (Wall / Bath Only) Etched White Glass
- Satin Brass (-848) Opal Etched Glass or Clear Seeded Glass Shades
- Brushed Nickel (-962) Opal Etched Glass or Clear Seeded Glass Shades
- Pewter Bronze (-778) Opal Etched Glass or Clear Seeded Glass Shades
- Midnight Black (-112) Opal Etched Glass or Clear Seeded Glass Shades

EN★ DAMP T24-1 T24-2



Large Nine Light Chandelier



Medium Five Light Chandelier



Small Three Light Chandelier



Medium Three Light Pendant



One Light Mini-Pendant



Two Light Semi-Flush Convertible Pendant



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

BELTON

p.488

FINISHES | MATERIALS

- Chrome (-05) (Wall / Bath Only) Clear Seeded Glass
- Brushed Nickel (-962) Clear Seeded Glass
- Bronze (-710) Clear Seeded Glass
- Midnight Black (-112) Clear Seeded Glass

EN★ DAMP T24-1 T24-2



Large Nine Light Up Chandelier



Medium Five Light Up Chandelier



Medium Five Light Chandelier



Small Three Light Chandelier



Medium Four Light Island Pendant



Large One Light Pendant



Medium One Light Pendant



One Light Pendant



One Light Mini-Pendant



Medium Two Light Semi-Flush Mount



Small Three Light Ceiling Flush Mount



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

CANFIELD

p.492

FINISHES | MATERIALS

- Chrome (-05) (Wall / Bath Only) Etched White Glass
- Brushed Nickel (-962) Etched White Glass
- Bronze (-710) Etched White Glass
- Midnight Black (-112)) Etched White Glass

EN★ DAMP T24-1 T24-2



Large Nine Light Chandelier



Medium Five Light Chandelier



Small Three Light Chandelier



Large Three Light Uplight Pendant



One Light Mini-Pendant



Large Three Light Semi-Flush Mount



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

ELLIS HARPER

p.504

FINISH | MATERIAL

- Brushed Nickel (-962) Etched White Glass

EN★ DAMP T24-1 T24-2



Large Eight Light Chandelier



Medium Four Light Chandelier



One Light Mini-Pendant



Medium Two Light Ceiling Semi-Flush Mount



Medium Two Light Ceiling Flush Mount



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

ELMWOOD PARK

p.518

FINISHES | MATERIALS

- Brushed Nickel (-962) Satin Etched Inner Glass, Clear Outer Glass
- Bronze (-710) Satin Etched Inner Glass, Clear Outer Glass

EN★ DAMP T24-1 T24-2



Large Nine Light Chandelier



Medium Five Light Chandelier



Small Three Light Chandelier



Medium Four Light Island Pendant



Medium Three Light Hanging Shade



One Light Mini-Pendant



Large Three Light Semi-Flush Mount



Medium Two Light Semi-Flush Mount



Medium Two Light Ceiling Flush Mount



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

EMMONS

p.522

FINISHES | MATERIALS

- Brushed Nickel (-962) Satin Etched Glass
- Bronze (-710) Satin Etched Glass

EN★ DAMP T24-1 T24-2



Extra Large Twelve Light Chandelier



Large Nine Light Chandelier



Medium Five Light Chandelier



Small Three Light Chandelier



Large Three Light Pendant



One Light Mini-Pendant



Medium Two Light Semi-Flush Mount



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

FRANPORT

p.506

FINISHES | MATERIALS

- Chrome (-05) (Wall / Bath Only) Etched White Glass
- Brushed Nickel (-962) Satin Etched Glass
- Bronze (-710) Satin Etched Glass
- Midnight Black (-112) (Wall/Bath Only) Etched White Glass

EN ★ DAMP T24-1 T24-2



Large Nine Light Chandelier



Medium Five Light Chandelier



Small Three Light Chandelier



Large Three Light Pendant



Large Three Light Semi-Flush Convertible Pendant



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

GEARY

p.526

FINISHES | MATERIALS

- Chrome (-05) Satin Etched Glass
- Brushed Nickel (-962) Satin Etched Glass
- Satin Brass (-848) Satin Etched Glass
- Bronze (-710) Satin Etched or Amber Scavo Glass
- Midnight Black (-112) Satin Etched Glass

EN ★ DAMP T24-1 T24-2



Medium Three Light Pendant



Medium One Light Pendant



Medium Three Light Semi-Flush / Pendant



Small Two Light Semi-Flush / Pendant

VISUAL INDEX BUILDER SERIES

HANFORD

p.514

FINISHES | MATERIALS

- Brushed Nickel (-962) Satin Etched Glass
- Bronze (-710) Etched White Glass

EN★ DAMP T24-1 T24-2 50LB



Large Nine Light Chandelier



Medium Five Light Chandelier



Small Three Light Chandelier



Medium Three Light Lantern



One Light Mini-Pendant



Extra Large Three Light Pendant



Large Three Light Semi-Flush Convertible Pendant



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

HETTINGER

p.500

FINISHES | MATERIALS

- Chrome (-05) (Wall / Bath Only) Etched White Glass
- Brushed Nickel (-962) Etched White Glass
- Bronze (-710) Etched White Glass
- Satin Brass (-848) (Wall / Bath Only) Etched White Glass
- Midnight Black (-112) (Wall / Bath Only) Etched White Glass

EN★ DAMP T24-1 T24-2



Large Nine Light Chandelier



Medium Six Light Chandelier



Extra Large Three Light Pendant



One Light Mini-Pendant



Medium Two Light Semi-Flush Convertible Pendant



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

KEMAL

p.496

FINISHES | MATERIALS

- Brushed Nickel (-962) Etched, White Inside Glass
- Bronze (-710) Satin Etched Glass
- Midnight Black (-112) Etched, White Inside Glass

EN★ DAMP T24-1 T24-2



Large Nine Light Chandelier



Medium Five Light Chandelier



Small Three Light Chandelier



Large Three Light Uplight Pendant



Large Semi-Flush Mount



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

KERRVILLE

p.484

FINISHES | MATERIALS

- Chrome (-05) Satin Etched Glass
- Brushed Nickel (-962) Satin Etched Glass
- Bronze (-710) Satin Etched Glass

EN★ DAMP T24-1 T24-2



Large Nine Light Chandelier



Medium Five Light Chandelier



Small Three Light Chandelier



Extra Large Three Light Pendant



Large One Light Pendant



One Light Mini-Pendant



Two Light Semi-Flush Convertible Pendant



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

OSLO

p.468

FINISHES | MATERIALS

- Chrome (-05) Cased Opal Etched Glass or Clear Seeded Glass
- Brushed Nickel (-962) Cased Opal Etched Glass or Clear Seeded Glass
- Bronze (-710) Clear Seeded Glass
- Midnight Black (-112) Cased Opal Etched Glass or Clear Seeded Glass

EN★ DAMP T24-1 T24-2



Large Nine Light Chandelier



Medium Five Light Chandelier



Small Three Light Chandelier



Medium Three Light Island Pendant



One Light Mini-Pendant



Medium One Light Pendant



Medium Two Light Semi-Flush Convertible Pendant



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

ROBIE

p.510

FINISHES | MATERIALS

- Chrome (-05) (Wall / Bath Only) Etched, White Inside Glass
- Brushed Nickel (-962) Etched, White Inside Glass
- Bronze (-710) Etched, White Inside Glass
- Midnight Black (-112) Etched, White Inside Glass

EN★ DAMP T24-1 T24-2



Extra Large Twelve Light Chandelier



Large Nine Light Chandelier



Medium Five Light Chandelier



Small Three Light Chandelier



One Light Mini-Pendant



Large Three Light Uplight Pendant



Large Three Light Semi-Flush Mount



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

SEVILLE

p.474

FINISHES | MATERIALS

- Chrome (-05) (Wall / Bath Only) Etched White Glass
- Brushed Nickel (-962) Etched White Glass
- Bronze (-710) Etched White Glass

EN★ DAMP T24-1 T24-2



Large Nine Light Chandelier



Medium Five Light Uplight Chandelier



Medium Five Light Downlight Chandelier



Small Three Light Chandelier



Medium Five Light Hanging Shade



Medium Three Light Pendant



One Light Mini-Pendant



Small Two Light Semi-Flush Convertible Pendant



Five Light Wall / Bath



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce

WINDOM

p.480

FINISHES | MATERIALS

- Chrome (-05) (Wall / Bath Only) Etched Opal Glass
- Brushed Nickel (-962) Etched Opal Glass
- Satin Brass (-848) Etched Opal Glass
- Bronze (-710) Etched Opal Glass
- Midnight Black (-112) Etched Opal Glass

EN★ DAMP T24-1 T24-2



Large Nine Light Chandelier



Medium Five Light Chandelier



Small Three Light Chandelier



One Light Mini-Pendant



Medium Three Light Pendant



Small Two Light Semi-Flush Convertible Pendant



Four Light Wall / Bath



Three Light Wall / Bath



Two Light Wall / Bath



One Light Wall / Bath Sconce



PRODUCT SHOWN: PENDER MEDIUM TABLE LAMP
IN SATIN BRASS AND CLEAR GLASS FINISH

TABLE LAMPS



PRODUCT SHOWN: PENDER MEDIUM
TABLE LAMP IN SATIN BRASS FINISH

A. MEDIUM TABLE LAMP
DREW & JONATHAN
D: 14" H: 20.75"
6' of Wire

DJT1041(SB1 MBK1)
(1) LED Medium A19 9W Bulb lamp incl.
800 Lumens | 3000 K | 90+ CRI



A

Satin Brass Finish (SB1)
Clear Glass
White Linen Fabric Shade



Midnight Black Finish (MBK1)
Clear Glass
White Linen Fabric Shade

FINISH CODES

(SB1) Satin Brass
(MBK1) Midnight Black



PRODUCT SHOWN: PORTEAU MEDIUM TABLE LAMP IN MIDNIGHT BLACK FINISH

A. MEDIUM TABLE LAMP
DREW & JONATHAN
D: 11.75" H: 23"
6' of Wire

DJT1011S (SB1 MBK1)
(1) LED Medium A19 9W Bulb lamp incl.
800 Lumens | 3000 K | 90+ CRI



A

Satin Brass Finish (SB1)
White Linen Fabric Shade



Midnight Black Finish (MBK1)
White Linen Fabric Shade

FINISH CODE

(SB1) Satin Brass
(MBK1) Midnight Black



PRODUCT SHOWN: BINX MEDIUM TASK TABLE LAMP IN MIDNIGHT BLACK FINISH

A. MEDIUM TASK TABLE LAMP
DREW & JONATHAN
D: 10.5" L: 5.75" H: 23"
6' of Wire

DJT1081(SB1 MBK1)
(1) LED Medium A19 9W Bulb lamp incl.
800 Lumens | 3000 K | 90+ CRI



A

Satin Brass Finish (SB1)
White Linen Fabric Shade



Midnight Black Finish (MBK1)
White Linen Fabric Shade

FINISH CODES

(SB1) Satin Brass
(MBK1) Midnight Black



PRODUCT SHOWN: BUCKLEY MEDIUM
TABLE LAMP IN GLOSS WHITE FINISH

A. MEDIUM TABLE LAMP
DREW & JONATHAN
D: 14.5" H: 27.38"
6' of Wire

DJT1051(GW1 GNV1 GBK1)
(1) LED Medium A19 9W Bulb lamp incl.
800 Lumens | 3000 K | 90+ CRI



A

Gloss White (GW1)
Satin Brass
White Linen Fabric Shade



Gloss Navy (GNV1)
Satin Brass
White Linen Fabric Shade



Gloss Black (GBK1)
Satin Brass
White Linen Fabric Shade

FINISH CODES

(GW1) Gloss White
(GNV1) Gloss Navy
(GBK1) Gloss Black

LED & Replacement Lamps: p.534



PRODUCT SHOWN: MORSBY MEDIUM
TABLE LAMP IN GLOSS WHITE FINISH

A. MEDIUM TABLE LAMP
DREW & JONATHAN
D: 12" H: 23.13"
6' of Wire

DJT1071(GW1 GNV1 GBK1)
(1) LED Medium A19
9W Bulb lamp incl.
800 Lumens | 3000 K | 90+ CRI



A

Gloss White (GW1)
Satin Brass
White Linen Fabric Shade



Gloss Navy (GNV1)
Satin Brass
White Linen Fabric Shade



Gloss Black (GBK1)
Satin Brass
White Linen Fabric Shade

FINISH CODES

(GW1) Gloss White
(GNV1) Gloss Navy
(GBK1) Gloss Black

LED & Replacement Lamps: p.534



PRODUCT SHOWN: FERNWOOD MEDIUM
TABLE LAMP IN GLOSS BLACK FINISH

A. MEDIUM TABLE LAMP
DREW & JONATHAN
D: 14" H: 26.5"
6' of Wire

DJT1061(GW1 GNV1 GBK1)
(1) LED Medium A19
9W Bulb lamp incl.
800 Lumens | 3000 K | 90+ CRI



A

Gloss White (GW1)
Satin Brass
White Linen Fabric Shade



Gloss Navy (GNV1)
Satin Brass
White Linen Fabric Shade



Gloss Black (GBK1)
Satin Brass
White Linen Fabric Shade

FINISH CODES

(GW1) Gloss White
(GNV1) Gloss Navy
(GBK1) Gloss Black

LED & Replacement Lamps: p.534



PRODUCT SHOWN: CAPALINO LARGE
CHANDELIER IN BRUSHED STEEL FINISH

CHANDELIERS



PRODUCT SHOWN: CAPALINO LARGE
CHANDELIER IN SATIN BRASS FINISH

A. LARGE CHANDELIER
DREW & JONATHAN
W: 30" H: 19.63"
10' of Wire, (3) 12" Stems, (1) 6" Stem
DAMP

DJC1058(BS SB MBK)
(8) Candelabra Torpedo 60W max.

B. MEDIUM CHANDELIER
DREW & JONATHAN
W: 24" H: 19.63"
10' of Wire, (3) 12" Stems, (1) 6" Stem
DAMP

DJC1048(BS SB MBK)
(8) Candelabra Torpedo 60W max.



A

Brushed Steel Finish (BS)
White Linen Fabric Shades



B

Midnight Black Finish (MBK)
White Linen Fabric Shades



Satin Brass Finish (SB)
White Linen Fabric Shades

FINISH CODES

(BS) Brushed Steel
(SB) Satin Brass
(MBK) Midnight Black

A. EXTRA LARGE CHANDELIER
DREW & JONATHAN
D: 36" W: 36" H: 33"
10' of Chain
DAMP

DJC1099(BS SB MBK)
(9) Candelabra Torpedo
60W max.



A

Midnight Black Finish (MBK)
White Linen Fabric Shades



Satin Brass (SB)
White Linen Fabric Shades

FINISH CODES

(BS) Brushed Steel
(SB) Satin Brass
(MBK) Midnight Black

B. LARGE CHANDELIER
DREW & JONATHAN
D: 28" W: 28" H: 25"
6' of Chain
DAMP

DJC1086(BS SB MBK)
(6) Candelabra Torpedo
60W max.



B

Brushed Steel Finish (BS)
White Linen Fabric Shades



Midnight Black Finish (MBK)
White Linen Fabric Shades



Satin Brass Finish (SB)
White Linen Fabric Shades

FINISH CODES

(BS) Brushed Steel
(SB) Satin Brass
(MBK) Midnight Black



PRODUCT SHOWN: BURKE LARGE CHANDELIER IN SATIN BRASS FINISH

A. LARGE CHANDELIER
DREW & JONATHAN
W: 38" H: 12"
10' of Wire, (3) 12" Stems, (1) 6" Stem
DAMP

DJC1016(BS SB MBK)
(6) Candelabra Torpedo 60W max.

B. MEDIUM CHANDELIER
DREW & JONATHAN
W: 30" H: 12"
10' of Wire, (3) 12" Stems, (1) 6" Stem
DAMP

DJC1005(BS SB MBK)
(5) Candelabra Torpedo 60W max.



A

Satin Brass Finish (SB)
White Linen Fabric Shades



B

Brushed Steel Finish (BS)
White Linen Fabric Shades



Midnight Black Finish (MBK)
White Linen Fabric Shades

FINISH CODES

(BS) Brushed Steel
(SB) Satin Brass
(MBK) Midnight Black

A. MEDIUM FIVE LIGHT CHANDELIER
D: 25.25" H: 17.75"
10' of Wire pre-laced through 3' of Chain

3140405(-848 -962)
(5) Medium A19 75W max.
T24-1

3140405EN3(-848 -962)
(3) LED Medium A19 9W Bulbs lamps incl.
T24-2 EN★

B. SMALL THREE LIGHT CHANDELIER
D: 20.5" H: 16.75"
10' of Wire pre-laced through 3' of Chain

3140403(-848 -962)
(3) Medium A19 75W max.
T24-1

3140403EN3(-848 -962)
(3) LED Medium A19 9W Bulbs lamps incl.
T24-2 EN★



A

Satin Brass Finish (-848)
Opal Etched Glass



B

Brushed Nickel Finish (-962)
Opal Etched Glass

FINISH CODES

(-848) Satin Brass
(-962) Brushed Nickel

A. LARGE CHANDELIER
DREW & JONATHAN
W: 38" H: 24.5"
10' of Wire, (3) 12" Stems, (1) 6" Stem
DAMP

DJC1035(SB MBK)
(5) Candelabra Torpedo 60W max.

B. MEDIUM CHANDELIER
DREW & JONATHAN
W: 30" H: 23"
10' of Wire, (3) 12" Stems, (1) 6" Stem
DAMP

DJC1024(SB MBK)
(4) Candelabra Torpedo 60W max.



A

Midnight Black Finish (MBK)
White Linen Fabric Shades



B

Satin Brass Finish (SB)
White Linen Fabric Shades

FINISH CODES

(SB) Satin Brass
(MBK) Midnight Black



PRODUCT SHOWN: TOWNER FIVE LIGHT CHANDELIER IN SATIN BRASS FINISH

A. LARGE SEVEN LIGHT CHANDELIER
D: 35" H: 27.75"
10' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

3141307(-848 -962)
(7) Medium Base 60W max.
T24-1

3141307EN3(-848 -962)
(7) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

B. MEDIUM FIVE LIGHT CHANDELIER
D: 29" H: 24.75"
10' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

3141305(-848 -962)
(5) Medium Base 60W max.
T24-1

3141305EN3(-848 -962)
(5) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

C. SMALL THREE LIGHT CHANDELIER
D: 24" H: 22"
10' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

3141303-848
(3) Medium Base 60W max.
T24-1

3141303EN3-848
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



A

Satin Brass Finish (-848) with
Midnight Black (-112) Shades



B

Brushed Nickel Finish (-962) with
Midnight Black (-112) Shades



C

Satin Brass Finish (-848) with
Midnight Black (-112) Shades

FINISH CODES

(-848) Satin Brass
(-962) Brushed Nickel



PRODUCT SHOWN: HADDEN LARGE
CHANDELIER IN MIDNIGHT BLACK FINISH

A. LARGE CHANDELIER
DREW & JONATHAN
L: 27.13" W: 36" H: 24.25"
10' of Wire, (3) 12" Stems, (1) 6" Stem
Adjustable arm rotation
DAMP

DJC1126(SB MBK)
(6) Candelabra T6 Tubular 40W max.

B. MEDIUM CHANDELIER
DREW & JONATHAN
L: 17.5" W: 27.13" H: 17.25"
10' of Wire, (3) 12" Stems, (1) 6" Stem
Adjustable arm rotation
DAMP

DJC1104(SB MBK)
(4) Candelabra T6 Tubular 40W max.

C. SMALL CHANDELIER
DREW & JONATHAN
L: 14.25" W: 22" H: 14.13"
10' of Wire, (3) 12" Stems, (1) 6" Stem
Adjustable arm rotation
DAMP

DJC1114(SB MBK)
(4) Candelabra T6 Tubular 40W max.



A
Satin Brass Finish (SB)



B
Midnight Black Finish (MBK)



C
Satin Brass Finish (SB)

FINISH CODES

(SB) Satin Brass
(MBK) Midnight Black



PRODUCT SHOWN: ALTURAS NINE LIGHT CHANDELIER IN SATIN BRASS FINISH

A. LARGE NINE LIGHT CHANDELIER
D: 32.5" H: 32.75"
12' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

3124609(-848 -962 -112)
(9) Medium Base 60W max.
T24-1

3124609EN3(-848 -962 -112)
(9) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

B. MEDIUM FIVE LIGHT CHANDELIER
D: 27.25" H: 27"
12' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

3124605(-848 -962 -112)
(5) Medium Base 75W max.
T24-1

3124605EN3(-848 -962 -112)
(5) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

C. SMALL THREE LIGHT CHANDELIER
D: 19" H: 18.75"
12' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

3124603(-848 -962 -112)
(3) Medium Base 75W max.
T24-1

3124603EN3(-848 -962 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



A

Midnight Black Finish (-112)
Opal Etched Glass Shades



B

Brushed Nickel Finish (-962)
Opal Etched Glass Shades



C

Satin Brass Finish (-848)
Opal Etched Glass Shades

FINISH CODES

(-962) Brushed Nickel
(-112) Midnight Black
(-848) Satin Brass

D. LARGE NINE LIGHT CHANDELIER
D: 32.5" H: 32.75"
12' Wire, (3) 12" Stems, (1) 6" Stem
DAMP

3124679(-112 -848 -962)
(9) Medium Base 60W max.
T24-1

3124679EN7(-112 -848 -962)
(9) Med. Base LED 2700K,
8W, 800 Lumens lamps incl.
T24-2 EN★



D

Midnight Black Finish (-112)
Clear Seeded Glass Shades



Satin Brass Finish (-848)
Clear Seeded Glass Shades

FINISH CODES

(-112) Midnight Black
(-848) Satin Brass
(-962) Brushed Nickel

E. MEDIUM FIVE LIGHT CHANDELIER
D: 27.25" H: 27"
12' Wire, (3) 12" Stems, (1) 6" Stem
DAMP

3124675(-112 -848 -962)
(5) Medium Base 75W max.
T24-1

3124675EN7(-112 -778 -848 -962)
(5) Med. Base LED 2700K,
8W, 800 Lumens lamps incl.
T24-2 EN★

F. SMALL THREE LIGHT CHANDELIER
D: 19" H: 18.75"
12' Wire, (3) 12" Stems, (1) 6" Stem
DAMP

3124673(-112 -848 -962)
(3) Medium Base 75W max.
T24-1

3124673EN7(-112 -848 -962)
(3) Med. Base LED 2700K,
8W, 800 Lumens lamps incl.
T24-2 EN★



E

Midnight Black Finish (-112)
Clear Seeded Glass Shades



F

Brushed Nickel Finish (-962)
Clear Seeded Glass Shades



Satin Brass Finish (-848)
Clear Seeded Glass Shades

FINISH CODES

(-112) Midnight Black
(-848) Satin Brass
(-962) Brushed Nickel



PRODUCT SHOWN: ANSLEY MEDIUM CHANDELIER IN AGED IRON FINISH

A. LARGE CHANDELIER
D: 44" H: 35.75"
20' Wire, (4) 12" Stems,
(1) 6" Stem

F3290/12AI
(12) Candelabra Torpedo
60W max.

B. MEDIUM CHANDELIER
D: 32" H: 19.125"
15' Wire, (4) 12" Stems,
(1) 6" Stem

F3291/8AI
(8) Candelabra Torpedo Base
60W max.



A

Aged Iron Finish (AI)



B

Aged Iron Finish (AI)

FINISH CODE

(AI) Aged Iron

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537

A. LARGE CHANDELIER
D: 24" H: 28.625"
15' Wire, (4) 12" Stems, (1) 6" Stem

F3341/8AI/ADB
(8) Candelabra Torpedo 60W max.
DAMP

B. MEDIUM CHANDELIER
D: 30" H: 25.625"
15' Wire, (4) 12" Stems, (1) 6" Stem

F3340/5AI/ADB
(5) Candelabra Torpedo 60W max.
DAMP



A

Aged Iron / Antique Gild (AI/ADB)



B

Aged Iron / Antique Gild (AI/ADB)

FINISH CODE

(AI/ADB) Aged Iron/Antique Gild

A. MEDIUM CHANDELIER
D: 28.625" H: 35"
15' Wire, 5' Chain

F3169/5DWI
(5) Medium A19 60W max.
DAMP



A

Dark Weathered Iron Finish (DWI)
Clear Seeded Glass

FINISH CODE

(DWI) Dark Weathered Iron

A. LARGE NINE LIGHT CHANDELIER

D: 31" H: 23"
12' Wire pre-laced through 10' Chain
DAMP

3110209-846
(9) Medium Base 60W max.
T24-1

B. MEDIUM FIVE LIGHT CHANDELIER

D: 25" H: 21.75"
12' Wire pre-laced through 10' Chain
DAMP

3110205-846
(5) Medium Base 60W max.
T24-1



A

Stardust Finish (-846)



B

Stardust Finish (-846)

FINISH CODE

(-846) Stardust

A. LARGE TWO-TIER CHANDELIER
D: 30" H: 33.5"
15' Wire, (4) 12" Stems,
(1) 6" Stem

F2987/9SN/CH
(9) Halogen G9 T4 40W max.
Bulbs incl..

B. MEDIUM CHANDELIER
D: 25.375" H: 26.375"
15' Wire, (4) 12" Stems,
(1) 6" Stem

F2985/6SN/CH
(6) Halogen G9 T4 40W max.
Bulbs incl.



A

Satin Nickel / Chrome Finish (SN/CH)
White Opal Etched Glass



B

Satin Nickel / Chrome Finish (SN/CH)
White Opal Etched Glass

FINISH CODE

(SN/CH) Satin Nickel / Chrome

A. LARGE CHANDELIER
D: 41.125" H: 46.125"
15' Wire, (4) 12" Stems,
(1) 6" Stem

F3281/12ADB
(12) Candelabra Torpedo
60W max.
DAMP

B. MEDIUM CHANDELIER
D: 25.375" H: 26.375"
15' Wire, (4) 12" Stems,
(1) 6" Stem

F3280/8ADB
(8) Candelabra Torpedo
60W max.
DAMP



A
Antique Gild Finish (ADB)



B
Antique Gild Finish (ADB)

FINISH CODE
(ADB) Antique Gild

A. MEDIUM CHANDELIER
D: 28.5" H: 32.75"
15' Wire, 5' Chain

F2478/6OBZ
(6) Candelabra Flame Tip
60W max.



A

Oxidized Bronze Finish (OBZ)

FINISH CODE

(OBZ) Oxidized Bronze

A. EXTRA LARGE CHANDELIER
D: 53.5" H: 69"
20' Wire, 7' Chain

F2110/8+4+4MBZ
(16) Candelabra Torpedo Base
60W max.



A

Mocha Bronze Finish (MBZ)

FINISH CODE

(MBZ) Mocha Bronze

B. LARGE CHANDELIER
D: 36" H: 47"
20' Wire, 7' Chain

F1938/8+4MBZ
(12) Candelabra B Torpedo Base
60W max.

C. MEDIUM CHANDELIER
D: 32" H: 37.5"
15' Wire, 5' Chain

F2303/8MBZ
(8) Candelabra B Torpedo Base
60W max.

D. SMALL CHANDELIER
D: 25" H: 30"
15' Wire, 5' Chain

F1902/6MBZ
(6) Candelabra Flame Tip
60W max.



B
Mocha Bronze Finish (MBZ)



C
Mocha Bronze Finish (MBZ)



D
Mocha Bronze Finish (MBZ)

FINISH CODE
(MBZ) Mocha Bronze

A. EXTRA LARGE CHANDELIER
D: 30" H: 26.625"
25' Wire, (3) 12" Stems, (1) 6" Stem

F2629/8+4AF/BS
(12) Candelabra B Torpedo Base 60W max.



A

Antique Forged Iron/Brushed Steel Finish (AF/BS)
Clear Glass

FINISH CODE

(AF/BS) Antique Forged Iron/Brushed Steel

A. EXTRA LARGE SIX LIGHT CHANDELIER
D: 40" H: 31.25"
12' of Wire pre-laced through 10' of Chain
DAMP

3224906-846
(6) Candelabra Torpedo 60W max.
T24-1

3224906EN-846
(6) LED Candelabra Torpedo
3.5W Bulbs lamps incl.
T24-2 EN★

B. LARGE SIX LIGHT CHANDELIER
D: 26" H: 22"
12' of Wire pre-laced through 10' of Chain
DAMP

3124906-846
(6) Candelabra Torpedo 60W max.
T24-1

3124906EN-846
(6) LED Candelabra Torpedo
3.5W Bulbs lamps incl.
T24-2 EN★

C. MEDIUM FOUR LIGHT CHANDELIER
D: 22" H: 18.375"
12' of Wire pre-laced through 10' of Chain
DAMP

3124904-846
(4) Candelabra Torpedo 60W max.
T24-1

3124904EN-846
(3) LED Candelabra Torpedo
3.5W Bulbs lamps incl.
T24-2 EN★



A
Stardust Finish (-846)



B
Stardust Finish (-846)



C
Stardust Finish (-846)

FINISH CODE
(-846) Stardust



PRODUCT SHOWN: BELTON MEDIUM FOUR LIGHT
LINEAR CHANDELIER IN BRUSHED NICKEL FINISH

LINEAR

BELTON LINEAR



PRODUCT SHOWN: BELTON MEDIUM FOUR LIGHT
LINEAR CHANDELIER IN BRONZE FINISH

A. MEDIUM FOUR LIGHT LINEAR CHANDELIER
L: 40.75" W: 5.5" H: 15"
6' Wire, (3) 12" Stems, (1) 6" Stem

6614504(-962 -710 -112)
(4) Medium Base 60W max.
T24-1

6614504EN7(-962 -710 -112)
(4) Med. Base LED 2700K,
8W, 800 Lumen lamps incl.
T24-1 EN★



A

Brushed Nickel Finish (-962)
Clear Seeded Glass



Midnight Black Finish (-112)
Clear Seeded Glass



Bronze Finish (-710)
Clear Seeded Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black

A. MEDIUM THREE LIGHT LINEAR CHANDELIER
L: 25.25" W: 4" H: 9.5"
12' Wire, (6) 12" Stems, (2) 6" Stems

66160(-05 -962 -112)
(3) Medium Base 75W max.
T24-1

66160EN3(-05 -962 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-1 EN★



A

Midnight Black Finish (-112)
Cased Opal Etched Glass



Brushed Nickel Finish (-962)
Cased Opal Etched Glass



Chrome Finish (-05)
Cased Opal Etched Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-112) Midnight Black

A. MEDIUM LINEAR CHANDELIER
L: 38" W: 9" H: 9"
Supplied with 15' of Wire,
(8) 12" Stems, (2) 6" Stems
DAMP

F2986/8SN/CH
(8) G9 40W max. Bulbs incl.



A

Satin Nickel / Chrome Finish (SN/CH)
White Opal Etched Glass

FINISH CODE

(SN/CH) Satin Nickel / Chrome

ELMWOOD PARK LINEAR



PRODUCT SHOWN: ELMWOOD PARK MEDIUM FOUR LIGHT LINEAR CHANDELIER IN BRUSHED NICKEL FINISH

A. MEDIUM FOUR LIGHT LINEAR CHANDELIER
L: 40" W: 4.375" H: 24.75"
Supplied with 6' of Wire,
(3) 12" Stems, (1) 6" Stem
DAMP

6637304(-962 -710)
(4) Medium Base 75W max.
T24-1

6637304EN3(-962 -710)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-1 EN★



A

Brushed Nickel Finish (-962)
Satin Etched Inner Glass, Clear Outer Glass



Bronze Finish (-710)
Satin Etched Inner Glass, Clear Outer Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze

A. LARGE SEVEN LIGHT LINEAR LANTERN
L: 54" W: 12" H: 15"
Supplied with 10' of Wire,
(6) 12" Stems, (2) 6" Stems
DAMP

6634507(-848 -962 -872 -710)
(7) Candelabra Base 60W max.
T24-1

6634507EN(-848 -962 -872 -710)
(7) Cand. Base LED 2700K,
3.5W, 350 Lumen lamps incl.
T24-1 EN★



A

Satin Brass Finish (-848)



Bronze Finish (-710)

FINISH CODES

(-848) Satin Brass
(-962) Brushed Nickel
(-872) Washed Pine with Chrome Accents
(-710) Bronze

B. MEDIUM SIX LIGHT LINEAR LANTERN
L: 42" W: 12" H: 15"
10' of Wire, (6) 12" Stems, (2) 6" Stems
DAMP

6634506(-848 -962 -872 -710)
(6) Candelabra Base 60W max.
T24-1

6634506EN(-848 -962 -872 -710)
(6) Cand. Base LED 2700K,
3.5W, 350 Lumen lamps incl.
T24-1 EN★



B

Brushed Nickel Finish (-962)



Washed Pine Finish (-872)
with Chrome Accents

FINISH CODES

(-848) Satin Brass
(-962) Brushed Nickel
(-872) Washed Pine with Chrome Accents
(-710) Bronze

A. MEDIUM EIGHT LIGHT LINEAR LANTERN
L: 40" W: 12" H: 16.75"
10' Wire, (6) 12" Stems, (2) 6" Stems
DAMP

6615008(-848 -05 -710 -112)
(8) Candelabra Base 60W max.
T24-1

6615008EN(-848 -05 -710 -112)
(8) Cand. Base LED 2700K,
3.5W, 350 Lumen lamps incl.
T24-1 EN★



A

Satin Brass Finish (-848)
Satin Brass Candle Holders



Chrome Finish (-05)
Cream Candle Holders

FINISH CODES AND INCLUDED CANDLE HOLDERS

(-848) Satin Brass Finish
Satin Brass and Cream Candle Holders

(-05) Chrome
Chrome and Cream Candle Holders

(-710) Bronze
Bronze and Satin Brass Candle Holders

(-112) Midnight Black
Midnight Black and Chrome Candle Holders



Bronze Finish (-710)
Satin Brass Candle Holders



Midnight Black Finish (-112)
Midnight Black Candle Holders

FINISH CODES AND INCLUDED CANDLE HOLDERS

(-848) Satin Brass Finish
Satin Brass and Cream Candle Holders

(-05) Chrome
Chrome and Cream Candle Holders

(-710) Bronze
Bronze and Satin Brass Candle Holders

(-112) Midnight Black
Midnight Black and Chrome Candle Holders

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537



PRODUCT SHOWN: MITTE MEDIUM FOUR LIGHT LINEAR LANTERN IN MIDNIGHT BLACK FINISH

A. MEDIUM FOUR LIGHT LINEAR LANTERN
L: 40" W: 12" H: 14.625"
Supplied with 15' of Wire
(8) 12" Stems, (2) 6" Stems
DAMP

6641504-112
(4) Medium Base 75W max.
T24-1

6641504EN7-112
(4) Med. Base LED 2700K, 8W, 800 Lumen lamps incl.
T24-1 EN★



A

Midnight Black Finish (-112)

FINISH CODE

(-112) Midnight Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537

A. LARGE LINEAR CHANDELIER
L: 48" W: 14.625" H: 22"
15' of Wire, (4) 12" Stems,
(1) 6" Stem
DAMP

F3292/8AI
(8) Candelabra Torpedo Base 60W max.



A

Aged Iron Finish (AI)

FINISH CODE

(AI) Aged Iron

A. SMALL EIGHT LIGHT LINEAR CHANDELIER
L: 34" W: 12" H: 8"
10' Wire, (6) 12" Stems, (2) 6" Stems
DAMP

3110208-846
(8) Medium Base 60W max.
T24-1



A
Stardust Finish (-846)

FINISH CODE
(-846) Stardust

A. MEDIUM LINEAR CHANDELIER
L: 37.5" W: 10" H: 19.875"
15' of Wire, (6) 12" Stems,
(2) 6" Stems

F2630/8AF/BS
(8) Candelabra Base 60W max.



A

Antique Forged Iron/Brushed Steel Finish (AF/BS)
Clear Glass

FINISH CODE

(AF/BS) Antique Forged Iron/Brushed Steel

A. MEDIUM FOUR LIGHT LINEAR PENDANT
L: 36" W: 11" H: 24.875"
10' Wire, (6) 12" Stems, (2) 6" Stems

6613304-846
(4) Med. Base 75W max.
T24-1 EN★

6613304EN3-846
(4) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-1 EN★



A

Stardust Finish (-846)
Creme Parchment Glass

FINISH CODE

(-846) Stardust

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537



PRODUCT SHOWN: PERRYTON LARGE
EIGHT LIGHT LANTERN IN MIDNIGHT BLACK
FINISH AND CHROME CANDLE HOLDERS

LANTERNS

A. EXTRA LARGE EIGHT LIGHT LANTERN

L: 22" W: 22" H: 38"
10' of Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

5315008(-848 -05 -710 -112)
(8) Candelabra Torpedo 60W max.
T24-1

5315008EN(-848 -05 -710 -112)
(8) Cand. Base LED 2700K,
3.5W, 350 Lumen lamps incl.
T24-2 EN★

B. LARGE EIGHT LIGHT LANTERN

L: 19" W: 19" H: 30.75"
10' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

5115008(-848 -05 -710 -112)
(8) Candelabra Base 60W max.
T24-1

5115008EN(-848 -05 -710 -112)
(8) Cand. Base LED 2700K,
3.5W, 350 Lumen lamps incl.
T24-2 EN★



A

Satin Brass Finish (-848)
Cream Candle Holders



B

Midnight Black Finish (-112)
Midnight Black Candle Holders

FINISH CODES AND INCLUDED CANDLE HOLDERS

(-848) Satin Brass Finish
Satin Brass and Cream Candle Holders

(-05) Chrome
Chrome and Cream Candle Holders

(-710) Bronze
Bronze and Satin Brass Candle Holders

(-112) Midnight Black
Midnight Black and Chrome Candle Holders

C. MEDIUM FOUR LIGHT LANTERN

L: 15.5" W: 15.5" H: 23.25"
10' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

5115004(-848 -05 -710 -112)
(4) Candelabra Base 60W max.
T24-1

5115004EN(-848 -05 -710 -112)
(4) Cand. Base LED 2700K,
3.5W, 350 Lumen lamps incl.
T24-2 EN★

D. SMALL FOUR LIGHT LANTERN

L: 12.25" W: 12.25" H: 18.5"
10' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

5215004(-848 -05 -710 -112)
(4) Candelabra Base 60W max.
T24-1

5215004EN(-848 -05 -710 -112)
(4) Cand. Base LED 2700K,
3.5W, 350 Lumen lamps incl.
T24-2 EN★



C

Satin Brass Finish (-848)
Satin Brass Candle Holders



Bronze Finish (-710)
Satin Brass Candle Holders



D

Chrome Finish (-848)
Cream Candle Holders



Midnight Black Finish (-112)
Chrome Candle Holders

FINISH CODES AND INCLUDED CANDLE HOLDERS

(-848) Satin Brass Finish
Satin Brass and Cream Candle Holders

(-05) Chrome
Chrome and Cream Candle Holders

(-710) Bronze
Bronze and Satin Brass Candle Holders

(-112) Midnight Black
Midnight Black and Chrome Candle Holders

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537

A. EXTRA LARGE EIGHT LIGHT LANTERN
L: 23.5" W: 23.5" H: 46"
10' of Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

5234508(-848 -962 -872 -710)
(8) Candelabra Torpedo 60W max.
T24-1

5234508EN(-848 -962 -872 -710)
(8) Cand. Base LED 2700K,
3.5W, 350 Lumen lamps incl.
T24-2 EN★

B. LARGE EIGHT LIGHT LANTERN
L: 19" W: 19" H: 31.125"
10' of Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

5134508(-848 -962 -872 -710)
(8) Candelabra Base 60W max.
T24-1

5134508EN(-848 -962 -872 -710)
(8) Cand. Base LED 2700K,
3.5W, 350 Lumen lamps incl.
T24-2 EN★



A
Satin Brass Finish (-848)



B
Bronze Finish (-710)

FINISH CODES

(-848) Satin Brass
(-962) Brushed Nickel
(-872) Washed Pine with Chrome Accents
(-710) Bronze

C. MEDIUM FOUR LIGHT LANTERN

L: 15.5" W: 15.5" H: 23.125"
10' of Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

5134504(-848 -962 -872 -710)
(4) Candelabra Base 60W max.
T24-1

5134504EN(-848 -962 -872 -710)
(4) Cand. Base LED 2700K,
3.5W, 350 Lumen lamps incl.
T24-2 EN★

D. SMALL THREE LIGHT LANTERN

L: 10.5" W: 10.5" H: 15"
10' of Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

5134503(-848 -962 -872 -710)
(3) Candelabra Base 60W max.
T24-1

5134503EN(-848 -962 -872 -710)
(3) Cand. Base LED 2700K,
3.5W, 350 Lumen lamps incl.
T24-2 EN★



C

Satin Brass Finish (-848)



D

Brushed Nickel Finish (-962)



Washed Pine Finish (-872)
with Chrome Accents

FINISH CODES

(-848) Satin Brass
(-962) Brushed Nickel
(-872) Washed Pine with Chrome Accents
(-710) Bronze



PRODUCT SHOWN: MITTE FOUR LIGHT
LARGE LANTERN IN MIDNIGHT BLACK

A. LARGE FOUR LIGHT LANTERN
L: 27" W: 27" H: 36.125"
Supplied with 15' of Wire
(4) 12" Stems, (1) 6" Stem
DAMP

5341504-112
(4) Medium Base 75W max.
T24-1

5341504EN7-112
(4) Med. Base LED 2700K,
8W, 800 Lumen lamps incl.
T24-2 EN★

B. SMALL FOUR LIGHT LANTERN
L: 21" W: 21" H: 27.25"
Supplied with 15' of Wire
(4) 12" Stems, (1) 6" Stem
DAMP

5241504-112
(4) Medium Base 75W max.
T24-1

5241504EN7-112
(4) Med. Base LED 2700K,
8W, 800 Lumen lamps incl.
T24-2 EN★

C. LARGE ONE LIGHT PENDANT
L: 16.5" W: 16.5" H: 19.25"
Supplied with 15' of Wire
(4) 12" Stems, (1) 6" Stem
DAMP

5141501-112
(1) Medium Base 75W max.
T24-1

5141501EN7-112
(1) Med. Base LED 2700K,
8W, 800 Lumen lamp incl.
T24-2 EN★



A

Midnight Black Finish (-112)
Clear Glass



B

Midnight Black Finish (-112)
Clear Glass



C

Midnight Black Finish (-112)
Clear Glass

FINISH CODE

(-112) Midnight Black



PRODUCT SHOWN: LABETTE SMALL
THREE LIGHT LANTERN IN BLACK FINISH

A. LARGE FOUR LIGHT LANTERN
L: 14" W: 14" H: 27.25"
10' Wire pre-laced through 6' Chain
DAMP

5340604-12
(4) Candelabra Base 60W max.
T24-1

5340604EN-12
(4) Cand. Base LED 2700K,
3.5W, 350 Lumen lamps incl.
T24-2 EN★

B. MEDIUM THREE LIGHT LANTERN
L: 12" W: 12" H: 23.5"
10' Wire pre-laced through 6' Chain
DAMP

5240603-12
(3) Candelabra Base 60W max.
T24-1

5240603EN-12
(3) Cand. Base LED 2700K,
3.5W, 350 Lumen lamps incl.
T24-2 EN★

C. SMALL THREE LIGHT LANTERN
L: 10" W: 10" H: 19.75"
10' Wire pre-laced through 6' Chain
DAMP

5140603-12
(3) Candelabra Base 60W max.
T24-1

5140603EN-12
(3) Cand. Base LED 2700K,
3.5W, 350 Lumen lamps incl.
T24-2 EN★



A

Black Finish (-12)



B

Black Finish (-12)



C

Black Finish (-12)

FINISH CODE

(-12) Black

A. LARGE EIGHT LIGHT LANTERN
D: 18" H: 30"
10' of Wire pre-laced through 5' of Chain
DAMP

5134908(-05 -962 -710)
(8) Candelabra Torpedo 60W max.
T24-1

5134908EN(-05 -962 -710)
(8) Cand. Base LED 2700K,
3.5W, 350 Lumen lamps incl.
T24-2 EN★

B. MEDIUM SIX LIGHT LANTERN
D: 15" H: 23.375"
10' of Wire pre-laced through 5' of Chain
DAMP

5134906(-05 -962 -710)
(6) Candelabra Base 60W max.
T24-1

5134906EN(-05 -962 -710)
(6) Cand. Base LED 2700K,
3.5W, 350 Lumen lamps incl.
T24-2 EN★

C. SMALL THREE LIGHT LANTERN
D: 12.875" H: 18.75"
8' of Wire pre-laced through 3.5' of Chain
DAMP

5134903(-05 -962 -710)
(3) Candelabra Base 60W max.
T24-1

5134903EN(-05 -962 -710)
(3) Cand. Base LED 2700K,
3.5W, 350 Lumen lamps incl.
T24-2 EN★



A

Chrome Finish (-05)



B

Brushed Nickel Finish (-962)



C

Bronze Finish (-710)

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-710) Bronze

A. MEDIUM THREE LIGHT LANTERN
D: 15.75" H: 23.5"
Supplied with 10' of Wire,
(3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

5126003(-962 -710)
(3) Medium ST19 75W max.
T24-1

5126003EN(-962 -710)
(3) LED E26 Medium A19
8W Bulbs lamps incl.
T24-2 EN★



A

Brushed Nickel Finish (-962)
Clear Seeded Glass



Bronze Finish (-710)
Clear Seeded Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze



PRODUCT SHOWN: THURLO LARGE HANGING SHADE
IN SATIN BRASS FINISH WITH NATURAL ABACA ROPE

HANGING SHADE

A. LARGE HANGING SHADE
DREW & JONATHAN
D: 32" H: 24.38"
10' of Wire, 6' of Chain
DAMP

DJP1074SB
(4) Medium A19 75W max.

B. MEDIUM HANGING SHADE
DREW & JONATHAN
D: 24.25" H: 15"
10' of Wire, 6' of Chain
DAMP

DJP1063SB
(3) Medium A19 75W max.

C. SMALL HANGING SHADE
DREW & JONATHAN
D: 14.25" H: 9.5"
10' of Wire, 6' of Chain
DAMP

DJP1052SB
(2) Medium A19 75W max.



A

Satin Brass Finish (SB)
Natural Abaca Rope Shade



B

Satin Brass Finish (SB)
Natural Abaca Rope Shade



C

Satin Brass Finish (SB)
Natural Abaca Rope Shade

FINISH CODE
(SB) Satin Brass

A. LARGE HANGING SHADE
DREW & JONATHAN
D: 18" H: 22.63"
10' of Wire, (3) 12" Stems, (1) 6" Stem
DAMP

DJP1002SB
(1) Medium A19 60W max.

B. MEDIUM HANGING SHADE
DREW & JONATHAN
D: 10" H: 16"
10' of Wire, (3) 12" Stems, (1) 6" Stem
DAMP

DJP1011SB
(2) Medium A19 60W max.



A

Satin Brass Finish (SB)
Natural Rattan
White Linen Fabric Shade



B

Satin Brass Finish (SB)
Natural Rattan
White Linen Fabric Shade

FINISH CODE

(SB) Satin Brass

A. LARGE THREE LIGHT HANGING SHADE
D: 19.25" H: 13.5"
10' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting
Hardware incl.

6628003(-962 -710)
(3) Medium Base 75W max.
T24-1

6628003EN3(-962 -710)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



A

Brushed Nickel Finish (-962)
Off-White Faux Silk Fabric
Satin Etched Glass Diffuser



Bronze Finish (-710)
Off-White Faux Silk Fabric
Satin Etched Glass Diffuser

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze

B. MEDIUM TWO LIGHT SEMI-FLUSH CONVERTIBLE HANGING SHADE
D: 16.25" H: 12" Semi-Flush H: 10.75"
6' Wire pre-laced through 3' of Chain

7728002(-962 -710)
(2) Medium Base 75W max.
T24-1

7728002EN3(-962 -710)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



B

Semi-flush in Brushed Nickel Finish (-962)
Off-White Faux Silk Fabric
Satin Etched Glass Diffuser



Bronze Finish (-710)
Off-White Faux Silk Fabric
Satin Etched Glass Diffuser

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze



PRODUCT SHOWN: BELCARRA MEDIUM PENDANT
IN SATIN BRASS FINISH

PENDANTS

A. MEDIUM PENDANT
DREW & JONATHAN
D: 15" H: 10.25"
10' of Wire, (3) 12" Stems,
(1) 6" Stem
DAMP

DJP1091(BS SB MBK)
(1) Medium A19 75W max.



A

Brushed Steel Finish (BS)
Etched White Glass



Satin Brass Finish (SB)
Etched White Glass



Midnight Black Finish (MBK)
Etched White Glass

FINISH CODES

(BS) Brushed Steel
(SB) Satin Brass
(MBK) Midnight Black

B. SMALL PENDANT
DREW & JONATHAN
D: 8" H: 16.38"
10' of Wire, (3) 12" Stems,
(1) 6" Stem
DAMP

DJP1101(BS SB MBK)
(1) Medium A19 75W max.



B

Brushed Steel Finish (BS)
Etched White Glass



Satin Brass Finish (SB)
Etched White Glass



Midnight Black Finish (MBK)
Etched White Glass

FINISH CODES

(BS) Brushed Steel
(SB) Satin Brass
(MBK) Midnight Black

A. LARGE PENDANT
DREW & JONATHAN
D: 14" H: 13"
10' of Wire
DAMP

DJP1041(MWT NVY MBK)
(1) Medium A19 75W max.

B. MEDIUM PENDANT
DREW & JONATHAN
D: 12" H: 11"
10' of Wire
DAMP

DJP1031(MWT NVY MBK)
(1) Medium A19 75W max.

C. SMALL PENDANT
DREW & JONATHAN
D: 9.88" H: 9"
10' of Wire
DAMP

DJP1021(MWT NVY MBK)
(1) Medium A19 75W max.



A
Midnight Black Finish (MBK)
Opal Glass



B
Matte White Finish (MWT)
Opal Glass



C
Navy Finish (NVY)
Opal Glass

FINISH CODES

(MWT) Matte White
(NVY) Navy
(MBK) Midnight Black

A. MEDIUM PENDANT
DREW & JONATHAN
D: 12" H: 6.88"
10' of Wire
DAMP

DJP1111(SBMWT SBMBK)
(1) Medium A19 75W max.



A

Satin Brass Finish
Matte White Shade (SBMWT)



Satin Brass Finish
Midnight Black Shade (SBMBK)

FINISH CODES

(SBMWT) Satin Brass / Matte White Shade
(SBMBK) Satin Brass / Midnight Black Shade

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537

A. ONE LIGHT MINI PENDANT
D: 5.25" H: 11.75"
Supplied with 6' Wire
DAMP

6140401(-848 -962)
(1) Medium A19 75W max.

6140401EN(-848 -962)
(1) LED Medium A19 9W Bulb lamps incl.
T24-2 EN★



A

Satin Brass Finish (-848)
Opal Etched Glass



Brushed Nickel Finish (-962)
Opal Etched Glass

FINISH CODES

(-848) Satin Brass
(-962) Brushed Nickel

A. ONE LIGHT PENDANT

D: 7.125" H: 12.75"
Supplied with 10' of Wire,
(3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.

6536901(-710 -962)
(1) Medium ST19 60W max.
DAMP

6536901EN7(-710 -962)
(1) LED Medium A19 8W Bulb lamps incl.
T24-2 EN★



A

Bronze Finish (-710)
Clear Seeded Glass



Brushed Nickel Finish (-962)
Clear Seeded Glass

FINISH CODES

(-710) Bronze
(-962) Brushed Nickel

A. PENDANT
D: 9" H: 13.75"
15' Wire

P1395DFW/DWZ
(1) Medium A19 60W max.

B. MINI PENDANT
D: 6.375" H: 9.125"
15' Wire

P1394DFW/DWZ
(1) Medium A19 60W max.



A

Driftwood / Dark Weathered Zinc (DFW/DWZ)
Clear Glass



B

Driftwood / Dark Weathered Zinc (DFW/DWZ)
Clear Glass

FINISH CODE

(DFW/DWZ) Driftwood / Dark Weathered Zinc

A. PENDANT
D: 11.5" H: 14.75"
15' Wire, (3) 12" Stems, (1) 6" Stem
DAMP

P1459 (CH DWI)
(1) Medium A19 60W max.

B. MINI PENDANT
D: 5.75" H: 9.5"
15' Wire
DAMP

P1449 (CH DWI)
(1) Medium A19 75W max.



A

Chrome Finish (CH)
Clear Seeded Glass



B

Dark Weathered Iron Finish (DWI)
Clear Seeded Glass

FINISH CODES

(CH) Chrome
(DWI) Dark Weathered Iron

A. MEDIUM ONE LIGHT PENDANT
D: 9.25" H: 16.25"
Supplied with 15' of Wire,
(3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

P1484(CH SN ORB)
(1) Medium Base 60W max.
T24-1



A

Chrome Finish (CH)
Clear Glass



Satin Nickel Finish (SN)
Clear Glass



Oil Rubbed Bronze Finish (ORB)
Clear Glass

FINISH CODES

(CH) Chrome
(SN) Satin Nickel
(ORB) Oil Rubbed Bronze

A. MINI PENDANT
D: 5.5" H: 9.25"
15' Wire, (3) 12" Stems, (1) 6" Stem
DAMP

P1334SN/CH
(1) Medium A19 75W max.



A

Satin Nickel / Chrome Finish (SN/CH)
White Opal Etched Glass

FINISH CODE

(SN/CH) Satin Nickel / Chrome

A. BELL PENDANT
D: 5.75" H: 10"
Supplied with 15' Wire,
(3) 12" Stems, (1) 6" Stem

P1261ORB
(1) Medium A19 75W max.

B. ROUND GLASS PENDANT
D: 8" H: 8"
Supplied with 15' Wire,
(3) 12" Stems, (1) 6" Stem

P1234RI
(1) Medium A19 75W max.



A

Oil Rubbed Bronze Finish (ORB)
Clear Seeded Glass



B

Rustic Iron Finish (RI)
Clear Seeded Glass

FINISH CODES

(AF) Antique Forged Iron
(DAB) Dark Antique Brass
(ORB) Oil Rubbed Bronze
(RI) Rustic Iron

C. CLOSED CAGE PENDANT

D: 4.75" H: 14.5"
Supplied with 15' Wire,
(3) 12" Stems, (1) 6" Stem

P1240DAB
(1) Medium A19 75W max.

D. ROUND CAGE PENDANT

D: 10" H: 9.75"
Supplied with 15' Wire
DAMP

P1242AF
(1) Medium A19 75W max.



C
Dark Antique Brass Finish (DAB)



D
Antique Forged Iron Finish (AF)

FINISH CODES

(AF) Antique Forged Iron
(DAB) Dark Antique Brass
(ORB) Oil Rubbed Bronze
(RI) Rustic Iron



PRODUCT SHOWN: SOCORRO ONE LIGHT MINI PENDANT IN STARDUST FINISH

A. ONE LIGHT MINI PENDANT

D: 10.5" H: 12.375"
Supplied with 10' of Wire,
(3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

6124901-846
(1) Medium A19 60W max.
T24-1

6140401EN-846
(1) LED Medium A19 8W Bulb lamps incl.
T24-2 EN★



A

Stardust Finish (-846)

FINISH CODE

(-846) Stardust

A. MEDIUM PENDANT
D: 9.5" H: 14.125"
Supplied with 15' Wire, (3) 12" Stems, (1) 6" Stem

P1355(ORB SN)
(1) Medium A19 75W max.

B. MINI PENDANT
D: 7.5" H: 11.75"
Supplied with 15' Wire, (3) 12" Stems, (1) 6" Stem

P1357(ORB SN)
(1) Medium A19 75W max.

C. MINI PENDANT
D: 7.5" H: 11.75"
Supplied with 15' Wire,
(3) 12" Stems, (1) 6" Stem

P1354(ORB SN)
(1) Medium A19 75W max.



A
Satin Nickel Finish (SN)
Clear Seeded Glass



B
Oil Rubbed Bronze Finish (ORB)
Metal



C
Oil Rubbed Bronze Finish (ORB)
Clear Seeded Glass

FINISH CODES

(ORB) Oil Rubbed Bronze
(SN) Satin Nickel

A. PENDANT
D: 13" H: 13.125"
Supplied with 15' Wire, 5' Chain

P1283DAB/MB
(12 Medium A19 75W max.

B. MINI PENDANT
D: 8" H: 10.875"
Supplied with 15' Wire, 5" Chain

P1282DAB/MB
(1) Medium A19 75W max.



A
Dark Antique Brass / Matte Black (DAB/MB)
White Opal Etched Glass



B
Dark Antique Brass / Matte Black (DAB/MB)
White Opal Etched Glass

FINISH CODE
(DAB/MB) Dark Antique Brass / Matte Black



PRODUCT SHOWN: TOWNER FIVE LIGHT CLUSTER
AND MULTI-PORT CANOPY IN SATIN BRASS FINISH

A. ONE LIGHT MINI-PENDANT

D: 7" H: 8.5"
10' black field adjustable cord
Compatible with Multi-Port Canopies
DAMP

6141301(-848 -962)
(1) Medium Base 60W max.
T24-1

6141301EN3(-848 -962)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



A

Satin Brass Finish (-848)
Black Metal Shade



Brushed Nickel Finish (-962)
Black Metal Shade

FINISH CODES

(-848) Satin Brass with Black Metal Shade
(-962) Brushed Nickel with Black Metal Shade

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537

A. MEDIUM ONE LIGHT PENDANT

D: 15" H: 14"
12' Black Field Adjustable Cord
DAMP

6517401(-962 -710 -846)
(1) Medium Base 75W max.
T24-1

6517401EN3(-962 -710 -846)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



A

Brushed Nickel Finish (-962)



Bronze Finish (-710)



Stardust Finish (-846)

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze
(-846) Stardust

A. ONE LIGHT INDOOR / OUTDOOR PENDANT

D: 13.25" H: 11.5"
10' Wire, (3) 12" Stems,
(1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

6247701(-04 -44 -12)
(1) Medium Base 75W max.
T24-1

6247701EN3(-04 -44 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



A

Satin Aluminum Finish (-04)



Weathered Copper Finish (-44)



Black Finish (-12)

FINISH CODES

(-04) Satin Aluminum
(-44) Weathered Copper
(-12) Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537

PRATT STREET PRISMATIC PENDANTS

A. LARGE THREE LIGHT PENDANT
D: 16.25" H: 10"
10' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting
Hardware incl.
DAMP

65062(-962 -715)
(3) Medium Base 75W max.
T24-1

65062EN3(-962 -715)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

B. MEDIUM TWO LIGHT PENDANT
D: 12.75" H: 8.5"
10' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting
Hardware incl.
DAMP

65061(-962 -715)
(2) Medium Base 75W max.
T24-1

65061EN3(-962 -715)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

C. SMALL ONE LIGHT PENDANT
D: 11" H: 7.25"
10' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting
Hardware incl.
DAMP

65060(-962 -715)
(1) Medium Base 75W max.
T24-1

65060EN3(-962 -715)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



A

Brushed Nickel Finish (-962)
Prismatic Glass & Diffuser



B

Autumn Bronze Finish (-715)
Prismatic Glass & Diffuser



C

Brushed Nickel Finish (-962)
Prismatic Glass & Diffuser

FINISH CODES

(-962) Brushed Nickel
(-715) Autumn Bronze

A. LARGE THREE LIGHT PENDANT
D: 16" H: 13.25"
10' Wire, (3) 12" Stems,
(1) 6" Stem
Sloped Ceiling Mounting
Hardware incl.
DAMP

65087(-848 -962 -715)
(3) Medium Base 75W max.
T24-1

65087EN3(-848 -962 -715)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

B. MEDIUM TWO LIGHT PENDANT
D: 13" H: 9.75"
10' Wire, (3) 12" Stems,
(1) 6" Stem
Sloped Ceiling Mounting
Hardware incl.
DAMP

65086(-848 -962 -715)
(2) Medium Base 75W max.
T24-1

65086EN3(-848 -962 -715)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

C. SMALL ONE LIGHT PENDANT
D: 9.5" H: 8.5"
10' Wire, (3) 12" Stems,
(1) 6" Stem
Sloped Ceiling Mounting
Hardware incl.
DAMP

65085(-848 -962 -715)
(1) Medium Base 75W max.
T24-1

65085EN3(-848 -962 -715)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



A

Satin Brass Finish (-848)
Prismatic Glass Diffuser



B

Brushed Nickel Finish (-962)
Prismatic Glass Diffuser



C

Autumn Bronze Finish (-715)
Prismatic Glass Diffuser

FINISH CODES

(-848) Satin Brass
(-962) Brushed Nickel
(-715) Autumn Bronze

A. LARGE TWO LIGHT PENDANT
D: 17.25" H: 15.5"
10' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
Head swivels.
DAMP

6514402-962
(2) Medium Base 60W max.
T24-1

6514402EN3-962
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



A

Brushed Nickel Finish (-962)
Etched Glass Diffuser

FINISH CODE

(-962) Brushed Nickel

B. MEDIUM ONE LIGHT PENDANT
D: 13.25" H: 12"
10' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting
Hardware incl.
Head swivels.
DAMP

6514401-962
(1) Medium Base 75W max.
T24-1

6514401EN3-962
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



B

Brushed Nickel Finish (-962)
Etched Glass Diffuser



Brushed Nickel Finish (-962)
Etched Glass Diffuser
Head swiveled

FINISH CODE
(-962) Brushed Nickel

A. MEDIUM PENDANT
D: 10" H: 10.5"
Supplied with 15' Wire

P1253 (BK BS DBZ)
(1) Medium A21 75W max.



A

Black Finish (BK)
With Polished Nickel (PN) Accent



Brushed Steel Finish (BS)



Dark Bronze Finish (DBZ)
With Antique Copper (AC) Accent

FINISH CODES

(BK) Black
(BS) Brushed Steel
(DBZ) Dark Bronze
(PN) Polished Nickel

A. SEVEN LIGHT MULTI-PORT CANOPY
D: 6.5" H: 2.625"
7 swag hooks incl.

MPC07ORBORB
Compatible with:
Belle
Division Street
Loras Mini
Matrimonio Mini
Towner
Urban Renewal

B. THREE LIGHT MULTI-PORT CANOPY
D: 5" H: 1.25"
3 swag hooks incl.

MPC03ORB(ORB PN SN)
Compatible with:
Belle
Division Street
Loras Mini
Matrimonio Mini
Towner
Urban Renewal



A

Oil Rubbed Bronze Finish (ORB)



Polished Nickel Finish (PN)



Satin Nickel Finish (SN)



B

Oil Rubbed Bronze Finish (ORB)



Polished Nickel Finish (SN)



Satin Nickel Finish (SN)



Swag Hooks Included

FINISH CODES

(ORB) Oil Rubbed Bronze
(PN) Polished Nickel
(SN) Satin Nickel

A. FIVE LIGHT MULTI-PORT CANOPY

D: 12.25" H: 2"

DAMP

7449405(-15 -962 -848)

Compatible with:
Driscoll
Loras Mini
Matrimonio Mini
Towner



Shown with Towner Mini-Pendant in Satin Brass Finish (-962) and Black Shade



A

White Finish (-15)



Brushed Nickel Finish (-962)



Satin Brass Finish (-848)

FINISH CODES

(-15) White
(-962) Brushed Nickel
(-848) Satin Brass

A. THREE LIGHT MULTI-PORT CANOPY
D: 9.5" H: 2"
DAMP

7449403(-15 -962 -848)
Compatible with:
Belle
Driscoll
Hyde Small
Loras Mini
Matrimonio Mini
Towner



Shown with Towner Mini-Pendant in Satin Brass Finish (-848) with Black Shade



A

White Finish (-15)



Brushed Nickel Finish (-962)



Satin Brass Finish (-848)

FINISH CODES

(-15) White
(-962) Brushed Nickel
(-848) Satin Brass

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537

A. LINEAR FIVE LIGHT CLUSTER CANOPY

L: 48" W: 6" H: 1"

DAMP

7449605(-05 -962 -848 -112)

Compatible with:
Driscoll
Loras Mini
Matrimonio Mini
Towner



Shown with Matrimonio Mini Pendant in Satin Brass Finish (-848)



A

Chrome Finish (-05)



Brushed Nickel Finish (-962)



Satin Brass Finish (-848)



Midnight Black Finish (-112)

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-848) Satin Brass
(-112) Midnight Black

A. LINEAR THREE LIGHT CLUSTER CANOPY

L: 36" W: 6" H: 1"

DAMP

7449603(-05 -962 -848 -112)

Compatible with:
Belle
Driscoll
Hyde Small
Loras Mini
Matrimonio Mini
Towner



Shown with Loras Mini-Pendant in Midnight Black Finish (-112)



A

Chrome Finish (-05)



Brushed Nickel Finish (-962)



Satin Brass Finish (-848)



Midnight Black Finish (-112)

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-848) Satin Brass
(-112) Midnight Black



PRODUCT SHOWN: CORTES MEDIUM CEILING
FLUSH MOUNT IN SATIN BRASS FINISH

FLUSH AND SEMI-FLUSH MOUNT

A. MEDIUM CEILING FLUSH MOUNT
DREW & JONATHAN
W: 13.5" H: 6.25"
DAMP T24-3

DJF1002SB
(2) Medium A19 40W max.



A

Satin Brass Finish (SB)
Rattan Detail with White Linen Shade
Etched White Glass Diffuser

FINISH CODE

(SB) Satin Brass

A. MEDIUM CEILING FLUSH MOUNT
D: 12" H: 3.75"
DAMP

7569093S(-112 -848 -962)
(1) LED Integrated Array 15W
Bulb lamps incl.
T24-3 LED



A

Midnight Black Finish (-112)
White Etched Glass



Satin Brass Finish (-848)
White Etched Glass



Brushed Nickel Finish (-962)
White Etched Glass

FINISH CODES

(-112) Midnight Black
(-848) Satin Brass
(-962) Brushed Nickel

A. LARGE THREE LIGHT FLUSH MOUNT
D: 16" H: 6.25"
DAMP

FM312(CH BS ORB)
(3) Medium Base 60W max.
T24-1

FM312EN3/(CH BS ORB)
(3) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★

B. MEDIUM TWO LIGHT FLUSH MOUNT
D: 13.5" H: 4.75"
DAMP

FM313(CH BS ORB)
(2) Medium Base 60W max.
T24-1

FM313EN3/(CH BS ORB)
(2) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★



A

Oil Rubbed Bronze Finish (ORB)
Opal Etched Glass



B

Brushed Steel Finish (BS)
Opal Etched Glass



Chrome Finish (CH)
Opal Etched Glass

FINISH CODES

(CH) Chrome
(BS) Brushed Steel
(ORB) Oil Rubbed Bronze

A. GRANDE OVAL LED FLUSH MOUNT
L: 32.25" W: 18" H: 4"
DAMP

7950893S(-753 -71)
LED: 3000K, 42 Watts,
3295 Gross Lumens
T24-3 LED EN★



A

Painted Brushed Nickel Finish (-753)
White Acrylic Diffuser

B. LARGE LED FLUSH MOUNT
D: 17.75" H: 4.25"
DAMP

7750893S(-753 -71)
LED: 3000K, 34 Watts,
2045 Gross Lumens
T24-3 LED EN★



B

Antique Bronze Finish (-71)
White Acrylic Diffuser

C. MEDIUM LED CEILING FLUSH MOUNT
D: 14.5" H: 4.125"
DAMP

7650893S(-753 -71)
LED: 3000K, 23 Watts,
1395 Gross Lumens
T24-3 LED EN★



C

Painted Brushed Nickel Finish (-753)
White Acrylic Diffuser

FINISH CODES

(-753) Painted Brushed Nickel
(-71) Antique Bronze

LED & Replacement Lamps: p.534

A. LARGE CEILING FLUSH MOUNT
D: 16.75" H: 5.5"
DAMP

75436(-15 -05 -962 -848 -710 -112)
Bronze Finish / Amber Scavo Glass
(3) Medium Base 60W max.
T24-1

75436EN3(-15 -05 -962 -848 -710 -112)
Bronze Finish / Amber Scavo Glass
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



A

White Finish (-15)
White Satin Etched Glass

Chrome Finish (-05)
White Satin Etched Glass

B. MEDIUM CEILING FLUSH MOUNT
D: 14" H: 4.5"
DAMP

75435(-15 -05 -962 -848 -710 -112)
Bronze Finish / Amber Scavo Glass
(2) Medium Base 60W max.
T24-1

75435EN3(-15 -05 -962 -848 -710 -112)
Bronze Finish / Amber Scavo Glass
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★





B

Bronze Finish (-710)
White Satin Etched Glass

Midnight Black Finish (-112)
White Satin Etched Glass

C. SMALL CEILING FLUSH MOUNT
D: 11.5" H: 4"
DAMP

75434(-15 -05 -962 -848 -710 -112)
Bronze Finish / Amber Scavo Glass
(1) Medium Base 60W max.
T24-1

75434EN3(-15 -05 -962 -848 -710 -112)
75444EN3-710 Bronze Finish / Amber Scavo Glass
(1) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★





C

Brushed Nickel Finish (-962)
White Satin Etched Glass

Satin Brass Finish (-848)
White Satin Etched Glass

FINISH CODES

(-15) White
(-05) Chrome
(-962) Brushed Nickel
(-848) Satin Brass
(-710) Bronze
(-112) Midnight Black

A. MEDIUM FLUSH MOUNT

D: 8" H: 6.88"

DAMP T24-3

DJF1011(MWT NVY MBK)

1 Medium A19 60W max.



A

Matte White Finish (MWT)
Milk Glass



Navy Finish (NVY)
Milk Glass



Midnight Black Finish (MBK)
Milk Glass

FINISH CODES

(MWT) Matte White
(NVY) Navy
(MBK) Midnight Black

LED & Replacement Lamps: p.534

ETHAN FLUSH AND SEMI-FLUSH MOUNT

A. LARGE SEMI-FLUSH MOUNT
D: 16.375" H: 10.5"
DAMP

SF292AF/BS
(4) Candelabra Torpedo 60W max.



A

Antique Forged Iron / Brushed Steel (AF/BS)
Clear Glass

FINISH CODE

(AF/BS) Antique Forged Iron / Brushed Steel

MITTE

A. MEDIUM TWO LIGHT FLUSH MOUNT
L: 13" W: 13" H: 7.875"
DAMP

7541502-112
(2) Medium Base 60W max.
T24-1

7541502EN7-112
(2) Med. Base LED 2700K,
8W, 800 Lumen lamps incl.
T24-2 EN★



A

Midnight Black Finish (-112)
Clear Glass

FINISH CODE

(-112) Midnight Black

A. LARGE THREE LIGHT SEMI-FLUSH MOUNT
D: 15.5" H: 15.5"
DAMP

7724903-846
(3) Candelabra Torpedo 60W max.
T24-1

7724903EN-846
(3) LED Candelabra Torpedo 3.5W Bulbs lamps incl.
T24-2 EN★

B. LARGE TWO LIGHT FLUSH MOUNT
D: 13.5" H: 7.5"
DAMP

7524902-846
(2) Medium A19 60W max.
T24-1

7524902-846EN-846
(2) LED Medium A19 8W Bulbs lamps incl.
T24-2 EN★



A

Stardust Finish (846)



B

Stardust Finish (846)

FINISH CODE

(-846) Stardust

TOMKIN FLUSH AND SEMI-FLUSH MOUNT

A. SMALL ONE LIGHT CEILING FLUSH MOUNT
D: 6" H: 7.5"
DAMP

5367PC-15
(1) Medium Base 60W max.
T24-1

5367PCEN3-15
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

B. SMALL ONE LIGHT CEILING FLUSH MOUNT
D: 6" H: 7.5"
DAMP

5366-15
(1) Medium Base 60W max.
T24-1

5366EN3-15
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A
White Finish (-15)
White Glass, Pull Chain



B
White Finish (-15)
White Glass

FINISH CODE

(-15) White

WEBSTER

A.SMALL TWO LIGHT WALL / CEILING FLUSH MOUNT
D: 9.5" H: 5.75" E: 5.75"
DAMP

5328(-15 -962 -710)
(2) Medium Base 60W max.
T24-1

5328EN3(-15 -962 -710)
(2) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★

B. SMALL ONE LIGHT WALL / CEILING FLUSH MOUNT
D: 7.75" H: 5.25" E: 5.25"
DAMP

5326(-15 -962 -710)
(1) Medium Base 60W max.
T24-1

5326EN3(-15 -962 -710)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A
Brushed Nickel Finish (-962)
Smooth White Glass



B
Bronze Finish (-710)
Smooth White Glass

FINISH CODES

(-15) White
(-962) Brushed Nickel
(-710) Bronze

A. LARGE FLUSH MOUNT
D: 16.25" H: 4"
DAMP

7543503-962
(3) Medium Base 60W max.
T24-1

7543503EN3-962
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

7643593S-962
LED: 3000K, 28 Watts,
2000 Gross Lumens
T24-4 WOD LED EN★

B. MEDIUM FLUSH MOUNT
D: 12.25" H: 4"
DAMP

7543502-962
(2) Medium Base 60W max.
T24-1

7543502EN3-962
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

7443593S-962
LED: 3000K, 14 Watts,
1000 Gross Lumens
T24-4 WOD LED EN★



A

Brushed Nickel Finish (-962)
White Satin Etched



B

Brushed Nickel Finish (-962)
White Satin Etched

FINISH CODE

(-962) Brushed Nickel

LED & Replacement Lamps: p.534

A. FOUR FOOT LED CEILING / WALL MOUNT
L: 46.5" W: 1.75" H: 1.875"
Height from center of the outlet box horizontal: 0.875" vertical: 23.25"
DAMP ADA

5920593S-15
LED: 3000K, 39 Watts
3000 Gross Lumens
T24-3 LED EN★

B. TWO FOOT LED CEILING FLUSH MOUNT
L: 23" W: 1.75" H: 1.875"
Height from center of the outlet box horizontal: 0.875" vertical: 11.5"
DAMP ADA

5720593S-15
LED: 3000K, 19 Watts
1500 Gross Lumens
T24-3 LED EN★



A

White Finish (-15)
White Acrylic Diffuser



B

White Finish (-15)
White Acrylic Diffuser

FINISH CODE

(-15) White

LINEAR FLUSH MOUNT

A. FOUR LIGHT CEILING FLUSH MOUNT
L: 51.5" W: 16.75" H: 5.75"
DAMP

59271LE-15
(4) Medium Bi-Pin T8 32W max.
120V NPF Electronic Ballast
T24-4 FL

B. TWO LIGHT CEILING FLUSH MOUNT
L: 51.5" W: 11.25" H: 5.75"
DAMP

59270LE-15
(2) Medium Bi-Pin T8 32W max.
120V NPF Electronic Ballast
T24-4 FL

C. LINEAR CEILING FLUSH MOUNT
L: 48" W: 6.75" H: 2.5"
DAMP

59132LE-15
(2) Medium Bi-Pin T8 32W max.
120V NPF Electronic Ballast
T24-4 FL

D. LINEAR CEILING FLUSH MOUNT
L: 24" W: 6.75" H: 2.5"
DAMP

59136LE-15
(2) Medium Bi-Pin T8 17W max.
120V NPF Electronic Ballast
T24-4 FL

A

White Finish (-15)
White Acrylic Diffuser



B

White Finish (-15)
White Acrylic Diffuser



C

White Finish (-15)
Clear Textured Acrylic Diffuser



D

White Finish (-15)
Clear Textured Acrylic Diffuser

FINISH CODE

(-15) White

LED & Replacement Lamps: p.534

A. LED LINEAR CEILING FLUSH MOUNT
L: 48" W: 5" H: 2.625"
DAMP

591320S-15
LED: 3000K, 40 Watts
3200 Gross Lumens
T24-3 LED

591321S-15
LED: 3000K, 40 Watts
3200 Gross Lumens
Includes Junction Box within
T24-3 LED

B. LED LINEAR CEILING FLUSH MOUNT
L: 24" W: 5" H: 2.625"
DAMP

591360S-15
LED: 3000K, 27 Watts
2000 Gross Lumens
T24-3 LED

591361S-15
LED: 3000K, 27 Watts
2000 Gross Lumens
Includes Junction Box within
T24-3 LED



A

White Finish (-15)
Frosted Acrylic Diffuser



B

White Finish (-15)
Frosted Acrylic Diffuser

FINISH CODE

(-15) White

A. FOUR FOOT LED CEILING FLUSH MOUNT
L: 51" W: 10.25" H: 3.25"
DAMP

5927093S-15
LED: 3000K, 39 Watts,
3220 Gross Lumens
T24-3 LED EN★

B. TWO FOOT LED CEILING FLUSH MOUNT
L: 26" W: 10.25" H: 3.25"
DAMP

5727093S-15
LED: 3000K, 27 Watts
2100 Gross Lumens
T24-3 LED EN★

A

White Finish (-15)
White Acrylic Diffuser

B

White Finish (-15)
White Acrylic Diffuser

FINISH CODE

(-15) White



PRODUCT SHOWN: BURKE MEDIUM
SCONCE IN SATIN BRASS FINISH

WALL SCONCES

PORTEAU WALL SCONCES

A. MEDIUM SCONCE
DREW & JONATHAN
W: 9" H: 16.88" E: 9.63"
Height from center of outlet box up: 10"
DAMP

DJW1011(SB MBK)
(1) Candelabra Torpedo 60W max.



A

Satin Brass Finish (SB)
White Linen Fabric Shade



Midnight Black Finish (MBK)
White Linen Fabric Shade

FINISH CODES

(SB) Satin Brass
(MBK) Midnight Black

BURKE

A. MEDIUM SCONCE
DREW & JONATHAN
W: 9" H: 8" E: 11"
Height from center of outlet box up: 5.5"
DAMP

DJW1001(BS SB MBK)
(1) Candelabra Torpedo 60W max.



A

Brushed Steel Finish (BS)
White Linen Fabric Shade



Satin Brass Finish (SB)
White Linen Fabric Shade



Midnight Black Finish (MBK)
White Linen Fabric Shade

FINISH CODES

(BS) Brushed Steel
(SB) Satin Brass
(MBK) Midnight Black

CAPALINO

A. MEDIUM DOUBLE SCONCE
DREW & JONATHAN
W: 5" H: 12" E: 5.25"
Height from center of outlet box
horizontal: 2.5" vertical: 6"
DAMP

DJW1022(BS SB MBK)
(2) Candelabra Torpedo 60W max.



A

Brushed Steel Finish (BS)
White Linen Fabric Shade



Satin Brassl Finish (SB)
White Linen Fabric Shade



Midnight Black Finish (MBK)
White Linen Fabric Shade

FINISH CODES

(BS) Brushed Steel
(SB) Satin Brass
(MBK) Midnight Black

EGMONT

A. MEDIUM SCONCE
DREW & JONATHAN
W: 4.75" H: 11.75" E: 5.5"
Height from center of outlet box
up: 9.375"
DAMP

DJW1051(BS SB MBK)
(1) Candelabra Torpedo 60W max.



A

Brushed Steel Finish (BS)
White Linen Fabric Shade



Satin Brass Finish (SB)
White Linen Fabric Shade



Midnight Black Finish (MBK)
White Linen Fabric Shade

FINISH CODES

(BS) Brushed Steel
(SB) Satin Brass
(MBK) Midnight Black

LED & Replacement Lamps: p.534



PRODUCT SHOWN: LORAS SCONCE IN CHROME FINISH

A. SCONCE
W: 5.75" H: 17" E: 8.5"
Height from center of outlet box up: 9"
DAMP

WB1850(CH DWI)
(1) Medium A19 75W max.



A

Chrome Finish (CH)
Clear Seeded Glass



Dark Weathered Iron Finish (DWI)
Clear Seeded Glass

FINISH CODES

(CH) Chrome
(DWI) Dark Weathered Iron

LED & Replacement Lamps: p.534

MILA WALL SCONCES

A. WALL SCONCE
W: 5" H: 14.75" E: 4"
Height from center of
outlet box up: 7"
DAMP ADA

WB1451(BS ORB)
(1) Medium T10 60W max.



A

Brushed Steel (BS)
White Opal Etched Glass



Oil Rubbed Bronze (ORB)
White Opal Etched Glass

FINISH CODES

(BS) Brushed Steel
(ORB) Oil Rubbed Bronze

ETHAN

A. WALL SCONCE
W: 5" H: 17" E: 4.5"
Height from center of
outlet box up: 9.5"

WB1560AF/BS
(1) Candelabra B Torpedo
60W max.
T24-1



A

Antique Forged Iron / Brushed Steel (AF/BS)
Clear Glass

FINISH CODE

(AF/BS) Antique Forged Iron / Brushed Steel

MARIELLE

A. DOUBLE SCONCE
W: 10.5" H: 16.5" E: 3.75"
Height from center of
outlet box up: 10.625"
DAMP ADA

WB1920ADB
(2) Candelabra Torpedo
60W max.



A

Antique Gild (ADB)

FINISH CODE

(ADB) Antique Gild

MARLENA

A. LARGE SCONCE
W: 10.5" H: 18" E: 6"
Height from center of outlet box up: 9"
DAMP

WB1846ANBZ
(1) Medium A19 75W max.



A
Antique Bronze (ANBZ)
Clear Glass

FINISH CODE

(ANBZ) Antique Bronze

ANSLEY

A. ONE LIGHT SCONCE
W: 4.75" H: 26.5" E: 6.125"
Height from center of outlet box up: 14.5" down: 12"
DAMP

WB1940AI
(1) Candelabra Torpedo 60W max.



A
Aged Iron (AI)
White Linen

FINISH CODE

(AI) Aged Iron

TOWNER

A. ONE LIGHT WALL SCONCE
W: 7" H: 8.375" E: 8"
Height from center of outlet box up: 4.75" down: 2.5"
DAMP

4141301(-848 -962)
(1) Medium Base 60W max.
T24-1

4141301EN3(-848 -962)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A
Brushed Nickel Finish (-962)
Black Metal Shade



Satin Brass Finish (-848)
Black Metal Shade

FINISH CODES

(-962) Brushed Nickel
(-848) Satin Brass

LED & Replacement Lamps: p.534

STEPPED GLASS WALL SCONCES

A. ONE LIGHT SCONCE
W: 10.75" H: 5.25" E: 4.25"
Height from center of outlet box up: 2.5"
DAMP

4123-15
(1) Medium Base 75W max.
T24-1

4123EN3-15
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

A

White Finish (-15)
White Glass

FINISH CODE

(-15) White

NEVA

A. ONE LIGHT SCONCE
W: 11.5" H: 5.75" E: 4"
Height from center of outlet box up: 2.5"
DAMP ADA

4148-15
(1) Medium Base 75W max.
T24-1

4148EN3-15
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

414893S-15
LED: 3000K, 14 Watts,
1000 Gross Lumens
T24-4 WOD EN★ LED



A

White Finish (-15)
White Glass

FINISH CODE

(-15) White

EDLA

A. ONE LIGHT SCONCE
W: 13.75" H: 6.75" E: 5.25"
Height from center of outlet box up: 4"
DAMP

4138-15
(1) Medium Base 75W max.
T24-1

4138EN3-15
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



A

White Finish (-15)
White Acrylic Diffuser

FINISH CODE

(-15) White

RAVEL

A. LED SCONCE
W: 9.5" H: 10.5" E: 4"
Height from center of outlet box up: 5.25"
DAMP ADA

4933593S-962
LED: 3000K, 14 Watts,
1000 Gross Lumens
T24-4 WOD EN★ LED



A

Brushed Nickel Finish
Satin White Acrylic Diffuser

FINISH CODE

(-962) Brushed Nickel Finish

NEARU

A. ONE LIGHT SCONCE
W: 8" H: 10.5" E: 4"
Height from center of outlet box up: 5.75"
DAMP ADA

49119(-962 -710)
(1) Medium Base 60W max.
T24-1

49119EN3(-962 -710)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



A

Brushed Nickel Finish (-962)
Opal Cased Etched Glass



Bronze Finish (-710)
Opal Cased Etched Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze

METROPOLIS

A. ONE LIGHT SCONCE
W: 8" H: 8.25" E: 4"
Height from center of outlet box up: 3.25"
DAMP ADA

41036-999
(1) Medium Base 75W max.
T24-1

41036EN3-999
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



A

With Brushed Nickel &
Brushed Nickel Endcaps
with Satin Etched Glass

FINISH CODE

(-999) Multiple Finishes

LED & Replacement Lamps: p.534



PRODUCT SHOWN: SAYWARD THREE LIGHT
WALL / BATH IN BRUSHED STEEL FINISH

VANITY AND MIRRORS

A. FOUR LIGHT WALL / BATH
DREW & JONATHAN
W: 32.38" H: 9.63" E: 6.38"
Height from center of outlet box
up: 7.125" down:2.5"
DAMP

DJV1004(CH BS SB MBK)
(4) Medium A19 75W max.



A

Chrome Finish (CH)
Clear Glass

B. THREE LIGHT WALL / BATH
DREW & JONATHAN
W: 24" H: 9.63" E: 6.38"
Height from center of outlet box
up: 7.125" down:2.5"
DAMP

DJV1003(CH BS SB MBK)
(3) Medium A19 75W max.

C. TWO LIGHT WALL / BATH
DREW & JONATHAN
W: 14.13" H: 9.63" E: 6.38"
Height from center of outlet box
up: 7.125" down:2.5"
DAMP

DJV1002(CH BS SB MBK)
(2) Medium A19 75W max.



B

Satin Brass Finish (SB)
Clear Glass

D. SMALL WALL / BATH SCONCE
DREW & JONATHAN
W: 14.13" H: 9.63" E: 6.38"
Height from center of outlet box
up: 5.375" down:2.5"
DAMP

DJV1001(CH BS SB MBK)
(1) Medium A19 75W max.



C

Brushed Steel Finish (BS)
Clear Glass



D

Midnight Black Finish (MBK)
Clear Glass

FINISH CODES

(CH) Chrome
(BS) Brushed Steel
(SB) Satin Brass
(MBK) Midnight Black

A. FOUR LIGHT WALL / BATH
DREW & JONATHAN
W: 33.38" H: 9" E: 7.5"
Height from center of outlet box
up: 6.5" down:2.5"'
DAMP

DJV1034(CH BS SB MBK)
(4) Medium A19 75W max.



A
Satin Brass Finish (SB)
Clear Glass

B. THREE LIGHT WALL / BATH
DREW & JONATHAN
W: 24" H: 9" E: 7.5"
Height from center of outlet box
up: 6.5" down:2.5"'
DAMP

DJV1033(CH BS SB MBK)
(3) Medium A19 75W max.



B
Brushed Steel Finish (BS)
Clear Glass

C. TWO LIGHT WALL / BATH
DREW & JONATHAN
W: 14.63" H: 9" E: 7.5"
Height from center of outlet box
up: 6.5" down:2.5"'
DAMP

DJV1032(CH BS SB MBK)
(2) Medium A19 75W max.

D. SMALL WALL / BATH SCONCE
DREW & JONATHAN
W: 5.25" H: 9" E: 7.5"
Height from center of outlet box
up: 5.5" down:3.5"
DAMP

DJV1031(CH BS SB MBK)
(2) Medium A19 75W max.



C
Midnight Black Finish (MBK)
Clear Glass



D
Chrome Finish (SB)
Clear Glass

FINISH CODES

(CH) Chrome
(BS) Brushed Steel
(SB) Satin Brass
(MBK) Midnight Black

A. FOUR LIGHT WALL / BATH
DREW & JONATHAN
W: 36" H: 8.88" E: 7.75"
Height from center of outlet box
up: 6.375" down:2.5"
DAMP

DJV1024(CH BS SB MBK)
(4) Medium A19 60W max.



A
Chrome Finish (CH)
Milk Glass

B. THREE LIGHT WALL / BATH
DREW & JONATHAN
W: 26" H: 9" E: 7.75"
Height from center of outlet box
up: 6.375" down:2.5"
DAMP

DJV1023(CH BS SB MBK)
(3) Medium A19 60W max.



B
Satin Brass Finish (SB)
Milk Glass

C. TWO LIGHT WALL / BATH
DREW & JONATHAN
W: 16" H: 9" E: 7.75"
Height from center of outlet box
up: 6.375" down:2.5"
DAMP

DJV1022(CH BS SB MBK)
(2) Medium A19 60W max.



C
Brushed Steel Finish (BS)
Milk Glass

D. SMALL WALL / BATH SCONCE
DREW & JONATHAN
W: 6" H: 9" E: 7.75"
Height from center of outlet box
up: 6.375" down:2.5"
DAMP

DJV1021(CH BS SB MBK)
(1) Medium A19 60W max.



D
Midnight Black Finish (MBK)
Milk Glass

FINISH CODES

(CH) Chrome
(BS) Brushed Steel
(SB) Satin Brass
(MBK) Midnight Black

A. FOUR LIGHT WALL / BATH
DREW & JONATHAN
W: 36.75" H: 9.13" E: 9"
Height from center of outlet box
up: 4.125" down:2.5"
DAMP

DJV1014(BS SB MBK)
(4) Candelabra B Torpedo 60W max.



A

Satin Brass Finish (SB)
Etched White Glass

B. THREE LIGHT WALL / BATH
DREW & JONATHAN
W: 27" H: 9.13" E: 9"
Height from center of outlet box
up: 7.125" down:2.5"
DAMP

DJV1013(BS SB MBK)
(3) Candelabra B Torpedo 60W max.

C. TWO LIGHT WALL / BATH
DREW & JONATHAN
W: 17.25" H: 9.13" E: 9"
Height from center of outlet box
up: 7.125" down:2.5"
DAMP

DJV1012(BS SB MBK)
(2) Candelabra B Torpedo 60W max.



B

Midnight Black Finish (MBK)
Etched White Glass

D. SMALL WALL / BATH SCONCE
DREW & JONATHAN
W: 7.5" H: 6.63" E: 9"
Height from center of outlet box
up: 7.125" down:2.5"
DAMP

DJV1011(BS SB MBK)
(1) Candelabra B Torpedo 60W max.



C

Satin Brass Finish (SB)
Etched White Glass



D

Brushed Steel Finish (BS)
Etched White Glass

FINISH CODES

(BS) Brushed Steel
(SB) Satin Brass
(MBK) Midnight Black

LED & Replacement Lamps: p.534



PRODUCT SHOWN: WINDOM THREE LIGHT
WALL / BATH VANITY IN SATIN BRASS FINISH

A. FOUR LIGHT WALL / BATH
W: 24.375" H: 7.5" E: 6.625
Height from center of outlet box
up: 5.1875" down: 2.3125"
DAMP

4402804(-05 -962 -848 -710 -112)
(4) Medium Base 75W max.
T24-1

4402804EN3(-05 -962 -848 -710 -112)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



A
Satin Brass Finish (-848)
Etched Opal Glass

B. THREE LIGHT WALL / BATH
W: 18" H: 7.5" E: 6.625"
Height from center of outlet box
up: 5.1875" down: 2.3125"
DAMP

4402803(-05 -962 -848 -710 -112)
(3) Medium Base 75W max.
T24-1

4402803EN3(-05 -962 -848 -710 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



B
Brushed Nickel Finish (-962)
Etched Opal Glass

C. TWO LIGHT WALL / BATH
W: 12" H: 7.5" E: 6.625"
Height from center of outlet box
up: 5.1875" down: 2.3125"
DAMP

4402802(-05 -962 -848 -710 -112)
(2) Medium Base 75W max.
T24-1

4402802EN3(-05 -962 -848 -710 -112)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



C
Chrome Finish (-05)
Etched Opal Glass

D. ONE LIGHT WALL / BATH SCONCE
W: 4.5" H: 11.375" E: 6.625"
Height from center of outlet box
up: 7.375" down: 4"
DAMP

4102801(-05 -962 -848 -710 -112)
(1) Medium Base 75W max.
T24-1

4102801EN3(-05 -962 -848 -710 -112)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



D
Bronze Finish (-710)
Etched Opal Glass



Midnight Black Finish (-112)
Etched Opal Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-848) Satin Brass
(-710) Bronze
(-112) Midnight Black

LED & Replacement Lamps: p.534



PRODUCT SHOWN: TOWNER THREE LIGHT VANITY IN SATIN BRASS FINISH

A. FOUR LIGHT WALL / BATH
W: 35.375" H:7.25" E: 7.5"
Height from center of outlet box
up: 4.75" down: 2.5"
DAMP

4441304(-848 -962)
(4) Medium Base 60W max.
T24-1

4441304EN3(-848 -962)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



A

Satin Brass Finish (-848)
Black Metal Shades

B. THREE LIGHT WALL / BATH
W: 25.625" H: 7.25" E: 7.5"
Height from center of outlet box
up: 4.75" down: 2.5"
DAMP

4441303(-848 -962)
(3) Medium Base 60W max.
T24-1

4441303EN3(-848 -962)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



B

Brushed Nickel Finish (-962)
Black Metal Shades

C. TWO LIGHT WALL / BATH
W: 15.75" H: 7.25" E: 7.5"
Height from center of outlet box
up: 4.75" down: 2.5"
DAMP

4441302(-848 -962)
(2) Medium Base 60W max.
T24-1

4441302EN3(-848 -962)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



C

Satin Brass Finish (-848)
Black Metal Shades

D. ONE LIGHT WALL SCONCE
W: 7" H: 8.375" E: 8"
Height from center of outlet box
up: 4.75" down: 2.5"
DAMP

4141301(-848 -962)
(1) Medium Base 60W max.
T24-1

4141301EN3(-848 -962)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



D

Brushed Nickel Finish (-962)
Black Metal Shade

FINISH CODES

(-848) Satin Brass
(-962) Brushed Nickel

A. FOUR LIGHT WALL / BATH
W: 33" H: 9.125" E: 7.25"
Height from center of outlet box
up: 5.625" down: 3.5"
DAMP

4441504-112
(4) Medium Base 75W max.
T24-1

4441504EN7-112
(4) Med. Base LED 2700K,
8W, 800 Lumen lamps incl.
T24-2 EN★



A
Midnight Black Finish (-112)
Clear Glass

B. THREE LIGHT WALL / BATH
W: 24" H: 9.125" E: 7.25"
Height from center of outlet box
up: 5.625" down: 3.5"
DAMP

4441503-112
(3) Medium Base 75W max.
T24-1

4441503EN7-112
(3) Med. Base LED 2700K,
8W, 800 Lumen lamps incl.
T24-2 EN★



B
Midnight Black Finish (-112)
Clear Glass

C. TWO LIGHT WALL / BATH
W: 15" H: 9.125" E: 7.25"
Height from center of outlet box
up: 5.625" down: 3.5"
DAMP

4441502-112
(2) Medium Base 75W max.
T24-1

4441502EN7-112
(2) Med. Base LED 2700K,
8W, 800 Lumen lamps incl.
T24-2 EN★



C
Midnight Black Finish (-112)
Clear Glass

D. ONE LIGHT WALL / BATH SCONCE
W: 6.5" H: 8.375" E: 6.5"
Height from center of outlet box
up: 5.625" down: 2.75"
DAMP

4141501-112
(1) Medium Base 75W max.
T24-1

4141501EN7-112
(1) Med. Base LED 2700K,
8W, 800 Lumen lamp incl.
T24-2 EN★



D
Midnight Black Finish (-112)
Clear Glass

FINISH CODE

(-112) Midnight Black

A. TWO LIGHT SCONCE

W: 20.25" H: 5.5" E: 5.875"
Height from center of outlet box up to horizontal: 2.75" vertical: 10.25"

DAMP

WB1704(DAB PN)
(2) Medium A19 75W max.

T24-1

B. ONE LIGHT SCONCE

W: 5.5" H: 12.25" E: 7.75"
Height from center of outlet box up: 6" down: 6.25"

DAMP

WB1703(DAB PN)
(1) Medium A19 75W max.



A

Polished Nickel Finish (PN)



Dark Antique Brass Finish (DAB)



B

Dark Antique Brass Finish (DAB)



Polished Nickel Finish (PN)

FINISH CODES

(DAB) Dark Antique Brass
(PN) Polished Nickel



PRODUCT SHOWN: ADELAIDE ONE LIGHT
WALL / BATH SCONCE IN MIDNIGHT BLACK

A. FOUR LIGHT VANITY
W: 33.5" H: 9.5" E: 7"
Height from center of outlet box
up: 7.125" down: 2.375"
DAMP

VS2474MBK
(4) Medium A19 75W max.
T24-1



A

Midnight Black Finish (MBK)
Clear Seeded Glass

B. THREE LIGHT VANITY
W: 24" H: 9.5" E: 7"
Height from center of outlet box
up: 7.125" down: 2.375"
DAMP

VS2473MBK
(3) Medium A19 75W max.



B

Midnight Black Finish (MBK)
Clear Seeded Glass

C. TWO LIGHT VANITY
W: 14.5" H: 9.5" E: 7"
Height from center of outlet box
up: 7.125" down: 2.375"
DAMP

VS2472MBK
(2) Medium A19 75W max.



C

Midnight Black Finish (MBK)
Clear Seeded Glass

D. ONE LIGHT SCONCE
W: 5.375" H: 13.5" E: 7"
Height from center of outlet box
up: 9.5" down: 4"
DAMP

VS2471MBK
(1) Medium A19 75W max.



D

Midnight Black Finish (MBK)
Clear Seeded Glass

FINISH CODE

(MBK) Midnight Black

A. FOUR LIGHT WALL / BATH
W: 27.5" H: 8.5" E: 5.5"
Height from center of outlet box
up: 6.25" down: 2.25"
DAMP

41163(-05 -962 -710 -112)
(4) Medium Base 75W max.
T24-1

41163EN3(-05 -962 -710 -112)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



A

Chrome Finish (-05)
Cased Opal Etched Glass

B. THREE LIGHT WALL / BATH
W: 20" H: 8.5" E: 5.5"
Height from center of outlet box
up: 6.25" down: 2.25"
DAMP

41162(-05 -962 -710 -112)
(3) Medium Base 75W max.
T24-1

41162EN3(-05 -962 -710 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



B

Brushed Nickel Finish (-962)
Cased Opal Etched Glass

C. TWO LIGHT WALL / BATH
W: 12.5" H: 8.5" E: 5.5"
Height from center of outlet box
up: 6.25" down: 2.25"
DAMP

41161(-05 -962 -710 -112)
(2) Medium Base 75W max.
T24-1

41161EN3(-05 -962 -710 -112)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



C

Bronze Finish (-710)
Cased Opal Etched Glass

D. ONE LIGHT WALL / BATH SCONCE
W: 4.75" H: 8.75" E: 5.5"
Height from center of outlet box
up: 4.75" down: 4"
DAMP

41160(-05 -962 -710 -112)
(1) Medium Base 75W max.
T24-1

41160EN3(-05 -962 -710 -112)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



D

Midnight Black Finish (-112)
Cased Opal Etched Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black

A. FOUR LIGHT WALL / BATH
W: 27.5" H: 8.5" E: 5.5"
Height from center of outlet box
up: 6.25" down: 2.25"
DAMP

41173(-05 -112 -710 -962)
(4) Medium Base 75W max.
T24-1

41173EN7(-05 -112 -710 -962)
(4) Med. Base LED 2700K,
8W, 800 Lumen lamps incl.
T24-2 EN★



A

Bronze Finish (-710)
Clear Seeded Glass

B. THREE LIGHT WALL / BATH
W: 20" H: 8.5" E: 5.5"
Height from center of outlet box
up: 6.25" down: 2.25"
DAMP

41172(-05 -112 -710 -962)
(3) Medium Base 75W max.
T24-1

41172EN7(-05 -112 -710 -962)
(3) Med. Base LED 2700K,
8W, 800 Lumen lamps incl.
T24-2 EN★



B

Brushed Nickel Finish (-962)
Clear Seeded Glass

C. TWO LIGHT WALL / BATH
W: 12.5" H: 8.5" E: 5.5"
Height from center of outlet box
up: 6.25" down: 2.25"
DAMP

41171(-05 -112 -710 -962)
(2) Medium Base 75W max.
T24-1

41171EN7(-05 -112 -710 -962)
(2) Med. Base LED 2700K,
8W, 800 Lumen lamps incl.
T24-2 EN★



C

Chrome Finish (-05)
Clear Seeded Glass

D. ONE LIGHT WALL / BATH SCONCE
W: 4.75" H: 8.75" E: 5.5"
Height from center of outlet box
up: 4.75" down: 4"
DAMP

41170(-05 -112 -710 -962)
(1) Medium Base 75W max.
T24-1

41170EN7(-05 -112 -710 -962)
(1) Med. Base LED 2700K,
8W, 800 Lumen lamp incl.
T24-2 EN★



D

Midnight Black Finish (-112)
Clear Seeded Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black

A. FOUR LIGHT WALL / BATH

W: 31.25" H: 8.5" E: 6.25"
Height from center of outlet box
up: 6.25" down: 2.25"
DAMP

4437304(-962 -710)
(4) Medium Base 75W max.
T24-1

4437304EN3(-962 -710)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



A

Brushed Nickel Finish (-962)
Satin Etched Inner Glass, Clear Outer Glass

B. THREE LIGHT WALL / BATH

W: 22.25" H: 8.5" E: 6.25"
Height from center of outlet box
up: 6.25" down: 2.25"
DAMP

4437303(-962 -710)
(3) Medium Base 75W max.
T24-1

4437303EN3(-962 -710)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



B

Bronze Finish (-710)
Satin Etched Inner Glass, Clear Outer Glass

C. TWO LIGHT WALL / BATH

W: 13.25" H: 8.5" E: 6.25"
Height from center of outlet box
up: 6.25" down: 2.25"
DAMP

4437302(-962 -710)
(2) Medium Base 75W max.
T24-1

4437302EN3(-962 -710)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



C

Brushed Nickel Finish (-962)
Satin Etched Inner Glass, Clear Outer Glass

D. ONE LIGHT WALL / BATH SCONCE

W: 4.5" H: 8" E: 6.25"
Height from center of outlet box
up: 5" down: 3"
DAMP

4137301(-962 -710)
(1) Medium Base 75W max.
T24-1

4137301EN3(-962 -710)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



D

Bronze Finish (-710)
Satin Etched Inner Glass, Clear Outer Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze

A. FOUR LIGHT WALL / BATH
W: 31.875" H: 8.375" E: 7.25"
Height from center of outlet box
up: 5.75" down: 2.5"
DAMP

4428804(-05 -962 -710)
(4) Medium Base 75W max.
T24-1

4428804EN3(-05 -962 -710)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



A

Midnight Black Finish (-112)
Etched White Glass

B. THREE LIGHT WALL / BATH
W: 23.125" H: 8.375" E: 7.25"
Height from center of outlet box
up: 5.75" down: 2.5"
DAMP

4428803(-05 -962 -710)
(3) Medium Base 75W max.
T24-1

4428803EN3(-05 -962 -710)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



B

Brushed Nickel Finish (-962)
Etched, White Inside Glass

C. TWO LIGHT WALL / BATH
W: 14.25" H: 8.375" E: 7.25"
Height from center of outlet box
up: 5.75" down: 2.5"
DAMP

4428802(-05 -962 -710)
(2) Medium Base 75W max.
T24-1

4428802EN3(-05 -962 -710)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



C

Bronze Finish (-710)
Etched, White Inside Glass

D. ONE LIGHT WALL / BATH SCONCE
W: 5.5" H: 8.25" E: 7.25"
Height from center of outlet box
up: 4.375" down: 3.875"
DAMP

4128801(-05 -962 -710)
(1) Medium Base 75W max.
T24-1

4128801EN3(-05 -962 -710)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



D

Chrome Finish (-05)
Etched, White Inside Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black



PRODUCTS SHOWN: DRISCOLL ONE LIGHT WALL / BATH SCONCE IN SATIN BRASS FINISH AND KIT ROUND MIRROR IN BURNISHED BRASS

A. FOUR LIGHT WALL / BATH
W: 30.75" H: 12" E: 7"
Height from center of outlet box
up: 9.75" down: 3"
DAMP

4440404(-05 -848 -962)
(4) Medium A19 75W max.
T24-1

4440404EN3(-05 -848 -962)
(4) LED Medium A19 9W Bulbs lamps incl.
T24-2 EN★



A

Satin Brass Finish (-848)
Opal Etched Glass

B. THREE LIGHT WALL / BATH
W: 24.5" H: 12" E: 7"
Height from center of outlet box
up: 8.75" down: 3.2"
DAMP

4440403(-05 -848 -962)
(3) Medium A19 75W max.
T24-1

4440403EN3(-05 -848 -962)
(3) LED Medium A19 9W Bulbs lamps incl.
T24-2 EN★



B

Chrome Finish (-05)
Opal Etched Glass

C. TWO LIGHT WALL / BATH
W: 15.25" H: 12" E: 7"
Height from center of outlet box
up: 8.75" down: 3.2"
DAMP

4440402(-05 -848 -962)
(2) Medium A19 75W max.
T24-1

4440402EN3(-05 -848 -962)
(2) LED Medium A19 9W Bulbs lamps incl.
T24-2 EN★



C

Satin Brass Finish (-848)
Opal Etched Glass

D. ONE LIGHT WALL / BATH SCONCE
W: 5.25" H: 12" E: 6.75"
Height from center of outlet box
up: 8.75" down: 3"
DAMP

4140401(-05 -848 -962)
(1) Medium A19 75W max.
T24-1

4140401EN3(-05 -848 -962)
(1) LED Medium A19 9W Bulbs lamps incl.
T24-2 EN★



D

Brushed Nickel Finish (-962)
Opal Etched Glass

FINISH CODES

(-05) Chrome
(-848) Satin Brass
(-962) Brushed Nickel

LED & Replacement Lamps: p.534

A. FIVE LIGHT WALL / BATH

W: 35.875" H: 8.5" E: 6.625"
Height from center of outlet box
up: 5.125" down: 3.375"
DAMP

4420205(-05 -962 -710)
(5) Medium Base 75W max.
T24-1

4420205EN3(-05 -962 -710)
(5) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

B. FOUR LIGHT WALL / BATH

W: 28.375" H: 8.5" E: 6.625"
Height from center of outlet box
up: 5.125" down: 3.375"
DAMP

4420204(-05 -962 -710)
(4) Medium Base 75W max.
T24-1

4420204EN3(-05 -962 -710)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



A

Chrome Finish (-05)
Etched, White Inside Glass



B

Brushed Nickel Finish (-962)
Etched, White Inside Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-710) Bronze

C. THREE LIGHT WALL / BATH

W: 21" H: 8.5" E: 6.625"
Height from center of outlet box
up: 5.125" down: 3.375"
DAMP

4420203(-05 -962 -710)
(3) Medium Base 75W max.
T24-1

4420203EN3(-05 -962 -710)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



C

Bronze Finish (-710)
Etched, White Inside Glass

D. TWO LIGHT WALL / BATH

W: 13.5" H: 8.5" E: 6.625"
Height from center of outlet box
up: 5.125" down: 3.375"
DAMP

4420202(-05 -962 -710)
(2) Medium Base 75W max.
T24-1

4420202EN3(-05 -962 -710)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



D

Chrome Finish (-05)
Etched, White Inside Glass

E. ONE LIGHT WALL / BATH SCONCE

W: 4.75" H: 8.5" E: 6.625"
Height from center of outlet box
up: 3.375" down: 5.125"
DAMP

4120201(-05 -962 -710)
(1) Medium Base 75W max.
T24-1

4120201EN3(-05 -962 -710)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



E

Brushed Nickel Finish (-962)
Etched, White Inside Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-710) Bronze

LED & Replacement Lamps: p.534

A. FOUR LIGHT WALL / BATH
W: 24.75" H: 9" E: 6.75"
Height from center of outlet box
up: 6.75" down: 2.25"
DAMP

4415204(-05 -962 -710)
(4) Medium Base 75W max.
T24-1

4415204EN3(-05 -962 -710)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



A

Chrome Finish (-05)
Satin Etched Glass

B. THREE LIGHT WALL / BATH
W: 18" H: 9" E: 6.75"
Height from center of outlet box
up: 6.75" down: 2.25"
DAMP

4415203(-05 -962 -710)
(3) Medium Base 75W max.
T24-1

4415203EN3(-05 -962 -710)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



B

Brushed Nickel Finish (-962)
Satin Etched Glass

C. TWO LIGHT WALL / BATH
W: 12" H: 9" E: 6.75"
Height from center of outlet box
up: 6.75" down: 2.25"
DAMP

4415202(-05 -962 -710)
(2) Medium Base 75W max.
T24-1

4415202EN3(-05 -962 -710)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



C

Bronze Finish (-710)
Satin Etched Glass

D. ONE LIGHT WALL / BATH SCONCE
W: 4.75" H: 9.75" E: 6.75"
Height from center of outlet box
up: 5.75" down: 4"
DAMP

4115201(-05 -962 -710)
(1) Medium Base 75W max.
T24-1

4115201EN3(-05 -962 -710)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



D

Chrome Finish (-05)
Satin Etched Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-710) Bronze

A. FOUR LIGHT WALL / BATH
W: 28.75" H: 10.75" E: 6.75"
Height from center of outlet box
up: 8.5" down: 2.25"
DAMP

4414504(-05 -962 -710 -112)
(4) Medium Base 60W max.
T24-1

4414504EN7(-05 -962 -710 -112)
(4) Med. Base LED 2700K,
8W, 800 Lumen lamps incl.
T24-2 EN★



A

Chrome Finish (-05)
Clear Seeded Glass

B. THREE LIGHT WALL / BATH
W: 21" H: 10.75" E: 6.75"
Height from center of outlet box
up: 8.5" down: 2.25"
DAMP

4414503(-05 -962 -710 -112)
(3) Medium Base 60W max.
T24-1

4414503EN7(-05 -962 -710 -112)
(3) Med. Base LED 2700K,
8W, 800 Lumen lamps incl.
T24-2 EN★



B

Brushed Nickel Finish (-962)
Clear Seeded Glass

C. TWO LIGHT WALL / BATH
W: 15" H: 10.75" E: 6.75"
Height from center of outlet box
up: 8.5" down: 2.25"
DAMP

4414502(-05 -962 -710 -112)
(2) Medium Base 60W max.
T24-1

4414502EN7(-05 -962 -710 -112)
(2) Med. Base LED 2700K,
8W, 800 Lumen lamps incl.
T24-2 EN★



C

Bronze Finish (-710)
Clear Seeded Glass

D. ONE LIGHT WALL / BATH SCONCE
W: 5.5" H: 9.75" E: 6.75"
Height from center of outlet box
up: 5.5" down: 4.25"
DAMP

4114501(-05 -962 -710 -112)
(1) Medium Base 60W max.
T24-1

4114501EN7(-05 -962 -710 -112)
(1) Med. Base LED 2700K,
8W, 800 Lumen lamp incl.
T24-2 EN★



D

Midnight Black Finish (-112)
Clear Seeded Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black

A. FOUR LIGHT WALL / BATH
W: 34" H: 7.125" E: 7.375"
Height from center of outlet box
up: 2.5625" down: 4.5265"
DAMP

4430704(-962 -710 -112)
(4) Medium Base 75W max.
T24-1

4430704EN3(-962 -710 -112)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



A

Brushed Nickel Finish (-962)
Etched, White Inside Glass

B. THREE LIGHT WALL / BATH
W: 24" H: 7.125" E: 7.375"
Height from center of outlet box
up: 2.5625" down: 4.5265"
DAMP

4430703(-962 -710 -112)
(3) Medium Base 75W max.
T24-1

4430703EN3(-962 -710 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



B

Bronze Finish (-710)
Etched, White Inside Glass

C. TWO LIGHT WALL / BATH
W: 13.75" H: 7.125" E: 7.375"
Height from center of outlet box
up: 2.5625" down: 4.5265"
DAMP

4430702(-962 -710 -112)
(2) Medium Base 75W max.
T24-1

4430702EN3(-962 -710 -112)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



C

Midnight Black Finish (-112)
Etched, White Inside Glass

D. ONE LIGHT WALL / BATH SCONCE
W: 5" H: 15" E: 6.25"
Height from center of outlet box
up: 6" down: 8"
DAMP

4130701(-962 -710 -112)
(1) Medium Base 75W max.
T24-1

4130701EN3(-962 -710 -112)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



D

Brushed Nickel Finish (-962)
Etched, White Inside Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black

A. FOUR LIGHT WALL / BATH
W: 32.5" H: 9.125" E: 6.625"
Height from center of outlet box
up: 6.625" down: 2.5"
DAMP

4413704-962
(4) Medium Base 75W max.
T24-1

4413704EN3-962
(4) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



A

Brushed Nickle Finish (-962)
Etched White Glass

B. THREE LIGHT WALL / BATH
W: 23.625" H: 9.125" E: 6.625"
Height from center of outlet box
up: 6.625" down: 2.5"
DAMP

4413703(-05 -962 -778)
(3) Medium Base 75W max.
T24-1

4413703EN3-962
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



B

Brushed Nickle Finish (-962)
Etched White Glass

C. TWO LIGHT WALL / BATH
W: 16.125" H: 9.125" E: 6.625"
Height from center of outlet box
up: 6.625" down: 2.5"
DAMP

4413702-962
(2) Medium Base 75W max.
T24-1

4413702EN3-962
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



C

Brushed Nickel Finish (-962)
Etched White Glass

D. ONE LIGHT WALL / BATH SCONCE
W: 5.75" H: 10.125" E: 6.625"
Height from center of outlet box
up: 7.625" down: 2.5"
DAMP

4113701-962
(1) Medium Base 75W max.
T24-1

4113701EN3-962
(1) Med. Base LED 3000K,
9W Bulb lamps incl.
T24-2 EN★



D

Brushed Nickle Finish (-962)
Etched White Glass

FINISH CODES

(-962) Brushed Nickel

LED & Replacement Lamps: p.534



PRODUCT SHOWN: HETTINGER THREE LIGHT
WALL / BATH IN CHROME FINISH

A. FOUR LIGHT WALL / BATH
W: 29" H: 8" E: 6.25"
Height from center of outlet box
up: 5.75" down: 2.25"
DAMP

4439104(-05 -962 -710 -112 -848)
(4) Medium Base 75W max.
T24-1

4439104EN3(-05 -962 -710 -112 -848)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



A

Satin Brass Finish (-848)
Etched, White Inside Glass

B. THREE LIGHT WALL / BATH
W: 20.5" H: 8" E: 6.25"
Height from center of outlet box
up: 5.75" down: 2.25"
DAMP

4439103(-05 -962 -710 -112 -848)
(3) Medium Base 75W max.
T24-1

4439103EN3(-05 -962 -710 -112 -848)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



B

Brushed Nickel Finish (-962)
Etched, White Inside Glass

C. TWO LIGHT WALL / BATH
W: 13.5" H: 8" E: 5.75"
Height from center of outlet box
up: 5.75" down: 2.25"
DAMP

4439102(-05 -962 -710 -112 -848)
(2) Medium Base 75W max.
T24-1

4439102EN3(-05 -962 -710 -112 -848)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



C

Midnight Black Finish (-112)
Etched, White Inside Glass



Bronze Finish (-710)
Etched, White Inside Glass

D. ONE LIGHT WALL / BATH SCONCE
W: 4.5" H: 8" E: 5"
Height from center of outlet box
up: 5.75" down: 2.25"
DAMP

4139101(-05 -962 -710 -112 -848)
(1) Medium Base 75W max.
T24-1

4139101EN3(-05 -962 -710-112 -848)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



D

Chrome Finish (-05)
Etched, White Inside Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black
(-848) Satin Brass



PRODUCT SHOWN: ALTURAS THREE LIGHT
WALL / BATH IN BRUSHED NICKEL FINISH

A. FOUR LIGHT WALL / BATH
W: 30.5" H: 9.25" E: 7.25"
Height from center of outlet box
up: 6.25" down: 3"
DAMP

4424604(-05 -848 -962 -778 -112)
(4) Medium Base 75W max.
T24-1

4424604EN3(-05 -848 -962 -778 -112)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



A

Chrome Finish (-05)
Etched, White Inside Glass

B. THREE LIGHT WALL / BATH
W: 22" H: 9.25" E: 7.5"
Height from center of outlet box
up: 6.25" down: 3"
DAMP

4424603(-05 -848 -962 -778 -112)
(3) Medium Base 75W max.
T24-1

4424603EN3(-05 -848 -962 -778 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



B

Satin Brass Finish (-848)
Etched, White Inside Glass

C. TWO LIGHT WALL / BATH
W: 13.5" H: 9.25" E: 6.5"
Height from center of outlet box
up: 6.25" down: 3"
DAMP

4424602(-05 -848 -962 -778 -112)
(2) Medium Base 75W max.
T24-1

4424602EN3(-05 -848 -962 -778 -112)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



C

Brushed Nickel Finish (-962)
Etched, White Inside Glass



Midnight Black Finish (-112)
Etched, White Inside Glass

D. ONE LIGHT WALL / BATH SCONCE
W: 4.5" H: 8.75" E: 6.25"
Height from center of outlet box
up: 5.75" down: 3"
DAMP

4124601(-05 -848 -962 -778 -112)
(1) Medium Base 75W max.
T24-1

4124601EN3(-05 -848 -962 -778 -112)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



D

Pewter Bronze Finish (-778)
Etched, White Inside Glass

FINISH CODES

(-05) Chrome
(-848) Satin Brass
(-962) Brushed Nickel
(-778) Pewter Bronze
(-112) Midnight Black

LED & Replacement Lamps: p.534

A. FOUR LIGHT WALL / BATH
W: 34" H: 8.125" E: 6.75"
Height from center of outlet box
up: 5.625" down: 2.5"
DAMP

4421604(-05 -962 -710 -112)
(4) Medium Base 75W max.
T24-1

4421604EN3(-05 -962 -710 -112)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



A

Chrome Finish (-05)
Etched, White Inside Glass

B. THREE LIGHT WALL / BATH
W: 24" H: 8.125" E: 6.75"
Height from center of outlet box
up: 5.625" down: 2.5"
DAMP

4421603(-05 -962 -710 -112)
(3) Medium Base 75W max.
T24-1

4421603EN3(-05 -962 -710 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



B

Brushed Nickel Finish (-962)
Etched, White Inside Glass

C. TWO LIGHT WALL / BATH
W: 14.625" H: 8.125" E: 6.75"
Height from center of outlet box
up: 5.625" down: 2.5"
DAMP

4421602(-05 -962 -710 -112)
(2) Medium Base 75W max.
T24-1

4421602EN3(-05 -962 -710 -112)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



C

Bronze Finish (-710)
Etched, White Inside Glass

D. ONE LIGHT WALL / BATH SCONCE
W: 5" H: 8.125" E: 7.375"
Height from center of outlet box
up: 4.625" down: 3.5"
DAMP

4121601(-05 -962 -710 -112)
(1) Medium Base 75W max.
T24-1

4121601EN3(-05 -962 -710 -112)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



D

Midnight Black Finish (-112)
Etched, White Inside Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black

A. THREE LIGHT VANITY
W: 23" H: 9.75" E: 6.5"
Height from center of outlet box up: 7.25"
DAMP

VS23303SN/CH
(3) Medium Base 75W max.

B. TWO LIGHT VANITY
W: 14" H: 9.75" E: 6.5"
Height from center of outlet box up: 7.25"
DAMP

VS23302SN/CH
(2) Medium Base 75W max.

C. ONE LIGHT SCONCE
W: 5" H: 9.75" E: 6.5"
Height from center of outlet box up: 7.25"
DAMP

VS23301SN/CH
(1) Medium A19 75 max



A

Satin Nickel / Chrome Finish (SN/CH)
White Opal Etched Glass



B

Satin Nickel / Chrome Finish (SN/CH)
White Opal Etched Glass



C

Satin Nickel / Chrome Finish
White Opal Etched Glass

FINISH CODE

(SN/CH) Satin Nickel / Chrome



PRODUCT SHOWN: FRANPORT ONE LIGHT
WALL / BATH SCONCE IN BRONZE FINISH

A. FOUR LIGHT WALL / BATH
W: 29.375" H: 8.25" E: 6.25"
Height from center of outlet box
up: 5.75" down: 2.5"
DAMP

4428904(-05 -962 -710 -112)
(4) Medium Base 75W max.
T24-1

4428904EN3(-05 -962 -710 -112)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



A

Chrome Finish (-05)
Etched, White Inside Glass

B. THREE LIGHT WALL / BATH
W: 21" H: 8.25" E: 6.25"
Height from center of outlet box
up: 5.75" down: 2.5"
DAMP

4428903(-05 -962 -710 -112)
(3) Medium Base 75W max.
T24-1

4428903EN3(-05 -962 -710 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



B

Bronze Finish (-710)
Etched, White Inside Glass

C. TWO LIGHT WALL / BATH
W: 13.25" H: 8.25" E: 6.25"
Height from center of outlet box
up: 5.75" down: 2.5"
DAMP

4428902(-05 -962 -710 -112)
(2) Medium Base 75W max.
T24-1

4428902EN3(-05 -962 -710 -112)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



C

Midnight Black Finish (-112)
Etched, White Inside Glass

D. ONE LIGHT WALL / BATH SCONCE
W: 5" H: 8" E: 6.875"
Height from center of outlet box
up: 4" down: 4"
DAMP

4128901(-05 -962 -710 -112)
(1) Medium Base 75W max.
T24-1

4128901EN3(-05 -962 -710 -112)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



D

Brushed Nickel Finish (-962)
Etched, White Inside Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black



PRODUCT SHOWN: BAYFIELD ONE LIGHT
WALL / BATH SCONCE IN BRUSHED NICKEL FINISH

A. FOUR LIGHT WALL / BATH
W: 27.5" H: 7.75" E: 6.75"
Height from center of outlet box
up: 5.5" down: 2.25"
DAMP

4411604(-05 -962 -710)
(4) Medium Base 75W max.
T24-1

4411604EN3(-05 -962 -710)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



A

Chrome Finish (-05)
Etched, White Inside Glass

B. THREE LIGHT WALL / BATH
W: 20" H: 7.75" E: 6.75"
Height from center of outlet box
up: 5.5" down: 2.25"
DAMP

4411603(-05 -962 -710)
(3) Medium Base 75W max.
T24-1

4411603EN3(-05 -962 -710)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



B

Brushed Nickel Finish (-962)
Etched, White Inside Glass

C. TWO LIGHT WALL / BATH
W: 13.25" H: 7.75" E: 6.75"
Height from center of outlet box
up: 5.5" down: 2.25"
DAMP

4411602(-05 -962 -710)
(2) Medium Base 75W max.
T24-1

4411602EN3(-05 -962 -710)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



C

Bronze Finish (-710)
Etched, White Inside Glass

D. ONE LIGHT WALL / BATH SCONCE
W: 5" H: 7.75" E: 6.25"
Height from center of outlet box
up: 4.5" down: 3.25"
DAMP

4111601(-05 -962 -710)
(1) Medium Base 75W max.
T24-1

4111601EN3(-05 -962 -710)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



D

Chrome Finish (-05)
Etched, White Inside Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-710) Bronze

LED & Replacement Lamps: p.534

A. FOUR LIGHT WALL / BATH
W: 33.5" H: 11.25" E: 6.5"
Height from center of outlet box
up: 6" down: 5.25"
DAMP

4424504(-962 -710)
(4) Medium Base 75W max.
T24-1

4424504EN3(-962 -710)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



A

Brushed Nickel Finish (-962)
Satin Etched Glass

B. THREE LIGHT WALL / BATH
W: 24" H: 10.75" E: 6.5"
Height from center of outlet box
up: 6" down: 4.75"
DAMP

4424503(-962 -710)
(3) Medium Base 75W max.
T24-1

4424503EN3(-962 -710)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



B

Bronze Finish (-710)
Satin Etched Glass

C. TWO LIGHT WALL / BATH
W: 14.5" H: 9.75" E: 6.5"
Height from center of outlet box
up: 6" down: 3.75"
DAMP

4424502(-962 -710)
(2) Medium Base 75W max.
T24-1

4424502EN3(-962 -710)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



C

Brushed Nickel Finish (-962)
Satin Etched Glass

D. ONE LIGHT WALL / BATH SCONCE
W: 5.25" H: 10.25" E: 6.75"
Height from center of outlet box
up: 7.25" down: 3"
DAMP

4124501(-962 -710)
(1) Medium Base 75W max.
T24-1

4124501EN3(-962 -710)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



D

Bronze Finish (-710)
Satin Etched Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze

A. FOUR LIGHT WALL / BATH
W: 32" H: 6.25" E: 7.5"
Height from center of outlet box
up: 3.75" down: 2.5"
DAMP

4439004(-962 -710)
(4) Medium Base 75W max.
T24-1

4439004EN3(-962 -710)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



A

Brushed Nickel Finish (-962)
Satin Etched Glass

B. THREE LIGHT WALL / BATH
W: 23.25" H: 6.25" E: 7.5"
Height from center of outlet box
up: 3.75" down: 2.5"
DAMP

4439003(-962 -710)
(3) Medium Base 75W max.
T24-1

4439003EN3(-962 -710)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



B

Bronze Finish (-710)
Satin Etched Glass

C. TWO LIGHT WALL / BATH
W: 14.75" H: 6.25" E: 7.5"
Height from center of outlet box
up: 3.75" down: 2.5"
DAMP

4439002(-962 -710)
(2) Medium Base 75W max.
T24-1

4439002EN3(-962 -710)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



C

Brushed Nickel Finish (-962)
Satin Etched Glass

D. ONE LIGHT WALL / BATH SCONCE
W: 6" H: 6.25" E: 7.5"
Height from center of outlet box
up: 3.75" down: 2.5"
DAMP

4139001(-962 -710)
(1) Medium Base 75W max.
T24-1

4139001EN3(-962 -710)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



D

Bronze Finish (-710)
Satin Etched Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze

LED & Replacement Lamps: p.534



PRODUCT SHOWN: ABBOTT THREE LIGHT
VANITY IN BURNISHED BRASS FINISH

A. THREE LIGHT VANITY

W: 24.125" H: 5.5" E: 7"
Height from center of outlet box
up: 3.125" down: 2.375"

DAMP

VS2463BBS
(3) LED G9 T4 4.5W Bulbs incl.
T24-1

B. ONE LIGHT SCONCE

W: 6.375" H: 7.75" E: 8.125"
Height from center of outlet box
up: 4.25" down: 3.5"

DAMP

VS2461BBS
(1) Candelabra Torpedo 60W max.
T24-1



A

Burnished Brass Finish (BBS)
White Glass



B

Burnished Brass Finish (BBS)
White Glass

FINISH CODE

(BBS) Burnished Brass

A. LARGE LED WALL / BATH
W: 38" H: 5" E: 3.75"
Height from center of outlet box
horizontal: 2.5" vertical: 19"
DAMP ADA

4635793S-04
(3) LED Integrated Array
11W Bulb lamp incl.
LED



A

Satin Aluminum Finish (-04)
Frosted Acrylic Diffuser &
Clear Acrylic Outer Shade

B. MEDIUM LED WALL / BATH
W: 26" H: 5" E: 3.75"
Height from center of outlet box
horizontal: 2.5" vertical: 13"
DAMP ADA

4535793S-04
(2) LED Integrated Array
11W Bulb lamps incl.
LED



B

Satin Aluminum Finish (-04)
Frosted Acrylic Diffuser &
Clear Acrylic Outer Shade

C. SMALL LED WALL / BATH
W: 20" H: 5" E: 3.75"
Height from center of outlet box
horizontal: 2.5" vertical: 10"
DAMP ADA

4435793S-04
(1) LED Integrated Array
16.5W Bulb lamp incl.
LED



C

Satin Aluminum Finish (-04)
Frosted Acrylic Diffuser &
Clear Acrylic Outer Shade

FINISH CODE

(-04) Satin Aluminum

A. MEDIUM LED WALL / BATH

W: 23.25" H: 4.25" E: 5"
Height from center of outlet box
horizontal: 2.25" vertical: 11.75"
DAMP

4422991S-962
(1) LED Integrated Array
18W Bulb lamps incl.
T24-3 LED



A

Brushed Nickel Finish (-962)
White Acrylic Diffuser

B. SMALL LED WALL / BATH

W: 18" H: 4.25" E: 5"
Height from center of outlet box
up: 2.25" down: 21"
DAMP

4322991S-962
(1) LED Integrated Array
14W Bulb lamps incl.
T24-1 LED



B

Brushed Nickel Finish (-962)
White Acrylic Diffuser

C. LED WALL / BATH SCONCE

W: 4.5" H: 8" E: 4"
Height from center of outlet box
up: 4.5" down: 3.5"
DAMP ADA

4122991S-962
(1) LED Integrated Array
8W Bulb lamps incl.
T24-3 LED



C

Brushed Nickel Finish (-962)
White Acrylic Diffuser

FINISH CODE

(-962) Brushed Nickel

LED & Replacement Lamps: p.534

A. EIGHT LIGHT WALL / BATH

W: 48" H: 4.25" E: 2.25"
Height from center of outlet box
horizontal: 2.25" vertical: 24"

DAMP

4740(-05 -98)
(8) Medium Base
G25 75W max.

T24-1

B. SIX LIGHT WALL / BATH

W: 36" H: 4.25" E: 2.25"
Height from center of outlet box
horizontal: 2.25" vertical: 18"

DAMP

4739(-05 -98)
(6) Medium Base
G25 75W max.

T24-1



A

Chrome Finish (-05)



B

Brushed Stainless Finish (-98)

FINISH CODES

(-05) Chrome
(-98) Brushed Stainless

C. FIVE LIGHT WALL / BATH
W: 30" H: 4.25" E: 2.25"
Height from center of outlet box
horizontal: 2.25" vertical: 15"
DAMP

4735(-05 -98)
(5) Medium Base
G25 75W max.
T24-1

D. FOUR LIGHT WALL / BATH
W: 24" H: 4.25" E: 2.25"
Height from center of outlet box
horizontal: 2.25" vertical: 12"
DAMP

4738(-05 -98)
(4) Medium Base
G25 75W max.
T24-1



C

Chrome Finish (-05)

E. THREE LIGHT WALL / BATH
W: 18" H: 4.25" E: 2.25"
Height from center of outlet box
horizontal: 2.25" vertical: 9"
DAMP

4737(-05 -98)
(3) Medium Base
G25 75W max.
T24-1



D

Brushed Stainless Finish (-98)



E

Chrome Finish (-05)

FINISH CODES

(-05) Chrome
(-98) Brushed Stainless

A. RECTANGULAR MIRROR

W: 27" H: 37" E: 1"

MR1107AF



A

Antique Forged Iron Finish (AF)

FINISH CODE

(AF) Antique Forged Iron

INFINITY

A. LARGE RECTANGULAR MIRROR

W: 24" H: 36" E: .5"

MR1154

B. MEDIUM RECTANGULAR MIRROR

W: 22" H: 28" E: .5"

MR1152



A

Beveled Mirror Glass

B

Beveled Mirror Glass

A. OVAL MIRROR

W: 24" H: 32.875" E: 1"

MR1119ORB



A

Oil Rubbed Bronze Finish (ORB)

FINISH CODE

(ORB) Oil Rubbed Bronze

KIT

A. OVAL MIRROR

W: 24" H: 36" E: 2"

MR1300(BBS MBK PN)

B. ROUND MIRROR

D: 30" E: 2"

MR1301(BBS MBK PN)

C. RECTANGULAR MIRROR

W: 24" H: 36" E: 2"

MR1303(BBS MBK PN)



A

Midnight Black (MBK)



B

Burnished Brass (BBS)

C

Polished Nickel (PN)

FINISH CODES

(BBS) Burnished Brass
(MBK) Midnight Black
(PN) Polished Nickel

LED & Replacement Lamps: p.534



PRODUCT SHOWN: LOUVER LED HALL LIGHTS IN ANTIQUE BRONZE FINISH

LED STEP AND HALL LIGHTING

LED STEP / HALL LIGHTING



PRODUCT SHOWN: LOUVER LED STEP LIGHTS IN SATIN NICKEL FINISH

LED Step and LED Hall Lights from Generation Lighting are a perfectly balanced blend of the latest LED light guide technology with high quality craftsmanship and beautiful design. We've taken expertise from our broad line of task, accent, and undercabinet lighting systems and applied it to a compact form factor to help you make an even bigger impact on the spaces you illuminate.

Extensive use of high quality, die-cast metal and premium finishes ensure enduring aesthetic appeal while being backed by a five-year warranty. Our LED Step and LED Hall Lights come in three finishes, White, Satin Nickel, and Antique Bronze, as well as three different styles, the Louver, the Tarpa, and the Vitra.



LOUVER
A modern, miniature interpretation of a classic louvered design provides great directional light control.



TARPA
This handsome design inspired by sleek metal awnings deliver ultimate directional light control.



VITRA
A simple, yet sophisticated design that maximizes light output and delivers a clean, crisp aesthetic.





Style	LOUVER	TARPA	VITRA
120V	**93401S(-15 -849 -171)**	**93403S(-15 -849 -171)**	**93405S(-15 -849 -171)**
120V Amber Light	**93481S(-15 -849 -171)**	**93483S(-15 -849 -171)**	**93485S(-15 -849 -171)**
Finishes	WHITE (-15) SATIN NICKEL (-849) ANTIQUE BRONZE (-171)	WHITE (-15) SATIN NICKEL (-849) ANTIQUE BRONZE (-171)	WHITE (-15) SATIN NICKEL (-849) ANTIQUE BRONZE (-171)
Face Plate Dimensions	L: 4.7" H: 3" D: .37"	L: 4.7" H: 3" D: .94"	L: 4.7" H: 3" D: .27"
Input Voltage	120V		
Delivered Lumens	UP TO 90		
Power Consumption	3.3W		
Efficacy	36 LM/W		
Color Temperature	3000K		
Color Rendering Index	90 CRI		
Rated Average Life	50,000 HRS TO 70%		
Dimmable	DOWN TO 10% WITH ELV DIMMER (120V, 3000K UNITS ONLY)		
Listings	SUITABLE FOR INDOOR OR OUTDOOR INSTALLATIONS. CETL AND IP-65 WET		
Installation	INSTALLS IN A SINGLE, 2" X 4", SWITCH BOX WITH A MINIMUM DEPTH OF 2"		



Light Guide
Generation Lighting LED Step Light housing's light guide throws light in a wide pattern closer to the wall

Each housing's LED light guide is purpose-built to push the light down towards the floor at an assertive angle for excellent coverage as close to the wall as possible while throwing the remaining light outward for soft area illumination.





Style	LOUVER	TARPA	VITRA
120V	**94401S(-15 -849 -171)**	**94403S(-849 -171)**	**94405S(-15 -849 -171)**
120V Amber Light	**94481S(-15 -849 -171)**	**94483S(-849 -171)**	**94485S(-15 -849 -171)**
Finishes	WHITE (-15) SATIN NICKEL (-849) ANTIQUE BRONZE (-171)	SATIN NICKEL (-849) ANTIQUE BRONZE (-171)	WHITE (-15) SATIN NICKEL (-849) ANTIQUE BRONZE (-171)
Face Plate Dimensions	L: 4.7" H: 3" D: .37"	L: 4.7" H: 3" D: .94"	L: 4.7" H: 3" D: .27"
Input Voltage	120V		
Delivered Lumens	UP TO 300		
Power Consumption	8.6W		
Efficacy	35 LM/W		
Color Temperature	3000K		
Color Rendering Index	90 CRI		
Rated Average Life	50,000 HRS TO 70%		
Dimmable	DOWN TO 10% WITH ELV DIMMER (120V, 3000K UNITS ONLY)		
Listings	SUITABLE FOR INDOOR OR OUTDOOR INSTALLATIONS. CETL AND IP-65 WET		
Installation	SUITABLE FOR BRICK AND POURED CONCRETE		



Light Guide
Generation Lighting LED Hall Light housing's light guide throws light in a wide pattern closer to the wall

Each housing's LED light guide is purpose-built to push the light down towards the floor at an assertive angle for excellent coverage as close to the wall as possible while throwing the remaining light outward for soft area illumination.



PRODUCT SHOWN: ALBAN LARGE ONE LIGHT OUTDOOR WALL LANTERN IN SATIN ALUMINUM FINISH

OUTDOOR



PRODUCTS SHOWN: ALBAN MEDIUM ONE LIGHT OUTDOOR WALL LANTERN WITH SQUARE GLASS IN ANTIQUE BRONZE FINISH
AND CANFIELD THREE LIGHT SEMI-FLUSH MOUNT IN BRONZE FINISH



A
Satin Aluminum
Finish (-04)
Cylindrical Glass

B
Antique Bronze
Finish (-71)
Cylindrical Glass

C
Black Finish (-12)
Cylindrical Glass

D
Satin Aluminum
Finish (-04)
Square Glass

E
Antique Bronze
Finish (-71)
Square Glass

F
Black Finish (-12)
Square Glass

OUTDOOR WALL LANTERNS

PRODUCT	NO LAMP OPTION	LAMP INCLUDED
A. ROUND LARGE ONE LIGHT W: 8" H: 24.625" E: 6.875" Height from center of outlet box up: 12.3125" WET	**8718301(-04 -71 -12)** (1) Medium Base 60W max. T24-1	**8718301EN3(-04 -71 -12)** (1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl. T24-1 EN★
B. ROUND MEDIUM ONE LIGHT W: 6" H: 18" E: 5.5" Height from center of outlet box up: 9" WET	**8618301(-04 -71 -12)** (1) Medium Base 60W max. T24-1	**8618301EN3(-04 -71 -12)** (1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl. T24-2 EN★
C. ROUND SMALL ONE LIGHT W: 4.5" H: 14" E: 4.25" Height from center of outlet box up: 7" WET	**8518301(-04 -71 -12)** (1) Medium Base 60W max. T24-1	**8518301EN3(-04 -71 -12)** (1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl. T24-1 EN★
D. SQUARE LARGE ONE LIGHT W: 8" H: 24.625" E: 6.875" Height from center of outlet box up: 12.3125" WET	**8720701(-04 -71)** (1) Medium Base 60W max. T24-1	**8720701EN3(-04 -71)** (1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl. T24-1 EN★
E. SQUARE MEDIUM ONE LIGHT W: 6" H: 18" E: 5.5" Height from center of outlet box up: 9" WET	**8620701(-71-12 -04)** (1) Medium Base 60W max. T24-1	**8620701EN3(-71 -12 -04)** (1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl. T24-2 EN★
F. SQUARE SMALL ONE LIGHT W: 4.5" H: 14" E: 4.25" Height from center of outlet box up: 7" WET	**8520701(-04 -71 -12)** (1) Medium Base 60W max. T24-1	**8520701EN3(-04 -71 -12)** (1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl. T24-1 EN★

FINISH CODES

(-04) Satin Aluminum
(-71) Antique Bronze
(-12) Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350



PRODUCT SHOWN: RENVILLE SMALL ONE LIGHT
OUTDOOR WALL LANTERN IN BLACK FINISH

A. LARGE ONE LIGHT OUTDOOR WALL LANTERN
W: 7" H: 10.25" E: 8"
Height from center of outlet box up: 3.5"
WET

8638601(-71 -12)
(1) Medium Base 100W max.
T24-1

8638601EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

B. SMALL ONE LIGHT OUTDOOR WALL LANTERN
W: 5.25" H: 7.375" E: 5.75"
Height from center of outlet box up: 2.5"
WET

8538601(-71 -12)
(1) Medium Base 60W max.
T24-1

8538601EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A

Antique Bronze Finish (-71)
Satin Etched Glass



Black Finish (-12)
Satin Etched Glass



B

Antique Bronze Finish (-71)
Satin Etched Glass



Black Finish (-12)
Satin Etched Glass

FINISH CODES

(-71) Antique Bronze
(-12) Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350



PRODUCT SHOWN: WILBURN MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN IN BLACK FINISH

A. EXTRA LARGE ONE LIGHT OUTDOOR WALL LANTERN

W: 12.625" H: 24" E: 14.25"
Height from center of outlet box up: 3.75"
WET

8890901(-71 -12)
(1) Medium Base 75W max.
T24-1

8890901EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

8890901D(-71 -12)
(1) Medium Base 75W max.
T24-1

8890901DEN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

B. LARGE ONE LIGHT OUTDOOR WALL LANTERN

W: 10" H: 20" E: 11.5"
Height from center of outlet box up: 2.875"
WET

8790901(-71 -12)
(1) Medium Base 75W max.
T24-1

8790901EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

8790901D-12
(1) Medium Base 75W max.
T24-1

8790901DEN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A

Antique Bronze Finish (-71)
White Aluminum / Satin Etched Glass



B

Black Finish (-12)
White Aluminum / Satin Etched Glass

FINISH CODES

(-71) Antique Bronze
(-12) Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

C. MEDIUM ONE LIGHT OUTDOOR WALL LANTERN

W: 8" H: 13.5" E: 9.375"
Height from center of outlet box up: 2.375"
WET

8690901(-71 -12)
(1) Medium Base 60W max.
T24-1

8690901EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

8690901D(-71 -12)
(1) Medium Base 60W max.
T24-1

8690901DEN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

D. SMALL ONE LIGHT OUTDOOR WALL LANTERN

W: 6" H: 10.25" E: 7.375"
Height from center of outlet box up: 2.375"
WET

8590901(-71 -12)
(1) Medium Base 60W max.
T24-1

8590901EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

8590901D(-71 -12)
(1) Medium Base 60W max.
T24-1

8590901DEN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



C

Antique Bronze Finish (-71)
Etched / White Inside Glass



Black Finish (-12)
Etched, White Inside Glass



D

Antique Bronze Finish (-71)
Etched / White Inside Glass



Black Finish (-12)
Etched / White Inside Glass

FINISH CODES

(-71) Antique Bronze
(-12) Black

E. TWO LIGHT OUTDOOR FLUSH MOUNT
D: 13" H: 5.5"
DAMP

7890902(-71 -12)
(2) Medium Base 40W max.
T24-1

7890902EN3(-71 -12)
(2) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



E
Antique Bronze Finish (-71)
Etched, White Inside Glass

F. ONE LIGHT OUTDOOR POST LANTERN
D: 8" H: 16.125"
WET

8290901(-71 -12)
(1) Medium Base 60W max.
T24-1

8290901EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

G. ONE LIGHT OUTDOOR PENDANT LANTERN
D: 8" H: 14"
6' of Wire pre-laced through 3' of Chain
DAMP

6290901(-71 -12)
(1) Medium Base 60W max.
T24-1

6290901EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



F
Black Finish (-12)
Etched, White Inside Glass



G
Antique Bronze Finish (-71)
Etched, White Inside Glass

FINISH CODES

(-71) Antique Bronze
(-12) Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350



PRODUCT SHOWN: TYBEE LARGE ONE LIGHT OUTDOOR WALL LANTERN IN ANTIQUE BRONZE FINISH

A. EXTRA LARGE ONE LIGHT OUTDOOR WALL LANTERN

W: 12" H: 22.25" E: 13.25"
Height from center of outlet box up: 3.875"
WET

8808901(-12 -71)
(1) Medium A19 75W max.
T24-1

8808901EN7(-12 -71)
(1) Med. Base LED 2700K, 8W, 800 Lumen lamps incl.
T24-2 EN★

B. LARGE ONE LIGHT OUTDOOR WALL LANTERN

W: 10" H: 18.625" E: 11.25"
Height from center of outlet box up: 3.75"
WET

8708901(-12 -71)
(1) Medium A19 75W max.
T24-1

8708901EN7(-12 -71)
(1) Med. Base LED 2700K, 8W, 800 Lumen lamps incl.
T24-2 EN★



A

Black Finish (-12)
Clear Glass



B

Antique Bronze Finish (-71)
Clear Glass

C. MEDIUM ONE LIGHT OUTDOOR WALL LANTERN

W: 8.5" H: 15.5" E: 9.625"
Height from center of outlet box up: 3.5"
WET

8608901(-12 -71)
(1) Medium A19 75W max.
T24-1

8608901EN7(-12 -71)
(1) Med. Base LED 2700K, 8W, 800 Lumen lamps incl.
T24-2 EN★

D. SMALL ONE LIGHT OUTDOOR WALL LANTERN

W: 6" H: 11.625" E: 7.25"
Height from center of outlet box up: 3.5"
WET

8508901(-12 -71)
(1) Medium A19 75W max.
T24-1

8508901EN7(-12 -71)
(1) Med. Base LED 2700K, 8W, 800 Lumen lamps incl.
T24-2 EN★



C

Black Finish (-12)
Clear Glass



D

Antique Bronze Finish (-71)
Clear Glass

E. ONE LIGHT OUTDOOR PENDANT

D: 8.5" W: 8.5" H: 15.875"
6' of wire pre-laced through 3' of chain
DAMP

6208901(-12 -71)
(1) Medium A19 75W max.
T24-1

6208901EN7(-12 -71)
(1) Med. Base LED 2700K, 8W, 800 Lumen lamps incl.
T24-2 EN★



E

Black Finish (-12)
Clear Glass

FINISH CODES

(-12) Black
(-71) Antique Bronze

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350



PRODUCT SHOWN: TOMEK MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN IN BLACK FINISH

A. LARGE ONE LIGHT OUTDOOR WALL LANTERN

W: 10.5" H: 18" E: 12.375"
Height from center of outlet box up: 3"
WET

8752701(-71 -12)
(1) Medium Base 75W max.
T24-1

8752701EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

B. MEDIUM ONE LIGHT OUTDOOR WALL LANTERN

W: 8.375" H: 14" E: 9.875"
Height from center of outlet box up: 2.75"
WET

8652701(-71 -12)
(1) Medium Base 75W max.
T24-1

8652701EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

C. SMALL ONE LIGHT OUTDOOR WALL LANTERN

W: 6.75" H: 10.625" E: 8.375"
Height from center of outlet box up: 2.25"
WET

8552701(-71 -12)
(1) Medium Base 75W max.
T24-1

8552701EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

D. ONE LIGHT OUTDOOR POST LANTERN

L: 8.375" W: 8.375" H: 15.375"
WET

8252701(-12)
(1) Medium Base 75W max.
T24-1

8252701EN3(-12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A

Antique Bronze Finish (-71)
Etched, White Inside Glass



B

Black Finish (-12)
Etched, White Inside Glass



C

Antique Bronze Finish (-71)
Etched, White Inside Glass



D

Black Finish (-12)
Etched, White Inside Glass

FINISH CODES

(-71) Antique Bronze
(-12) Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. LARGE ONE LIGHT OUTDOOR WALL LANTERN

W: 12" H: 19.5" E: 14"
Height from center of outlet box up: 6"
WET

8847901(-71 -12)
(1) Medium Base 100W max.
T24-1

8847901EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

8847901DEN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

B. MEDIUM ONE LIGHT OUTDOOR WALL LANTERN

W: 9" H: 15" E: 11"
Height from center of outlet box up: 5"
WET

8747901(-71 -12)
(1) Medium Base 100W max.
T24-1

8747901EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

8747901DEN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

C. SMALL ONE LIGHT OUTDOOR WALL LANTERN

W: 6" H: 10" E: 7.5"
Height from center of outlet box up: 3.25"
WET

8547901(-71 -12)
(1) Medium Base 60W max.
T24-1

8547901EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

8547901DEN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A

Antique Bronze Finish (-71)
Creme Parchment Glass



B

Black Finish (-12)
Satin Etched Glass



C

Antique Bronze Finish (-71)
Creme Parchment Glass

FINISH CODES

(-71) Antique Bronze
(-12) Black

D. TWO LIGHT OUTDOOR CEILING FLUSH MOUNT
D: 14.125" H: 7"
DAMP

7847902-12
(2) Medium Base 60W max.
T24-1

7847902EN3-12
(2) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★



D

Black Finish (-12)
Satin Etched Glass

E. ONE LIGHT OUTDOOR POST LANTERN
D: 9" H: 17"
WET

8247901(-71 -12)
(1) Medium Base 100W max.
T24-1

8247901EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



E

Antique Bronze Finish (-71)
Creme Parchment Glass



Black Finish (-12)
Satin Etched Glass

FINISH CODES

(-71) Antique Bronze
(-12) Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. LARGE ONE LIGHT OUTDOOR WALL LANTERN

W: 9" H: 21.25" E: 11.75"
Height from center of outlet box up: 10.25"
WET

8736301(-71 -12)
(1) Medium Base 100W max.
T24-1

736301EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

B. MEDIUM ONE LIGHT OUTDOOR WALL LANTERN

W: 6.375" H: 14.625" E: 8.5"
Height from center of outlet box up: 7.75"
WET

8636301(-71 -12)
(1) Medium Base 100W max.
T24-1

8636301EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A

Black Finish (-12)
Satin Etched Glass



B

Antique Bronze Finish (-71)
Satin Etched Glass

C. SMALL ONE LIGHT OUTDOOR WALL LANTERN

W: 5.5" H: 12.625" E: 7.75"
Height from center of outlet box up: 7"
WET

8536301(-71 -12)
(1) Medium Base 60W max.
T24-1

8536301EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

D. OUTDOOR ONE LIGHT POST LANTERN

D: 9" H: 20.5"
WET

8236301(-71 -12)
(1) Medium Base 75W max.
T24-1

8236301EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



C

Black Finish (-12)
Satin Etched Glass



D

Antique Bronze Finish (-71)
Satin Etched Glass

FINISH CODES

(-71) Antique Bronze
(-12) Black

A. LARGE ONE LIGHT OUTDOOR WALL LANTERN

W: 10" H: 19.875" E: 12.75"
Height from center of outlet box up: 11"
WET

8719301(-71 -12)
(1) Medium Base 75W max.
T24-1

8719301EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

B. MEDIUM ONE LIGHT OUTDOOR WALL LANTERN

W: 8" H: 16.125" E: 10.375"
Height from center of outlet box up: 9.375"
WET

8619301(-71 -12)
(1) Medium Base 75W max.
T24-1

8619301EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

C. SMALL ONE LIGHT OUTDOOR WALL LANTERN

W: 6" H: 11.875" E: 8"
Height from center of outlet box up: 7.125"
WET

8519301(-71 -12)
(1) Medium Base 60W max.
T24-1

8519301EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A

Black Finish (-12)
Cased Opal Etched Glass



B

Antique Bronze Finish (-71)
Cased Opal Etched Glass



C

Black Finish (-12)
Cased Opal Etched Glass

FINISH CODES

(-71) Antique Bronze
(-12) Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. LARGE ONE LIGHT OUTDOOR WALL LANTERN
W: 9.25" H: 21" E: 10"
Height from center of outlet box up: 8.5"
WET

8463D-44
(1) Medium Base 75W max.
T24-1

8463DEN3-44
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

B. LARGE ONE LIGHT OUTDOOR WALL LANTERN
W: 9.25" H: 21" E: 10"
Height from center of outlet box up: 8.5"
WET

89273-46
(1) Medium Base 75W max.
T24-1

89273EN3-46
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A

Weathered Copper Finish (-44)
Clear Seeded Glass with White Aluminum Backing



B

Oxidized Bronze Finish (-46)
Frosted Seeded Glass

C. SMALL ONE LIGHT OUTDOOR WALL LANTERN
W: 6.75" H: 14.5" E: 7.5"
Height from center of outlet box up: 6"
WET

8462D-44
(1) Medium Base 75W max.
T24-1

8462DEN3-44
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

D. SMALL ONE LIGHT OUTDOOR WALL LANTERN
W: 6.75" H: 14.5" E: 7.5"
Height from center of outlet box up: 6"
WET

89062-46
(1) Medium Base 75W max.
T24-1

89062EN3-46
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



C

Weathered Copper Finish (-44)
Clear Seeded Glass with White Aluminum Backing



D

Oxidized Bronze Finish (-46)
Frosted Seeded Glass

FINISH CODES

(-44) Weathered Copper
(-46) Oxidized Bronze

E. LARGE TWO LIGHT OUTDOOR WALL LANTERN
W: 9.25" H: 21" E: 10"
Height from center of outlet box up: 8.5"
WET

8463(-44 -46)
(2) Candelabra Base 40W max.
T24-1

8463EN(-44 -46)
(2) Cand. Base LED 2700K, 3.5W, 350 Lumen lamps incl.
T24-2

F. SMALL ONE LIGHT OUTDOOR WALL LANTERN
W: 6.75" H: 14.5" E: 7.5"
Height from center of outlet box up: 6"
WET

8462(-44 -46)
(1) Medium Base 100W max.
T24-1

8462EN7(-44 -46)
(1) Med. Base LED 2700K 8W, 800 Lumen lamps incl.
T24-2

G. TWO LIGHT OUTDOOR POST LANTERN
L: 9.25" W: 9.25" H: 22.75"
WET

8262(-46 -44)
(2) Candelabra Base 60W max.
T24-1

8262EN(-46 -44)
(2) Cand. Base LED 2700K, 3.5W, 350 Lumen lamps incl.
T24-2 EN ★



E
Weathered Copper Finish (-44)
Clear Seeded Glass



F
Oxidized Bronze Finish (-46)
Clear Seeded Glass



G
Oxidized Bronze Finish (-46)
Clear Seeded Glass

FINISH CODES

(-44) Weathered Copper
(-46) Oxidized Bronze

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. LARGE THREE LIGHT OUTDOOR WALL LANTERN

W: 12.25" H: 23.5" E: 14.25"
Height from center of outlet box up: 11.5"
WET

8461-46
(3) Candelabra Base 40W max.
T24-1

8461EN-46
(3) Cand. Base LED 2700K, 3.5W, 350 Lumen lamps incl.
T24-2 EN★

B. MEDIUM TWO LIGHT OUTDOOR WALL LANTERN

W: 9" H: 18" E: 11.5"
Height from center of outlet box up: 10.5"
WET

8460-46
(2) Candelabra Base 40W max.
T24-1

8460EN-46
(2) Cand. Base LED 2700K, 3.5W, 350 Lumen lamps incl.
T24-2 EN★

C. SMALL TWO LIGHT OUTDOOR WALL LANTERN

W: 7.5" H: 14.75" E: 9.75"
Height from center of outlet box up: 8"
WET

8459-46
(2) Candelabra Base 40W max.
T24-1

8459EN-46
(2) Cand. Base LED 2700K, 3.5W, 350 Lumen lamps incl.
T24-2 EN★

D. THREE LIGHT OUTDOOR POST LANTERN

D: 12.25" H: 22.75"
WET

8259-46
(3) Candelabra Base 60W max.
T24-1

8259EN-46
(3) Cand. Base LED 2700K, 3.5W, 350 Lumen lamps incl.
T24-2 EN★



A

Oxidized Bronze Finish (-46)
Clear Seeded Glass



B

Oxidized Bronze Finish (-46)
Clear Seeded Glass



C

Oxidized Bronze Finish (-46)
Clear Seeded Glass



D

Oxidized Bronze Finish (-46)
Clear Seeded Glass

FINISH CODE

(-46) Oxidized Bronze

A. EXTRA LARGE FOUR LIGHT OUTDOOR WALL LANTERN
W: 12" H: 20" E: 13.125"
Height from center of outlet box up: 6"
WET

OL5904(CB, BK)
(4) Candelabra Base 60W max.
T24-1

OL5904EN/(CB BK)
(4) Cand. Base LED 2700K, 3.5W, 350 Lumen lamps incl.
T24-2 EN★

B. LARGE THREE LIGHT OUTDOOR WALL LANTERN
W: 10.25" H: 17" E: 11.5"
Height from center of outlet box up: 6"
WET

OL5902(CB BK)
(3) Candelabra Base 60W max.
T24-1

OL5902EN/(CB BK)
(3) Cand. Base LED 2700K, 3.5W, 350 Lumen lamps incl.
T24-2 EN★

C. MEDIUM TWO LIGHT OUTDOOR WALL LANTERN
W: 8" H: 14.5" E: 9.5"
Height from center of outlet box up: 5"
WET

OL5901(CB, BK)
(2) Candelabra Base 60W max.
T24-1

OL5901EN/(CB BK)
(2) Cand. Base LED 2700K, 3.5W, 350 Lumen lamps incl.
T24-2 EN★

D. SMALL ONE LIGHT OUTDOOR WALL LANTERN
W: 6.25" H: 10.75" E: 7.25"
Height from center of outlet box up: 3.5"
WET

OL5900(CB BK)
(1) Medium Base 75W max.
T24-1

OL5900EN7(CB BK)
1) Med. Base LED 2700K, 8W, 800 Lumen lamps incl.
T24-2 EN★

E. THREE LIGHT OUTDOOR PENDANT
D: 10.25" H: 21"
Supplied with 7' of Wire and 5' of Chain
DAMP

OL5911(CB BK)
(3) Candelabra Base 60W max.
T24-1

OL5911EN/(CB BK)
(3) Cand. Base LED 2700K, 3.5W, 350 Lumen lamps incl.
T24-2 EN★

F. THREE LIGHT OUTDOOR POST LANTERN
D: 10.25" H: 22.25"
WET

OL5907(CB BK)
(3) Candelabra Base 60W max.
T24-1

OL5907EN/(CB BK)
(3) Cand. Base LED 2700K, 3.5W, 350 Lumen lamps incl.
T24-2 EN★

FINISH CODES

(CB) Corinthan Bronze
(BK) Black



A

Corinthian Bronze Finish (CB)
Clear Seeded Glass



B

Black Finish (BK)
Clear Seeded Glass



C

Corinthian Bronze Finish (CB)
Clear Seeded Glass



D

Black Finish (BK)
Clear Seeded Glass



E

Corinthian Bronze Finish (CB)
Clear Seeded Glass



F

Black Finish (BK)
Clear Seeded Glass

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. EXTRA LARGE ONE LIGHT OUTDOOR WALL LANTERN

D: 13" H: 29.75" E: 16"
Height from center of outlet box up: 11.25"
WET

88243(-780 -12)
(1) Medium Base 75W max.
T24-1

88243EN3(-780 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

B. LARGE ONE LIGHT OUTDOOR WALL LANTERN

D: 11" H: 26.25" E: 13.75"
Height from center of outlet box up: 9.25"
WET

88242(-780 -12)
(1) Medium Base 75W max.
T24-1

88242EN3(-780 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A

Black Finish (-12)
Etched, White Inside Glass



B

Burled Iron Finish (-780)
Etched, Hammered Glass with Light Amber Tint

C. ONE LIGHT OUTDOOR POST LANTERN

D: 11" H: 23"
WET

82240-780
(1) Medium Base 75W max.
T24-1

82240EN3-780
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

D. ONE LIGHT OUTDOOR PENDANT

D: 9" H: 15.75"
10' Wire pre-laced through 6' of Chain
DAMP

62240(-780 -12)
(1) Medium Base 75W max.

62240EN3(-780 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



C

Burled Iron Finish (-780)
Etched, Hammered Glass with Light Amber Tint



D

Black Finish (-12)
Etched, White Inside Glass

FINISH CODES

(-780) Burled Iron
(-12) Black

E. EXTRA LARGE ONE LIGHT UPLIGHT OUTDOOR WALL LANTERN

W: 13" H: 20.25" E: 14"
Height from center of outlet box up: 4.375"
WET

88244(-780 -12)
(1) Medium Base 75W max.
T24-1

88244EN3(-780 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

F. MEDIUM ONE LIGHT OUTDOOR WALL LANTERN

D: 9" H: 15.5" E: 10"
Height from center of outlet box up: 4.5"
WET

88241(-780)
(1) Medium Base 75W max.
T24-1

88241EN3(-780 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

G. SMALL ONE LIGHT OUTDOOR WALL LANTERN

D: 7" H: 10.5" E: 8"
Height from center of outlet box up: 3"
WET

88240(-780 -12)
(1) Medium Base 75W max.
T24-1

88240EN3(-780 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

88240D-780
(1) Medium Base 75W max.
T24-1

88240DEN3-780
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



E

Burled Iron Finish (-780)
Etched, Hammered Glass with Light Amber Tint



F

Black Finish (-12)
Etched, White Inside Glass



G

Burled Iron Finish (-780)
Etched, Hammered Glass with Light Amber Tint

FINISH CODES

(-780) Burled Iron
(-12) Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. ONE LIGHT MEDIUM OUTDOOR WALL LANTERN

W: 7.75" H: 17" E: 8.5"
Height from center of outlet box up: 14"
WET

89941(-71 -12)
(1) Medium Base 75W max.
T24-1

89941EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

B. ONE LIGHT MEDIUM OUTDOOR WALL LANTERN

W: 7.75" H: 17" E: 8.5"
Height from center of outlet box up: 14"
WET

88941(-71 -12)
(1) Medium Base 75W max.
T24-1

88941EN7(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A

Bronze Finish (-71)
Satin Etched Glass



B

Bronze Finish (-71)
Clear Beveled Glass

C. SMALL ONE LIGHT OUTDOOR WALL LANTERN

W: 6.5" H: 11" E: 7.75"
Height from center of outlet box up: 3.3125"
WET

89937(-71 -12)
(1) Medium Base 75W max.
T24-1

89937EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

D. SMALL ONE LIGHT OUTDOOR WALL LANTERN

W: 6.5" H: 11" E: 7.75"
Height from center of outlet box up: 3.3125"
WET

88937(-71 -12)
(1) Medium Base 75W max.
T24-1

88937EN7(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



C

Black Finish (-12)
Satin Etched Glass



D

Black Finish (-12)
Clear Beveled Glass

FINISH CODES

(-71) Bronze
(-12) Black

E. ONE LIGHT MEDIUM OUTDOOR WALL LANTERN
W: 6.5" H: 15.5" E: 7.75"
Height from center of outlet box up: 12.25"
WET

89940(-71 -12)
(1) Medium Base 75W max.
T24-1

89940EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

F. ONE LIGHT MEDIUM OUTDOOR WALL LANTERN
W: 6.5" H: 15.5" E: 7.75"
Height from center of outlet box
up: 12.25"
WET

88940(-71 -12)
(1) Medium Base 75W max.
T24-1

88940EN7(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

G. SMALL ONE LIGHT OUTDOOR WALL LANTERN
W: 6.5" H: 11" E: 7.75"
Height from center of outlet box up: 3.3125"
WET

89936(-71 -12)
(1) Medium Base 75W max.
T24-1

89936EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

H. SMALL ONE LIGHT OUTDOOR WALL LANTERN
W: 6.5" H: 11" E: 7.75"
Height from center of outlet box up: 3.3125"
WET

88936(-71 -12)
(1) Medium Base 75W max.
T24-1

88936EN7(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



E

Black Finish (-12)
Satin Etched Glass



F

Black Finish (-12)
Clear Beveled Glass



G

Bronze Finish (-71)
Satin Etched Glass



H

Bronze Finish (-71)
Clear Beveled Glass

FINISH CODES

(-71) Bronze
(-12) Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. TWO LIGHT OUTDOOR CEILING FLUSH MOUNT
D: 12.75" H: 7.5"
DAMP

79136-12
(2) Medium Base 60W max.
T24-1

79136EN3-12
(2) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★

B. ONE LIGHT OUTDOOR POST LANTERN
D: 7.875" H: 17.875"
WET

82941(-71 -12)
(1) Medium Base 75W max.
T24-1

82941EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

C. ONE LIGHT OUTDOOR PENDANT
D: 7.875" H: 14.4375"
6' of Wire pre-laced through 3' of Chain
DAMP

60941(-71 -12)
(1) Medium Base 75W max.
T24-1

60941EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A
Black Finish (-12)
Satin Etched Glass



B
Black Finish (-12)
Satin Etched Glass



C
Antiique Bronze Finish (-71)
Satin Etched Glass

FINISH CODES

(-71) Antique Bronze
(-12) Black

D. TWO LIGHT OUTDOOR CEILING FLUSH MOUNT
D: 12.75" H: 7.5"
DAMP

78136-12
(2) Medium Base 60W max.
T24-1

E. ONE LIGHT OUTDOOR POST LANTERN
D: 7.875" H: 17.875"
WET

82938(-71 -12)
(1) Medium Base 75W max.
T24-1

82938EN7(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

F. ONE LIGHT OUTDOOR PENDANT
D: 7.875" H: 14.4375"
6' of Wire pre-laced through 3' of Chain
DAMP

60938(-71 -12)
(1) Medium Base 75W max.
T24-1

60938EN7(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



D

Black Finish (-12)
Clear Beveled Glass



E

Black Finish (-12)
Clear Beveled Glass



F

Antique Bronze Finish (-71)
Clear Beveled Glass

FINISH CODES

(-71) Antique Bronze
(-12) Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. EXTRA LARGE ONE LIGHT DOWNLIGHT OUTDOOR WALL LANTERN
W: 12.5" H: 23.25" E: 11.5"
Height from center of outlet box up: 4"
WET

8738751(-71 -12)
(1) Medium Base 75W max.
T24-1

8738751EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

B. LARGE ONE LIGHT DOWNLIGHT OUTDOOR WALL LANTERN
W: 9.375" H: 18.75" E: 8.625"
Height from center of outlet box up: 2.75"
WET

8438751(-71 -12)
(1) Medium Base 75W max.
T24-1

8438751EN3(-71 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

C. MEDIUM ONE LIGHT DOWNLIGHT OUTDOOR WALL LANTERN
W: 8.125" H: 15.875" E: 8.5"
Height from center of outlet box up: 3.25"
WET

8938751(-71 -12)
(1) Medium Base 75W max.
T24-1

8938751EN3(-71 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

D. SMALL ONE LIGHT DOWNLIGHT OUTDOOR WALL LANTERN
W: 6.5" H: 12.5" E: 7.75"
Height from center of outlet box up: 2.75" down: 9.75"
WET

8338751(-71 -12)
(1) Medium Base 75W max.
T24-1

8338751EN3(-71 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

E. ONE LIGHT OUTDOOR PENDANT
D: 9.375" H: 16.625"
6' Wire pre-laced through 3' Chain
DAMP

6238751(-71 -12)
(1) Medium Base 75W max.
T24-1

6238751EN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

FINISH CODES

(-71) Antique Bronze
(-12) Black



A
Antique Bronze Finish (-71)
Satin Etched Glass



B
Black Finish (-12)
Satin Etched Glass



C
Antique Bronze Finish (-71)
Satin Etched Glass



D
Black Finish (-12)
Satin Etched Glass



E
Black Finish (-12)
Satin Etched Glass

F. LARGE ONE LIGHT UPLIGHT OUTDOOR WALL LANTERN

W: 9.375" H: 21.75" E: 8.625"
Height from center of outlet box up: 18.75"
WET

8638751(-71 -12)
(1) Medium Base 75W max.
T24-1

8638751EN3(-71 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

G. MEDIUM ONE LIGHT UPLIGHT OUTDOOR WALL LANTERN

W: 8.125" H: 19.375" E: 8.5"
Height from center of outlet box up: 16.125"
WET

8838751(-71 -12)
(1) Medium Base 75W max.
T24-1

8838751EN3(-71 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

H. SMALL ONE LIGHT UPLIGHT OUTDOOR WALL LANTERN

W: 6.5" H: 16.25" E: 7.75"
Height from center of outlet box up: 13.5"
down: 2.75"
WET

8538751(-71 -12)
(1) Medium Base 75W max.
T24-1

8538751EN3(-71 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

I. LARGE ONE LIGHT OUTDOOR POST LANTERN

D: 9.375" H: 22.125"
WET

8238751(-71 -12)
(1) Medium Base 75W max.
T24-1

8238751EN3(-71 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

J. MEDIUM ONE LIGHT OUTDOOR POST LANTERN

D: 8.125" H: 17.75"
WET

8238651(-71 -12)
(1) Medium Base 75W max.
T24-1

8238651EN3(-71 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



F

Antique Bronze Finish (-71)
Satin Etched Glass



G

Black Finish (-12)
Satin Etched Glass



H

Antique Bronze Finish (-71)
Satin Etched Glass



I

Antique Bronze Finish (-71)
Satin Etched Glass



J

Antique Bronze Finish (-71)
Satin Etched Glass

FINISH CODES

(-71) Antique Bronze
(-12) Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. EXTRA LARGE THREE LIGHT DOWNLIGHT OUTDOOR WALL LANTERN

W: 12.5" H: 23.25" E: 11.5"
Height from center of outlet box up: 4"
WET

8738703(-71 -12)
(3) Candelabra Base 60W max.
T24-1

8738703EN(-71 -12)
(3) Cand. Base LED 2700K, 3.5W, Lumen lamps incl.
T24-2 EN★

B. LARGE ONE LIGHT DOWNLIGHT OUTDOOR WALL LANTERN

W: 9.375" H: 18.75" E: 8.625"
Height from center of outlet box up: 2.75"
WET

8438701(-71 -12)
(1) Medium Base 75W max.
T24-1

8438701EN7(-71, -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A

Antique Bronze Finish (-71)
Clear Glass



B

Black Finish (-12)
Clear Glass

C. MEDIUM ONE LIGHT DOWNLIGHT OUTDOOR WALL LANTERN

W: 8.125" H: 15.875" E: 8.5"
Height from center of outlet box up: 3.25"
WET

8938701(-71 -12)
(1) Medium Base 75W max.
T24-1

8938701EN7(-71,-12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



C

Antique Bronze Finish (-71)
Clear Glass



D

Black Finish (-12)
Clear Glass

D. SMALL ONE LIGHT DOWNLIGHT OUTDOOR WALL LANTERN

W: 6.5" H: 12.5" E: 7.75"
Height from center of outlet box up: 2.75"
WET

8338701(-71 -12)
(1) Medium Base 75W max.
T24-1

8338701EN7(-71, 12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

FINISH CODES

(-71) Antique Bronze
(-12) Black

E. LARGE ONE LIGHT UPLIGHT OUTDOOR WALL LANTERN
W: 9.375" H: 21.75" E: 8.625"
Height from center of outlet box up: 18.75"
WET

8638701(-71 -12)
(1) Medium Base 75W max.
T24-1

8638701EN7(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

F. MEDIUM ONE LIGHT UPLIGHT OUTDOOR WALL LANTERN
W: 8.125" H: 19.375" E: 8.5"
Height from center of outlet box up: 16.125"
WET

8838701(-71 -12)
(1) Medium Base 75W max.
T24-1

8838701EN7(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

G. SMALL ONE LIGHT UPLIGHT OUTDOOR WALL LANTERN
W: 6.5" H: 16.25" E: 7.75"
Height from center of outlet box up: 13.5"
WET

8538701(-71 -12)
(1) Medium Base 75W max.
T24-1

8538701EN7(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

H. LARGE ONE LIGHT OUTDOOR POST LANTERN
D: 9.375" H: 22.125"
WET

8238701-71
(1) Medium Base 75W max.
T24-1

8238701EN7(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

I. MEDIUM ONE LIGHT OUTDOOR POST LANTERN
D: 8.125" H: 17.75"
WET
,
(1) Medium Base 75W max.
T24-1

8238601EN7(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

J. ONE LIGHT OUTDOOR PENDANT
D: 9.375" H: 16.625"
6' Wire pre-laced through 3' Chain
DAMP

6238701(-71 -12)
(1) Medium Base 75W max.
T24-1

6238701EN7(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

FINISH CODES

(-71) Antique Bronze
(-12) Black



E

Antique Bronze Finish (-71)
Clear Glass



F

Black Finish (-12)
Clear Glass



G

Antique Bronze Finish (-71)
Clear Glass



H

Black Finish (-12)
Clear Glass



I

Antique Bronze Finish (-71)
Clear Glass



J

Black Finish (-12)
Clear Glass

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. EXTRA LARGE ONE LIGHT OUTDOOR WALL LANTERN

W: 8.5" H: 19.25" E: 9.5"
Height from center of outlet box
up: 16.5" down: 2.75"
WET

84532(-746 -12)
(1) Medium Base 75W max.
T24-1

84532EN3(-746 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

B. MEDIUM ONE LIGHT OUTDOOR WALL LANTERN

W: 6.5" H: 15" E: 8.5"
Height from center of outlet box
up: 12.25" down: 2.75"
WET

84530(-746 -12)
(1) Medium Base 75W max.
T24-1

84530EN3(-746 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

C. LARGE ONE LIGHT OUTDOOR WALL LANTERN

W: 8.5" H: 15" E: 9.5"
Height from center of outlet box
up: 2.75"
WET

84531(-746 -12)
(1) Medium Base 75W max.
T24-1

84531EN3(-746 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

D. SMALL ONE LIGHT OUTDOOR WALL LANTERN

W: 6.5" H: 11.5" E: 8.5"
Height from center of outlet box
up: 2.75"
WET

84529(-746 -12)
(1) Medium Base 75W max.
T24-1

84529EN3(-746 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



A

Oxford Bronze Finish (-746)
Satin Etched Glass



B

Oxford Bronze Finish (-746)
Satin Etched Glass



C

Black Finish (-12)
Satin Etched Glass



D

Black Finish (-12)
Satin Etched Glass

FINISH CODES

(-746) Oxford Bronze
(-12) Black

E. ONE LIGHT OUTDOOR PENDANT

L: 8.375" W: 8.375" H: 15.25"
6' of Wire pre-laced through 3' of Chain
DAMP

60531(-746 -12)
(1) Medium Base 75W max.
T24-1

60531EN3(-746 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

F. ONE LIGHT OUTDOOR POST LANTERN

L: 8.375" W: 8.375" H: 20.25"
WET

82529(-746 -12)
(1) Medium Base 75W max.
T24-1

82529EN3(-746 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



E

Oxford Bronze Finish (-746)
Satin Etched Glass



F

Oxford Bronze Finish (-746)
Satin Etched Glass

FINISH CODES

(-746) Oxford Bronze
(-12) Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. EXTRA LARGE ONE LIGHT OUTDOOR WALL LANTERN

W: 8.5" H: 19.25" E: 9.5"
Height from center of outlet box
up: 16.5" down: 2.75"
WET

84032(-746 -12)
(1) Medium Base 75W max.
T24-1

84032EN7(-746 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

B. MEDIUM ONE LIGHT OUTDOOR WALL LANTERN

W: 6.5" H: 15" E: 8.5"
Height from center of outlet box
up: 12.25" down: 2.75"
WET

84030(-746 -12)
(1) Medium Base 75W max.
T24-1

84030EN7(-746 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



A

Oxford Bronze Finish (-746)
Clear Seeded Glass



B

Oxford Bronze Finish (-746)
Clear Seeded Glass

C. LARGE ONE LIGHT OUTDOOR WALL LANTERN

W: 8.5" H: 15" E: 9.5"
Height from center of outlet box
up: 2.75"
WET

84031(-746 -12)
(1) Medium Base 75W max.
T24-1

84031EN7(-746 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

D. SMALL ONE LIGHT OUTDOOR WALL LANTERN

W: 6.5" H: 11.5" E: 8.5"
Height from center of outlet box
up: 2.75"
WET

84029EN7(-746 -12)
(1) Medium Base 75W max.
T24-1



C

Black Finish (-12)
Clear Beveled Glass



D

Black Finish (-12)
Clear Beveled Glass

FINISH CODES

(-746) Oxford Bronze with Clear Seeded Glass
(-12) Black with Clear Beveled Glass

E. ONE LIGHT OUTDOOR PENDANT

L: 8.375" W: 8.375" H: 15.25"
6' of Wire pre-laced through 3' of Chain
DAMP

60031(-746 -12)
(1) Medium Base 75W max.
T24-1

60031EN7(-746 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

F. ONE LIGHT OUTDOOR SEMI-FLUSH CONVERTIBLE PENDANT

L: 6.5" W: 6.5" H: 10.5" Semi-flush H: 9.75"
10' Wire pre-laced through 4' Chain
DAMP

60029(-746 -12)
(1) Medium Base 75W max.
T24-1

60029EN7(-746 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

G. ONE LIGHT OUTDOOR POST LANTERN

L: 8.375" W: 8.375" H: 20.25"
WET

82029(-746 -12)
(1) Medium Base 75W max.
T24-1

82029EN7(-746 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



E

Oxford Bronze Finish (-746)
Clear Seeded Glass



F

Semi-Flush in Black Finish (-12)
Clear Beveled Glass



G

Oxford Bronze Finish (-746)
Clear Seeded Glass

FINISH CODES

(-746) Oxford Bronze with Clear Seeded Glass
(-12) Black with Clear Beveled Glass

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. MEDIUM ONE LIGHT OUTDOOR WALL LANTERN
W: 7.25" H: 11.75" E: 9.5"
Height from center of outlet box up: 3.25"
WET

89132-12
(1) Medium Base 75W max.
T24-1

89132EN3-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

B. SMALL ONE LIGHT OUTDOOR WALL LANTERN
W: 6" H: 10" E: 9"
Height from center of outlet box up: 3.25"
WET

89131-12
(1) Medium Base 75W max.
T24-1

89131EN3-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A

Black Finish (-12)
Etched, White Inside Glass



B

Black Finish (-12)
Etched, White Inside Glass

C. TWO LIGHT OUTDOOR CEILING FLUSH MOUNT
L: 10.75" W: 10.75" H: 6.5"
DAMP

79131-12
(2) Medium Base 60W max.
T24-1

79131EN3-12
(2) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★



C

Black Finish (-12)
Etched, White Inside Glass

D. ONE LIGHT OUTDOOR PENDANT
L: 7.25" W: 7.25" H: 11.25"
WET

69131-12
(1) Medium Base 75W max.
T24-1

69131EN3-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



D

Black Finish (-12)
Etched, White Inside Glass

E. ONE LIGHT OUTDOOR POST LANTERN
L: 7.25" W: 7.25" H: 16.5"
WET

89231-12
(1) Medium Base 75W max.
T24-1

89231EN3-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



E

Black Finish (-12)
Etched, White Inside Glass

FINISH CODE

(-12) Black

F. MEDIUM ONE LIGHT OUTDOOR WALL LANTERN
W: 7.25" H: 11.75" E: 9.5"
Height from center of outlet box up: 3.25"
WET

88132-12
(1) Medium Base 75W max.
T24-1

88132EN7-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

G. SMALL ONE LIGHT OUTDOOR WALL LANTERN
W: 6" H: 10" E: 9"
Height from center of outlet box up: 3.25"
WET

88131-12
(1) Medium Base 75W max.
T24-1

88131EN7-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

H. TWO LIGHT OUTDOOR CEILING FLUSH MOUNT
L: 10.75" W: 10.75" H: 6.5"
DAMP

78131-12
(2) Medium Base 60W max.
T24-1

78131EN7-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

I. ONE LIGHT OUTDOOR PENDANT
L: 7.25" W: 7.25" H: 11.25"
10' Wire pre-laced through 6' Chain
DAMP

60131-12
(1) Medium Base 75W max.
T24-1

60131EN7-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

J. ONE LIGHT OUTDOOR POST LANTERN
L: 7.25" W: 7.25" H: 16.5"
WET

82131-12
(1) Medium Base 75W max.
T24-1

82131EN7-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

FINISH CODE

(-12) Black



F

Black Finish (-12)
Clear Seeded Glass



G

Black Finish (-12)
Clear Seeded Glass



H

Black Finish (-12)
Clear Seeded Glass



I

Black Finish (-12)
Clear Seeded Glass



J

Black Finish (-12)
Clear Seeded Glass

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. EXTRA LARGE ONE LIGHT OUTDOOR WALL LANTERN
W: 7" H: 20.25" W: 7.75"
Height from center of outlet box up: 6.5"
WET

84670-71
(1) Medium Base 75W max.
T24-1

84670EN3-71
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

B. LARGE ONE LIGHT OUTDOOR WALL LANTERN
W: 7" H: 17" E: 8"
Height from center of outlet box up: 6.5"
WET

84580-71
(1) Medium Base 75W max.
T24-1

84580EN3-71
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

C. MEDIUM ONE LIGHT OUTDOOR WALL LANTERN
W: 5.25" H: 12.5" E: 5.75"
Height from center of outlet box up: 6"
WET

84570-71
(1) Medium Base 75W max.
T24-1

84570EN3-71
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

D. SMALL ONE LIGHT OUTDOOR WALL LANTERN
W: 4" H: 11.25" E: 5.75"
Height from center of outlet box up: 6"
WET

84560-71
(1) Medium Base 75W max.
T24-1

84560EN3-71
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

E. ONE LIGHT OUTDOOR POST LANTERN
L: 7" W: 7" H: 17.25"
WET

82570-71
(1) Medium Base 75W max.
T24-1

82570EN3-71
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



A

Antique Bronze Finish (-71)
Frosted Seeded Glass



B

Antique Bronze Finish (-71)
Frosted Seeded Glass



C

Antique Bronze Finish (-71)
Frosted Seeded Glass



D

Antique Bronze Finish (-71)
Frosted Seeded Glass



E

Antique Bronze Finish (-71)
Frosted Seeded Glass

FINISH CODE

(-71) Antique Bronze

F. EXTRA LARGE TWO LIGHT OUTDOOR WALL LANTERN

W: 7" H: 20.25" E: 7.75"
Height from center of outlet box up: 6.5"
WET

8468(-965 -71 -12)
(2) Candelabra Base 40W max.
T24-1

8468EN(-965 -71 -12)
(2) Cand. Base LED 2700K, 3.5W, 350 Lumen lamps incl.
T24-2 EN★

G. LARGE ONE LIGHT OUTDOOR WALL LANTERN

W: 7" H: 17" E: 8"
Height from center of outlet box up: 6.5"
WET

8458(-965 -71 -12)
(1) Medium Base 75W max.
T24-1

8458EN7-965-71-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

H. MEDIUM ONE LIGHT OUTDOOR WALL LANTERN

W: 5.25" H: 12.5" E: 5.75"
Height from center of outlet box up: 6"
WET

8457(-965 -71 -12)
(1) Medium Base 75W max.
T24-1

8457EN7-965-71-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

I. SMALL ONE LIGHT OUTDOOR WALL LANTERN

W: 4" H: 11.25" E: 5.75"
Height from center of outlet box up: 6"
WET

8456(-965 -71 -12)
(1) Medium Base 75W max.
T24-1

8456EN7-965-71-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

J. ONE LIGHT OUTDOOR POST LANTERN

L: 7" W: 7" H: 17.25"
WET

8257(-965 -71 -12)
(1) Medium Base 75W max.
T24-1

8257EN7(-965 -71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

K. LARGE ONE LIGHT OUTDOOR WALL LANTERN

W: 7" H: 17" E: 8"
Height from center of outlet box up: 6.5"
WET

84158D(-71 -12)
(1) Medium Base 75W max.
T24-1

84158DEN3(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

L. MEDIUM ONE LIGHT OUTDOOR WALL LANTERN

W: 5.25" H: 12.5" E: 5.75"
Height from center of outlet box up: 6"
WET

84157D-71
(1) Medium Base 75W max.
T24-1

84157DEN3-71
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

FINISH CODES

(-965) Antique Brushed Nickel
(-71) Antique Bronze
(-12) Black



F

Antique Brushed Nickel Finish (-965)
Clear Beveled Glass



G

Antique Bronze Finish (-71)
Clear Beveled Glass



J

Antique Bronze Finish (-71)
Clear Beveled Glass



H

Black Finish (-12)
Clear Beveled Glass



I

Antique Brushed Nickel Finish (-965)
Clear Beveled Glass



K

Black Finish (-12)
Etched White Tiffany Glass



L

Antique Bronze Finish (-71)
Etched White Tiffany Glass

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. EXTRA LARGE THREE LIGHT OUTDOOR WALL LANTERN
W: 11.75" H: 23" E: 11"
Height from center of outlet box up: 10"
WET

8040(-02 -965 -71 -12)
(3) Candelabra Base 40W max.
T24-1

8040EN(-02 -965 -71 -12)
(3) Cand. Base LED 2700K,
3.5W, 350 Lumen lamps incl.
T24-2 EN★

B. LARGE TWO LIGHT OUTDOOR WALL LANTERN
W: 10" H: 20.5" E: 9.5"
Height from center of outlet box up: 9.5"
WET

8039(-02 -965 -71 -12)
(2) Candelabra Base 40W max.
T24-1

8039EN(-02 -965 -71 -12)
(2) Cand. Base LED 2700K,
3.5W, 350 Lumen lamps incl.
T24-2 EN★

C. MEDIUM ONE LIGHT OUTDOOR WALL LANTERN
W: 7.75" H: 14" E: 7.5"
Height from center of outlet box up: 6.5"
WET

8067(-02 -965 -71 -12)
(1) Medium Base 75W max.
T24-1

8067EN7(-02 -965 -71 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

D. MEDIUM ONE LIGHT OUTDOOR WALL LANTERN
W: 7.75" H: 12" E: 7.5"
Height from center of outlet box up: 4.5"
WET

8038(-02 -965 -71 -12)
(1) Medium Base 75W max.
T24-1

8038EN7(02 -965 -71 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

E. SMALL ONE LIGHT OUTDOOR WALL LANTERN
W: 7" H: 12" E: 7"
Height from center of outlet box up: 5.75"
WET

8037(-02 -965 -71 -12)
(1) Medium Base 75W max.
T24-1

8037EN7(-02 -965 -71 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



A

Black Finish (-12)
Clear Curved Beveled Glass



B

Antique Brushed Nickel Finish (-965)
Clear Curved Beveled Glass



C

Polished Brass Finish (-02)
Clear Curved Beveled Glass



D

Black Finish (-12)
Clear Curved Beveled Glass



E

Polished Brass Finish (-02)
Clear Curved Beveled Glass

FINISH CODES

(-02) Polished Brass
(-965) Antique Brushed Nickel
(-71) Antique Bronze
(-12) Black

F. LARGE THREE LIGHT OUTDOOR POST LANTERN
D: 11.75" H: 24"
WET

8239(-02 -965 -71 -12)
(3) Candelabra Base 60W max.
T24-1

8239EN(-02 -965 -71 -12)
(3) Cand. Base LED 2700K, 3.5W, 350 Lumen lamps incl.
T24-2 EN★

G. MEDIUM TWO LIGHT OUTDOOR POST LANTERN
D: 10" H: 21.5"
WET

8229(-965 -71 -12)
(2) Candelabra Base 60W max.
T24-1

8229EN(-965 -71 -12)
(2) Cand. Base LED 2700K, 3.5W, 350 Lumen lamps incl.
T24-2 EN★

H. LARGE THREE LIGHT OUTDOOR PENDANT
D: 11.75" H: 20.75"
10' Wire pre-laced through 4' Chain
DAMP

6039(-02 -965 -71 -12)
(3) Candelabra Base 40W max.
T24-1

6039EN(-02 -965 -71 -12)
(3) Cand. Base LED 2700K, 3.5W, 350 Lumen lamps incl.
T24-2 EN★



F
Polished Brass Finish (-02)
Clear Curved Beveled Glass



G
Antique Bronze Finish (-71)
Clear Curved Beveled Glass



H
Antique Brushed Nickel Finish (-965)
Clear Curved Beveled Glass

FINISH CODES

(-02) Polished Brass
(-965) Antique Brushed Nickel
(-71) Antique Bronze
(-12) Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. LARGE ONE LIGHT OUTDOOR WALL LANTERN

W: 7" H: 25.5" H Without Tail: 17.75"' E: 7"
Height from center of outlet box up: 15"
WET

8510(-02 -12)
(1) Medium Base 75W max.
T24-1

8510EN7(-02 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

B. MEDIUM ONE LIGHT OUTDOOR WALL LANTERN

W: 7" H: 12.25" E: 7.25"
Height from center of outlet box up: 3.25"
WET

8509(-02 -12)
(1) Medium Base 75W max.
T24-1

8509EN7(02 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

C. SMALL ONE LIGHT OUTDOOR WALL LANTERN

W: 5.75" H: 10.5" E: 5.75"
Height from center of outlet box up: 7.25"
WET

8507(-02 -12)
(1) Medium Base 75W max.
T24-1

8507EN7(-02 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



A

Polished Brass Finish (-02)
Clear Beveled Glass



B

Black Finish (-12)
Clear Beveled Glass



C

Polished Brass Finish (-02)
Clear Beveled Glass

FINISH CODES

(-02) Polished Brass
(-12) Black

D. ONE LIGHT OUTDOOR SEMI-FLUSH CONVERTIBLE PENDANT
D: 7" H: 12.5" Semi Flush H: 13"
10' Wire pre-laced through 4' Chain
DAMP

6008(-02 -12)
(1) Medium Base 75W max.
T24-1

6008EN7(-02 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

E. ONE LIGHT OUTDOOR POST LANTERN
D: 7" H: 15.75"
WET

8209-(-02 -12)
(1) Medium Base 75W max.
T24-1

8209EN7(-02- 12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



D

Polished Brass Finish (-02)
Clear Beveled Glass



Black Finish (-12)
Clear Beveled Glass



E

Polished Brass Finish (-02)
Clear Beveled Glass

FINISH CODES

(-02) Polished Brass
(-12) Black

A. MEDIUM ONE LIGHT UPLIGHT OUTDOOR WALL LANTERN

W: 10.25" H: 19.75" E: 10.75"
Height from center of outlet box up: 15"
WET

89824-12
(1) Medium Base 75W max.
T24-1

89824EN3-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

B. MEDIUM ONE LIGHT DOWNLIGHT OUTDOOR WALL LANTERN

W: 10.25" H: 18" E: 10.75"
Height from center of outlet box up: 4.75"
WET

89825-12
(1) Medium Base 75W max.
T24-1

89825EN3-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

C. SMALL ONE LIGHT OUTDOOR WALL LANTERN

W: 7" H: 10.25" E: 7"
Height from center of outlet box up: 6"
WET

89822-12
(1) Medium Base 60W max.
T24-1

89822EN3-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A

Black Finish (-12)
Etched, White Inside Glass



B

Black Finish (-12)
Etched, White Inside Glass



C

Black Finish (-12)
Etched, White Inside Glass

FINISH CODES

(-12) Black

D. TWO LIGHT OUTDOOR CEILING FLUSH MOUNT
D: 12.75" H: 7.5"
DAMP

79136-12
(2) Medium Base 60W max.
T24-1

79136EN3-12
(2) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★



D
Black Finish (-12)
Etched, White Inside Glass

E. ONE LIGHT OUTDOOR POST LANTERN
D: 13" H: 25.75"
WET

89025-12
(1) Medium Base 75W max.
T24-1

89025EN3-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



E
Black Finish (-12)
Etched, White Inside Glass

F. ONE LIGHT OUTDOOR PENDANT
D: 10.25" H: 18.75"
10' Wire pre-laced through 3' Chain
DAMP

69025-12
(1) Medium Base 75W max.
T24-1

69025EN3-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



F
Black Finish (-12)
Etched, White Inside Glass

FINISH CODES
(-12) Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. MEDIUM ONE LIGHT UPLIGHT OUTDOOR WALL LANTERN

W: 10.25" H: 19.75" E: 10.75"
Height from center of outlet box up: 15"
WET

8824-12
(1) Medium Base 75W max.
T24-1

8824EN7-12
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

B. MEDIUM ONE LIGHT DOWNLIGHT OUTDOOR WALL LANTERN

W: 10.25" H: 18" E: 10.75"
Height from center of outlet box up: 4.75"
WET

8825-12
(1) Medium Base 75W max.
T24-1

8825EN7-12
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

C. SMALL ONE LIGHT OUTDOOR WALL LANTERN

W: 7" H: 10.25" E: 7"
Height from center of outlet box up: 6"
WET

8822-12
(1) Medium Base 60W max.
T24-1

8822EN7-12
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



A

Black Finish (-12)
Clear Beveled Glass



B

Black Finish (-12)
Clear Beveled Glass



C

Black Finish (-12)
Clear Beveled Glass

FINISH CODES

(-12) Black

D. TWO LIGHT OUTDOOR CEILING FLUSH MOUNT
D: 12.75" H: 7.5"
DAMP

78136-12
(2) Medium Base 60W max.
T24-1

E. THREE LIGHT OUTDOOR POST LANTERN
D: 13" H: 25.75"
WET

8231-12
(3) Candelabra Base 60W max.
T24-1

8231EN-12
(3) Cand. Base LED 2700K, 3.5W, 350 Lumen lamps incl.
T24-2 EN★

F. ONE LIGHT OUTDOOR PENDANT
D: 10.25" H: 18.75"
10' Wire pre-laced through 3' Chain
DAMP

6025-12
(1) Medium Base 75W max.
T24-1

6025EN7-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



D

Black Finish (-12)
Clear Beveled Glass



E

Black Finish (-12)
Clear Beveled Glass



F

Black Finish (-12)
Clear Beveled Glass

FINISH CODES

(-12) Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350



PRODUCT SHOWN: COTSWOLD LANE LARGE OUTDOOR WALL LANTERN IN BLACK FINISH

A. EXTRA LARGE LANTERN
W: 13.625" H: 36.25" E: 17.875"
Height from center of outlet box up: 12"
WET

OL5405(BK GBZ)
(4) Candelabra Base 60W max

B. LARGE LANTERN
W: 12" H: 30" E: 16.25"
Height from center of outlet box up: 12.875"
WET

OL5404(BK GBZ)
(3) Candelabra Base 60W max

C. MEDIUM LANTERN
W: 9.5" H: 23.75" E: 13.625"
Height from center of outlet box up: 10.5"
WET

OL5402(BK GBZ)
(3) Candelabra Base 60W max

D. SMALL LANTERN
W: 9" H: 20" E: 11.625"
Height from center of outlet box up: 8.5"
WET

OL5401(BK GBZ)
(2) Candelabra Base 60W max

E. EXTRA SMALL LANTERN
W: 6.5" H: 11.5" E: 7.75"
Height from center of outlet box up: 3.5"
WET

OL5400(BK GBZ)
(1) Medium 75W max

F. POCKET LANTERN
W: 9.5" H: 16" E: 6"
Height from center of outlet box up: 9.625"
WET

OL5403(BK GBZ)
(2) Candelabra Base 60W max



A
Black Finish (BK)
Clear Beveled Glass



B
Grecian Bronze Finish (GBZ)
Clear Beveled Glass



C
Grecian Bronze Finish (GBZ)
Clear Beveled Glass



D
Black Finish (BK)
Clear Beveled Glass



E
Grecian Bronze Finish (GBZ)
Clear Beveled Glass



F
Black Finish (BK)
Clear Beveled Glass

FINISH CODES

(BK) Black
(GBZ) Grecian Bronze

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. LARGE PENDANT
L: 13.625" W:13.625" H: 31"
15' Wire, 5' Chain
DAMP

OL5414(BK GBZ)
(4) Candelabra Base 60W max

B. MEDIUM PENDANT
L: 12" W:12" H: 26.5"
1' Wire
DAMP

OL5412(BK GBZ)
(3) Candelabra Base 60W max

C. SMALL PENDANT
L: 9.5" W:9.5" H: 21.5"
1' Wire
DAMP

OL5411(BK GBZ)
(3) Candelabra Base 60W max



A

Black Finish (BK)
Clear Beveled Glass



B

Black Finish (BK)
Clear Beveled Glass



C

Grecian Bronze Finish (GBZ)
Clear Beveled Glass

FINISH CODES

(BK) Black
(GBZ) Grecian Bronze

D. FLUSH MOUNT
L: 11.5" W:11.5" H: 6.625"
DAMP

OL5413(BK GBZ)
(2) Medium Base 60W max

E. LARGE POST
W: 12" H: 27.5"
WET

OL5408(BK GBZ)
(3) Candelabra Base 60W max

F. SMALL POST
W: 9.5" H: 22.5"
WET

OL5407(BK GBZ)
(3) Candelabra Base 60W max



D

Black Finish (BK)
Clear Beveled Glass



E

Black Finish (BK)
Clear Beveled Glass



F

Grecian Bronze Finish (GBZ)
Clear Beveled Glass

FINISH CODES

(BK) Black
(GBZ) Grecian Bronze

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. LARGE LANTERN
W: 12" H: 30" E: 16.25"
Height from center of outlet box up: 12.875"
WET

OL5424BK
(3) Candelabra Base 60W max

B. MEDIUM LANTERN
W: 9.5" H: 23.75" E: 13.625"
Height from center of outlet box up: 10.5"
WET

OL5422BK
(3) Candelabra Base 60W max

C. SMALL LANTERN
W: 9" H: 20" E: 11.625"
Height from center of outlet box up: 8.5"
WET

OL5421BK
(2) Candelabra Base 60W max

D. POCKET LANTERN
W: 9.5" H: 16" E: 6"
Height from center of outlet box up: 9.625"
WET

OL5423BK
(2) Candelabra Base 60W max

E. EXTRA SMALL LANTERN
W: 6.5" H: 11.5" E: 7.75"
Height from center of outlet box up: 3.5"
WET

OL5420BK
(1) Medium 75W max



A
Black Finish (BK)
Clear Seeded Glass



B
Black Finish (BK)
Clear Seeded Glass



C
Black Finish (BK)
Clear Seeded Glass



D
Black Finish (BK)
Clear Seeded Glass



E
Black Finish (BK)
Clear Seeded Glass

FINISH CODES

(BK) Black
(GBZ) Grecian Bronze

F. MEDIUM PENDANT
L: 12" W:12" H: 26.5"
15' Wire
DAMP

OL5432BK
(3) Candelabra Base 60W max

G. SMALL PENDANT
L: 9.5" W:9.5" H: 21.5"
15' Wire
DAMP

OL5431BK
(3) Candelabra Base 60W max

H. FLUSH MOUNT
L: 11.5" W:11.5" H: 6.625"
DAMP

OL5433BK
(2) Medium Base 60W max

I. LARGE POST
W: 12" H: 27.5"
WET

OL5428BK
(3) Candelabra Base 60W max

J. SMALL POST
W: 9.5" H: 22.5"
WET

OL5427BK(BK GBZ)
(3) Candelabra Base 60W max



F
Black Finish (BK)
Clear Seeded Glass



G
Black Finish (BK)
Clear Seeded Glass



H
Black Finish (BK)
Clear Seeded Glass



I
Black Finish (BK)
Clear Seeded Glass



J
Black Finish (BK)
Clear Seeded Glass



Grecian Bronze Finish (GBZ)
Clear Seeded Glass

FINISH CODES

(BK) Black
(GBZ) Grecian Bronze

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. LARGE ONE LIGHT OUTDOOR WALL LANTERN
W: 7.75" H: 23.5" E: 10.75"
Height from center of outlet box up: 16"
WET

89103-12
(1) Medium Base 75W max.
T24-1

89103EN3-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

B. MEDIUM ONE LIGHT OUTDOOR WALL LANTERN
W: 6.25" H: 19.75" E: 10"
Height from center of outlet box up: 15.25"
WET

89102-12
(1) Medium Base 75W max.
T24-1

89102EN3-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

C. SMALL ONE LIGHT OUTDOOR WALL LANTERN
W: 6" H: 9.75" E: 6.75"
Height from center of outlet box up: 2.5"
WET

89101-12
(1) Medium Base 75W max.
T24-1

89101EN3-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

D. EXTRA SMALL ONE LIGHT OUTDOOR WALL LANTERN
W: 5" H: 11.25" E: 8"
Height from center of outlet box up: 4.3125"
WET

89104-12
(1) Medium Base 75W max.
T24-1

89104EN3-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

E. TWO LIGHT OUTDOOR CEILING FLUSH MOUNT
D: 12.75" H: 7.5"
DAMP

79136-12
(2) Medium Base 60W max.
T24-1

79136EN3-12
(2) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★

F. SMALL ONE LIGHT OUTDOOR POST LANTERN
D: 6.125" H: 18.5"
WET

89202-12
(1) Medium Base 75W max.
T24-1

89202EN3-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A

Black Powdercoat Finish (-12)
Frosted Glass



B

Black Powdercoat Finish (-12)
Frosted Glass



C

Black Powdercoat Finish (-12)
Frosted Glass



D

Black Powdercoat Finish (-12)
Frosted Glass



E

Black Powdercoat Finish (-12)
Frosted Glass



F

Black Powdercoat Finish (-12)
Frosted Glass

FINISH CODE

(-12) Black

G. LARGE TWO LIGHT OUTDOOR WALL LANTERN
W: 7.75" H: 23.5" E: 10.75"
Height from center of outlet box up: 16"
WET

88201-12
(2) Candelabra Base 60W max.
T24-1

88201EN-12
(2) Cand. Base LED 2700K, 3.5W, 350 Lumen lamps incl.
T24-2 EN★

H. MEDIUM ONE LIGHT OUTDOOR WALL LANTERN
W: 6.25" H: 19.75" E: 10"
Height from center of outlet box up: 15.25"
WET

88200-12
(1) Medium Base 75W max.
T24-1

88200EN7-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

I. SMALL ONE LIGHT OUTDOOR WALL LANTERN
W: 6" H: 9.75" E: 6.75"
Height from center of outlet box up: 2.5"
WET

85200-12
(1) Medium Base 75W max.
T24-1

85200EN7-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

J. EXTRA SMALL ONE LIGHT OUTDOOR WALL LANTERN
W: 5" H: 11.25" E: 8"
Height from center of outlet box up: 4.3125"
WET

88203-12
(1) Medium Base 75W max.
T24-1

88203EN7-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

K. TWO LIGHT OUTDOOR CEILING FLUSH MOUNT
D: 12.75" H: 7.5"
DAMP

78136-12
(2) Medium Base 60W max.
T24-1

78136EN7-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

L. MEDIUM TWO LIGHT OUTDOOR POST LANTERN
D: 7.75" H: 23"
WET

82200-12
(2) Candelabra Base 60W max.
T24-1

82200EN-12
(2) Cand. Base LED 2700K, 3.5W, 350 Lumen lamps incl.
T24-2 EN★

M. SMALL ONE LIGHT OUTDOOR POST LANTERN
D: 6.125" H: 18.5"
WET

82202-12
(1) Medium Base 75W max.
T24-1

82202EN7-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

FINISH CODE

(-12) Black



G

Black Powdercoat Finish (-12)
Clear Beveled Glass



H

Black Powdercoat Finish (-12)
Clear Beveled Glass



I

Black Powdercoat Finish (-12)
Clear Beveled Glass



J

Black Powdercoat Finish (-12)
Clear Beveled Glass



K

Black Powdercoat Finish (-12)
Clear Beveled Glass



L

Black Powdercoat Finish (-12)
Clear Beveled Glass



M

Black Powdercoat Finish (-12)
Clear Beveled Glass

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. EXTRA LARGE LANTERN
W: 12" H: 26.875" E: 14.25"
Height from center of outlet box up: 9.5" down: 17.375"
WET SS

OL15204ANBZ
(4) Candelabra Base 60W max

B. LARGE LANTERN
W: 10" H: 22.25" E: 12"
Height from center of outlet box up: 8.25" down: 14"
WET SS

OL15203ANBZ
(3) Candelabra Base 60W max

C. MEDIUM LANTERN
W: 8.5" H: 19.25" E: 10.25"
Height from center of outlet box up: 7" down: 12.25"
WET SS

OL15202ANBZ
(1) Medium 75W max

D. SMALL LANTERN
W: 6.75" H: 15.5" E: 8.25"
Height from center of outlet box up: 5.75" down: 9.75"
WET SS

OL15201ANBZ
(1) Medium 75W max

E. EXTRA SMALL LANTERN
W: 6.75" H: 12" E: 8.25"
Height from center of outlet box up: 5.25" down: 6.75"
WET SS

OL15200ANBZ
(1) Medium 75W max



A
Antique Bronze Finish (ANBZ)
Water Glass



B
Antique Bronze Finish (ANBZ)
Water Glass



C
Antique Bronze Finish (ANBZ)
Water Glass



D
Antique Bronze Finish (ANBZ)
Water Glass



E
Antique Bronze Finish (ANBZ)
Water Glass

FINISH CODE
(ANBZ) Antique Bronze

F. POST LANTERN
D: 10" H: 24.5"
WET SS

OL15207ANBZ
(3) Candelabra Base 60W max

G. PENDANT
D: 10" H: 21.375"
15' Wire, 5' Chain
DAMP SS

OL15209ANBZ
(3) Candelabra Base 60W max



F

Antique Bronze Finish (ANBZ)
Water Glass



G

Antique Bronze Finish (ANBZ)
Water Glass

FINISH CODE

(ANBZ) Antique Bronze

SS All Millbrooke Fixtures are built with StoneStrong Composite Material.

StoneStrong Material is rust-proof and built to last in any outside environment, including Coastal, Dry, and Harsh Winter or Summer climates. StoneStrong is also backed by a robust 5-year warranty.

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. LARGE LANTERN
W: 9.5" H: 24.75" E: 11"
Height from center of outlet box up: 9.625"
WET

OL7623ES
(3) Candelabra Base 60W max

B. MEDIUM LANTERN
W: 7.625" H: 20.625" E: 9.125"
Height from center of outlet box up: 8.5"
WET

OL7622ES
(2) Candelabra Base 60W max

C. SMALL LANTERN
W: 6.125" H: 16.875" E: 7.5"
Height from center of outlet box up: 4.875"
WET

OL7621ES
(1) Medium 75W max

D. POST LANTERN
D: 9.5" H: 28.125"
1' Wire
WET

OL7627ES
(3) Candelabra Base 60W max

D. FLUSH MOUNT
D: 14" H: 4.875"
1' Wire
DAMP

OL7633ES
(3) Medium 60W max



A

Espresso Finish (ES)
Clear Seeded Glass



B

Espresso Finish (ES)
Clear Seeded Glass



C

Espresso Finish (ES)
Clear Seeded Glass



D

Espresso Finish (ES)
Clear Seeded Glass



E

Espresso Finish (ES)
Clear Seeded Glass

FINISH CODE

(ES) Espresso

A. LARGE LANTERN
W: 9.5" H: 24.75" E: 11"
Height from center of outlet box up: 9.625"
WET

OL7602ES
(1) Medium A21 75W max

B. MEDIUM LANTERN
W: 7.625" H: 20.625" E: 9.125"
Height from center of outlet box up: 8.5"
WET

OL7601ES
(1) Medium A21 75W max

C. SMALL LANTERN
W: 6.125" H: 16.785" E: 7.5"
Height from center of outlet box up: 4.875"
WET

OL7604ES
(1) Medium A19 60W max

D. EXTRA SMALL LANTERN
W: 4.75" H: 13.25" E: 5.75"
Height from center of outlet box up: 3.75"
WET

OL7600ES
(1) Medium A19 75W max

E. FLUSH MOUNT
D: 14" H: 4.875"
DAMP

OL7613ES
(3) Medium A19 60W max



A

Espresso Finish (ES)
Acid Etched Outside Spray
White Inside Glass



B

Espresso Finish (ES)
Acid Etched Outside Spray
White Inside Glass



C

Espresso Finish (ES)
Acid Etched Outside Spray
White Inside Glass



D

Espresso Finish (ES)
Acid Etched Outside Spray
White Inside Glass



E

Espresso Finish (ES)
Acid Etched Outside Spray
White Inside Glass

FINISH CODE

(ES) Espresso

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350



PRODUCT SHOWN: CALDER SMALL ONE LIGHT OUTDOOR WALL LANTERN IN ANTIQUE BRONZE FINISH

A. LARGE ONE LIGHT OUTDOOR WALL LANTERN
W: 10" H: 16.5" E: 11.375"
Height from the center of outlet box up: 5.375"
WET SS

8750701-71
(1) Medium Base 75W max.
T24-1

8750701EN3-71
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

B. MEDIUM ONE LIGHT OUTDOOR WALL LANTERN
W: 7.875" H: 12.25" E: 9.125"
Height from the center of outlet box up: 4.375"
WET SS

8650701-71
(1) Medium Base 75W max.
T24-1

8650701EN3-71
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A

Antique Bronze Finish (-71)
Satin Etched Glass



B

Antique Bronze Finish (-71)
Satin Etched Glass

C. SMALL ONE LIGHT OUTDOOR WALL LANTERN
W: 6" H: 10" E: 7.25"
Height from the center of outlet box up: 4"
WET SS

8550701-71
(1) Medium Base 75W max.
T24-1

8550701EN3-71
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



C

Antique Bronze Finish (-71)
Satin Etched Glass

D. ONE LIGHT OUTDOOR POST LANTERN
D: 10" H: 20"
WET SS

8250701-71
(1) Medium Base 75W max.
T24-1

8250701EN3-71)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



D

Antique Bronze Finish (-71)
Satin Etched Glass

FINISH CODE

(-71) Antique Bronze

SS **All Calder Fixtures are built with StoneStrong Composite Material.**

StoneStrong Material is rust-proof and built to last in any outside environment, including Coastal, Dry, and Harsh Winter or Summer climates. StoneStrong is also backed by a robust 5-year warranty.

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. LARGE LANTERN

W: 9" H: 14.375" E: 11"
Height from center of outlet box up: 6.25"
WET

OL2200BB
(1) Medium Base 75W max

B. SMALL PENDANT

W: 4.5" H: 11.125" E: 6.25"
Height from center of outlet box up: 3.5"
WET

OL2202BB
(1) Medium Base 75W max



A

Burnished Bronze Finish (BB)
Opal Etched Glass



B

Burnished Bronze Finish (BB)
Opal Etched Glass

FINISH CODE

(BB) Burnished Bronze

A. LARGE LANTERN
W: 8.5" H: 18.25" E: 8"
Supplied with 6' of wire, (3) 12" Stems,
(1) 6" Stem
WET SS

OL12902TXB
(1) Medium A19 75W max.

B. MEDIUM LANTERN
W: 7.5" H: 13.5" H: 7"
Supplied with 6' of wire, (3) 12" Stems,
(1) 6" Stem
WET SS

OL12901TXB
(1) Medium A19 75W max.

C. SMALL LANTERN
W: 6.375" H: 11.5" E: 6"
Supplied with 6' of wire, (3) 12" Stems,
(1) 6" Stem
WET SS

OL12900TXB
(1) Medium A19 60W max.



A

Textured Black Finish (TXB)
White Opal Etched Glass



B

Textured Black Finish (TXB)
White Opal Etched Glass



C

Textured Black Finish (TXB)
White Opal Etched Glass

FINISH CODE

(TXB) Textured Black

SS All Roscoe Fixtures are built with StoneStrong Composite Material.

StoneStrong Material is rust-proof and built to last in any outside environment, including Coastal, Dry, and Harsh Winter or Summer climates. StoneStrong is also backed by a robust 5-year warranty.

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. ONE LIGHT OUTDOOR WALL LANTERN
W: 5.75" H: 8.75" E: 4.5"
Height from center of outlet box up: 5"
WET

8788(-15 -155 -10 -12)
(1) Medium Base 75W max.
T24-1

8988EN3(-15 -155 -10 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

B. ONE LIGHT OUTDOOR WALL LANTERN
W: 5.75" H: 8.75" E: 4.5"
Height from center of outlet box up: 5"
WET

8588(-15 -155 -10 -12)
(1) Medium Base 75W max.
T24-1

8588EN7)-15 -155 -10 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A

Bronze Finish (-10)
White Glass



Black Finish (-12)
White Glass



B

White Finish (-15)
Clear Beveled Glass



Pewter Finish (-155)
Clear Beveled Glass

FINISH CODES

(-15) White
(-155) Pewter
(-155) Bronze
(-12) Black

A. LARGE ONE LIGHT OUTDOOR WALL LANTERN
W: 4.5" H: 10.25" E: 5.75"
Height from center of outlet box up: 2.75"
WET

8593001(-15 -965 -71 -12)
(1) Medium Base 75W max.
T24-1

8593001EN3(-15 -965 -71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

B. LARGE ONE LIGHT OUTDOOR WALL LANTERN
W: 4.5" H: 10.25" E: 5.75"
Height from center of outlet box up: 2.75"
WET

8593(-15 -965 -71 -12)
(1) Medium Base 75W max.
T24-1

8593EN7(-15 -965 -71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A

White Finish (-15)
Satin Etched Glass



B

Antique Brushed Nickel Finish (-965)
Clear Glass

C. SMALL ONE LIGHT OUTDOOR WALL LANTERN
W: 4.25" H: 8.25" E: 5.5"
Height from center of outlet box up: 2.75"
WET

8592001(-15 -965 -71 -12)
(1) Medium Base 75W max.
T24-1

8592001EN3(-15 -965 -71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

D. SMALL ONE LIGHT OUTDOOR WALL LANTERN
W: 4.25" H: 8.25" E: 5.5"
Height from center of outlet box up: 2.75"
WET

8592(-15 -965 -71 -12)
(1) Medium Base 75W max.
T24-1

8592EN7(-15 -965 -71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



C

Antique Bronze Finish (-71)
Satin Etched Glass



D

Black Finish (-12)
Clear Glass

FINISH CODES

(-15) White
(-965) Antique Brushed Nickel
(-71) Antique Bronze Finish
(-12) Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

HUNNINGTON OUTDOOR

A. LARGE ONE LIGHT OUTDOOR WALL LANTERN
W: 9" H: 14" E: 10.5"
Height from center of outlet box up: 3.25"
WET

88027(-57 -12)
(1) Medium Base 75W max.
T24-1

88027EN7(-57 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

B. SMALL ONE LIGHT OUTDOOR WALL LANTERN
W: 7" H: 11" E: 8.5"
Height from center of outlet box up: 3.25"
WET

88025(-57 -12)
(1) Medium Base 60W max.
T24-1

88025EN7(-57 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

C. TWO LIGHT OUTDOOR CEILING FLUSH MOUNT
L: 10" W: 10" H: 6.25"
DAMP

78027(-57 -12)
(2) Medium Base 75W max.
T24-1

D. ONE LIGHT OUTDOOR POST LANTERN
L: 9" W: 9" H: 15"
WET

82027(-57 -12)
(1) Medium Base 75W max.
T24-1

82027EN7(-57 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

E. ONE LIGHT OUTDOOR PENDANT
L: 9" W: 9" H: 13.75"
12' Wire pre-laced through 10' Chain
DAMP

62027(-57 -12)
(1) Medium Base 75W max.
T24-1

78027EN7(-57 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



A

Weathered Pewter Finish (-57)
Clear Seeded Glass



B

Black Finish (-12)
Clear Seeded Glass



C

Black Finish (-12)
Clear Seeded Glass



D

Weathered Pewter Finish (-57)
Clear Seeded Glass



E

Black Finish (-12)
Clear Seeded Glass

FINISH CODES

(-57) Weathered Pewter
(-12) Black

F. LARGE ONE LIGHT OUTDOOR WALL LANTERN
W: 9" H: 14" E: 10.5"
Height from center of outlet box up: 3.25"
WET

89031(-57 -12)
(1) Medium Base 75W max.
T24-1

89031EN3(-57 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

8903197S-12
LED: 2700K, 14 Watts, 1000 Lumens
T24-4 WOD EN★ LED

G. SMALL ONE LIGHT OUTDOOR WALL LANTERN
W: 7" H: 11" E: 8.5"
Height from center of outlet box up: 3.25"
WET

89029(-57 -12)
(1) Medium Base 60W max.
T24-1

89029EN3(-57 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

8902997S(-57 -12)
LED: 2700K, 9 Watts, 700 Lumens
T24-4 WOD EN★ LED

H. TWO LIGHT OUTDOOR CEILING FLUSH MOUNT
L: 10" W: 10" H: 6.25"
DAMP

79039(-57 -12)
(2) Medium Base 75W max.
T24-1

79039EN3(-57 -12)
(2) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★

7903997S(-57 -12)
LED: 2700K, 14 Watts, 1000 Lumens
T24-4 WOD EN★ LED

I. ONE LIGHT OUTDOOR POST LANTERN
L: 9" W: 9" H: 15
WET

89129(-57 -12)
(1) Medium Base 75W max.
T24-1

89129EN3(-57 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

J. ONE LIGHT OUTDOOR PENDANT
L: 9" W: 9" H: 13.75"
12' Wire pre-laced through 10' Chain
DAMP

69029(-57 -12)
(1) Medium Base 75W max.
T24-1

69029EN3(-57 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

6902997S(-57 -12)
LED: 2700K, 14 Watts,
1000 Lumens
T24-4 WOD EN★ LED



F

Black Finish (-57)
Etched Seeded Glass



G

Weathered Pewter Finish (-57)
Etched Seeded Glass



H

Weathered Pewter Finish (-57)
Swirled Marbleized Glass



I

Black Finish (-12)
Swirled Marbleized Glass



J

Weathered Pewter Finish (-57)
Swirled Marbleized Glass

FINISH CODES

(-57) Weathered Pewter
(-12) Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. LARGE LANTERN
W: 9" H: 25" E: 6.5"
Height from center of outlet box up: 9"
WET

OL2602ORB
(3) Candelabra Base 60W max

B. MEDIUM LANTERN
W: 6.75" H: 19" E: 5"
Height from center of outlet box up: 6.75"
WET

OL2601ORB
(2) Candelabra Base 60W max



A

Oil Rubbed Bronze Finish (ORB)
Clear Seeded Glass



B

Oil Rubbed Bronze Finish (ORB)
Clear Seeded Glass

FINISH CODE
(ORB) Oil Rubbed Bronze

A. LARGE LANTERN
W: 9" H: 22.5" E: 4.875"
Height from center of outlet box up: 9.875"
WET

OL7402ASTB
(3) Candelabra B Torpedo 60W max

B. SMALL LANTERN
W: 6" H: 17.25" E: 4.875"
Height from center of outlet box up: 7"
WET

OL7400ASTB
(2) Candelabra Base 60W max



A

Astral Bronze Finish (ASTB)
Clear Seeded Glass



B

Astral Bronze Finish (ASTB)
Clear Seeded Glass

FINISH CODE

(ASTB) Astral Bronze

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. LARGE ONE LIGHT OUTDOOR WALL LANTERN
W: 11" H: 17" E: 12"
Height from center of outlet box up: 9.75"
WET

88882-51
(1) Medium Base 75W max.
T24-1

88882EN3-51
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

B. MEDIUM ONE LIGHT OUTDOOR WALL LANTERN
W: 9" H: 14.25" E: 10"
Height from center of outlet box up: 8.5"
WET

88881-51
(1) Medium Base 75W max.
T24-1

88881EN3-51
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

C. SMALL ONE LIGHT OUTDOOR WALL LANTERN
W: 7" H: 11" E: 8"
Height from center of outlet box up: 6.5"
WET

88880-51
(1) Medium Base 75W max.
T24-1

88880EN3-51
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A

Statuary Bronze Finish (-51)
Etched Hammered Glass With Light Amber Tint



B

Statuary Bronze Finish (-51)
Etched Hammered Glass With Light Amber Tint



C

Statuary Bronze Finish (-51)
Etched Hammered Glass With Light Amber Tint

FINISH CODE

(-51) Statuary Bronze

A. LARGE LANTERN
W: 8.875" H: 20.125" E: 8.625"
Height from center of outlet box up: 13.5"
WET SS

OL14372CO
(3) Candelabra Torpedo 60W max.



A

Copper Oxide Finish (CO)

FINISH CODE

(CO) Copper Oxide

LENNEX

A. RECTANGULAR PLATE LANTERN
W: 12" H: 17.25" E: 15.5"
Height from the center of outlet box up: 11.25"
WET

WB1828SGM
(1) Medium A19 60W max.



A

Slate Grey Metal Finish (SGM)

FINISH CODE

(SGM) Slate Grey Metal

DARBY

A. LANTERN
W: 7.5" H: 9.25" E: 8.875"
Height from center of outlet box up: 6"
WET

OL8701ORB
(1) Medium 75W max



A

Oil Rubbed Bronze Finish (ORB)

FINISH CODE

(ORB) Oil Rubbed Bronze



PRODUCT SHOWN: CRITTENDEN ONE LIGHT OUTDOOR WALL LANTERN IN SATIN ALUMINUM FINISH

A. LARGE ONE LIGHT OUTDOOR WALL LANTERN
W: 13" H: 10.375" E: 15.125"
Height from center of outlet box up: 3.375"
WET

8638501-12
(1) Medium Base 75W max.
T24-1

8638501EN3-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

B. MEDIUM ONE LIGHT OUTDOOR WALL LANTERN
W: 10" H: 8.5" E: 11.375"
Height from center of outlet box up: 2.5"
WET

8538501(-04 -12)
(1) Medium Base 75W max.
T24-1

8538501EN3(-04 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

C. SMALL ONE LIGHT OUTDOOR WALL LANTERN
W: 8" H: 7.625" E: 9.125"
Height from center of outlet box up: 2.5"
WET

8438501-12
(1) Medium Base 75W max.
T24-1

8438501EN3-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A
Black Finish (-12)



B
Satin Aluminum Finish (-04)



C
Black Finish (-12)

FINISH CODE

(-04) Satin Aluminum
(-12) Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. LARGE ONE LIGHT OUTDOOR WALL LANTERN

W: 13.25" H: 16" E: 15.25"
Height from center of outlet box up: 7.5"
WET

8647701(-04 -44 -12)
(1) Medium Base 75W max.
T24-1

8647701EN3(-04 -44 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

8647701(-04 -44)/T
(1) Med. Base PAR 20 LED 7W, 340 Lumen lamp incl.
T24-4

B. SMALL ONE LIGHT OUTDOOR WALL LANTERN

W: 10" H: 12" E: 11.75"
Height from center of outlet box up: 5.75"
WET

8547701(-04 -44 -12)
(1) Medium Base 75W max.
T24-1

8547701EN3(-04 -44 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

8547701(-04 -44)/T
(1) Med. Base PAR 20 LED 7W, 340 Lumen lamp incl.
T24-4

C. INDOOR / OUTDOOR PENDANT

D: 13.25" H: 11.5"
10' Wire, (3) 12" stems, (1) 6" Stem
Sloped ceiling mounting hardware incl.
DAMP

6247701(-04 -44 -12)
(1) Medium Base 75W max.
T24-1

6247701EN3(-04 -44 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A

Satin Aluminum Finish (-04)



B

Weathered Copper Finish (-44)



C

Black Finish (-12)

FINISH CODES

(-04) Satin Aluminum
(-44) Weathered Copper
(-12) Black

A. LARGE ONE LIGHT OUTDOOR WALL LANTERN

W: 11.25" H: 15.75" E: 13.5"
Height from center of outlet box up: 9.5"
WET

8871(-98 -44 -12)
(1) Medium Base 75W max.
T24-1

8871EN3(-98 -44 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

B. SMALL ONE LIGHT OUTDOOR WALL LANTERN

W: 8" H: 11.25" E: 9.25"
Height from center of outlet box up: 6.25"
WET

8870(-98 -44 -12)
(1) Medium Base 75W max.
T24-1

8870EN3(-98 -44 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A

Brushed Stainless Finish (-98), White Inside
Clear Seeded Glass



C

Brushed Stainless Finish (-98), White Inside
Clear Seeded Glass

C. ONE LIGHT OUTDOOR FLUSH MOUNT

D: 11.25" H: 9.25"
DAMP

8869(-98 -44 -12)
(1) Medium Base 75W max.
T24-1

8869EN3(-98 -44 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

D. ONE LIGHT OUTDOOR POST LANTERN

D: 11.25" H: 15.75" E: 16"
WET

8269(-98 -44 -12)
(1) Medium Base 75W max.
T24-1

8269EN3(-98 -44 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



B

Weathered Copper Finish (-44)
Clear Seeded Glass



D

Black Finish (-12)
Clear Seeded Glass

FINISH CODES

(-98) Brushed Stainless
(-44) Weathered Copper
(-12) Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

REDDING STATION OUTDOOR



PRODUCT SHOWN: REDDING STATION SMALL OUTDOOR
WALL LANTERN IN RESTORATION BRONZE FINISH



A

Restoration Bronze Finish (RSZ)



B

Tarnished Silver Finish (TRD)



C

Textured Black Finish (TXB)



D

Textured Black Finish (TXB)

OUTDOOR WALL LANTERNS

PRODUCT	NO LAMP OPTION	INTEGRATED LED	WILDLIFE FRIENDLY LAMP
A. LARGE LANTERN W: 15" H: 15.625" E: 16.625" Height from center of outlet box up: 8.875" WET	**OL9004(RSZ TRD TXB)** (1) Medium Base wA21 75W max	**OL9004RSZ-L1** **OL9004TRD-L1** **OL9004TXB-L1** (1) LED Integrated Module 14W Bulb Lamp incl. T24-1	**OL9004RSZ/T** **OL9004TRD/T** **OL9004TXB/T** (1) Red LED Medium PAR20 7W Max Bulb Lamp incl.
B. MEDIUM LANTERN W: 12" H: 12.5" E: 13.4375" Height from center of outlet box up: 6" WET	**OL8601(RSZ TRD TXB)** (1) Medium Base A21 75W max	**OL8601RSZ-L1** **OL8601TRD-L1** **OL8601TXB-L1** (1) LED Integrated Module 14W Bulb Lamp incl. T24-1	**OL8601RSZ/T** **OL8601TRD/T** **OL8601TXD/T** (1) Red LED Medium PAR20 7W Max Bulb Lamp incl.
C. SMALL LANTERN W: 9" H: 9.6875" E: 10.375" Height from center of outlet box up: 4.25" WET	**OL8600(RSZ TRD TXB)** (1) Medium Base A19 75W max	**OL8600RSZ-L1** **OL8600TRD-L1** **OL8600TXB-L1** (1) LED Integrated Module 14W Bulb Lamp incl. T24-1	**OL8600RSZ/T** **OL8600TRD/T** **OL8600TXB/T** (1) Red LED Medium PAR20 7W Max Bulb Lamp incl.
D. PENDANT D: 12" H: 11" 15' Wire, 5' Chain DAMP	**OL8600(RSZ TRD TXB)** (1) Medium Base A19 75W max	**OL8600RSZ-L1** **OL8600TRD-L1** **OL8600TXB-L1** (1) LED Integrated Module 14W Bulb Lamp incl. T24-1	—

FINISH CODES

(RSZ) Restoration Bronze
(TRD) Tarnished Silver
(TXB) Textured Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. ONE LIGHT OUTDOOR WALL LANTERN

L: 10" W: 5" H: 3.75" E: 3.75"
Height from center of outlet box
horizontal: 2.5" vertical: 5"

WET ADA

8335(-15 -12)
(1) Medium Base 60W max.
T24-1

8335EN3(-15 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



A

White Finish (-15)
Frosted Ribbed Diffuser

B. ONE LIGHT OUTDOOR WALL LANTERN

L: 10" H: 5" E: 4"
Height from center of outlet box
horizontal: 2.5" vertical: 5"

WET ADA

89806(-15 -12)
(1) Medium Base 60W max.
T24-1

89806EN3(-15 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



B

Black Finish (-12)
Frosted Ribbed Diffuser

C. ONE LIGHT OUTDOOR WALL LANTERN

L: 10" W: 5" H: 4" E: 4"
Height from center of outlet box up: 2.5"

WET ADA

89805(-15 -12)
(1) Medium Base 60W max.
T24-1

89805EN3(-15 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



C

White Polycarbonate Finish (-15)
Frosted Ribbed Diffuser

FINISH CODES

(-15) White
(-12) Black

D. ONE LIGHT OUTDOOR WALL / CEILING MOUNT

D: 10" H: 5" E: 5"
Wall or Ceiling mount
Height from center of outlet box up: 5"
WET

83057(-15 -12)
(1) Medium Base 75W max.
T24-1

83057EN3(-15 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

E. ONE LIGHT OUTDOOR WALL / CEILING MOUNT

D: 10" H: 5" E: 5"
Wall or Ceiling mount
Height from center of outlet box up: 5"
WET

89807(-15 -12)
(1) Medium Base 75W max.
T24-1

89807EN3(-15 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



D

Black Finish (-12)
Frosted Ribbed Diffuser



E

White Finish (-15)
Frosted Ribbed Diffuser

FINISH CODES

(-15) White
(-12) Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. ONE LIGHT OUTDOOR WALL LANTERN
W: 4.5" H: 7.5" E: 5.75"
Height from center of outlet box up: 2.5"
WET

8909PEN3-12
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
photocell included
T24-2 EN★

B. ONE LIGHT OUTDOOR WALL LANTERN
W: 4.5" H: 6" E: 5.5"
Height from center of outlet box up: 2.25"
WET

8750(-15 -12)
(1) Medium Base 60W max.
T24-1

8750EN7(-15 -12)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



A

Black Finish (-12)
White Polycarbonate Diffuser



B

White Finish (-15)
Clear Glass

C. ONE LIGHT OUTDOOR WALL LANTERN
W: 4.5" H: 7.5" E: 5.75"
Height from center of outlet box up: 2.25"
WET

8550-12
(1) Medium Base 75W max.
T24-1

8550EN7-12
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



C

Black Finish (-12)
Clear Glass



D

Black Finish (-12)
Satin Etched Glass

D. ONE LIGHT OUTDOOR WALL LANTERN
W: 4.5" H: 7.5" E: 5.75"
Height from center of outlet box up: 2.25"
WET

8550001-12
(1) Medium Base 75W max.
T24-1

8550001EN3-12
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

E. ONE LIGHT OUTDOOR WALL LANTERN
W: 6" H: 7.25" E: 7"
Height from center of outlet box up: 2.25"
WET

8753(-15 -34)
(1) Medium Base 60W max.
T24-1

8753EN3(-15 -34)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



E

White Finish (-15)
White Glass



Black Polycarbonate Finish (-34)
White Glass

FINISH CODES

(-15) White
(-34) Black Polycarbonate
(-12) Black

A. HALF MOON ONE LIGHT OUTDOOR WALL LANTERN

W: 8" H: 10" E: 5.75"
Height from center of outlet box up: 4.25"
WET

8304701-714
(1) Medium Base 75W max.
T24-1

8304701EN3-714
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

8304701-714/T
(1) Med. Base PAR 20 LED 7W, 340 Lumen lamp incl.
T24-2

B. RECTANGLE ONE LIGHT OUTDOOR WALL LANTERN

W: 8" H: 10" E: 5.75"
Height from center of outlet box up: 4.25"
WET

8304801-714
(1) Medium Base 75W max.
T24-1

8304801EN3-714
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

8304801-714/T
(1) Med. Base PAR 20 LED 7W, 340 Lumen lamp incl.
T24-2

C. STRIATION ONE LIGHT OUTDOOR WALL LANTERN

W: 8" H: 10" E: 5.75"
Height from center of outlet box up: 4.25"
WET

83046-714
(1) Medium Base 75W max.
T24-1

83046EN3-714
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

83046-714/T
(1) Med. Base PAR 20 LED 7W, 340 Lumen lamp incl.
T24-2

A

Paintable Ceramic Finish (-714)



B

Paintable Ceramic Finish (-714)



C

Paintable Ceramic Finish (-714)

FINISH CODE

(-714) Paintable Ceramic

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. ONE LIGHT OUTDOOR WALL LANTERN

W: 8" H: 25" Without Tail H: 20" E: 9"
Height from center of outlet box up: 15.25"
WET

8765(-15 -12)
(1) Medium Base 75W max.
T24-1

8765EN7(-15 -32)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

B. ONE LIGHT OUTDOOR WALL LANTERN

W: 8" H: 17.5" E: 8.5"
Height from center of outlet box up: 10.75"
WET

8720(-15 -32)
(1) Medium Base 60W max.
T24-1

8720EN7(-15 -32)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



A

White Polycarbonate Finish (-15)
Clear Beveled Acrylic Panels



B

Black Polypropylene Finish (-32)
Clear Beveled Acrylic Diffuser

FINISH CODES

(-15) White Polycarbonate
(-32) Black Polypropylene
(-12) Black

A. TWO LIGHT OUTDOOR CEILING FLUSH MOUNT
D: 13" H: 5.5"
DAMP

7821402(-71 -12)
(2) Medium Base 60W max.
T24-1

7821402EN7(-71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

B. TWO LIGHT OUTDOOR CEILING FLUSH MOUNT
L: 10.25" W: 10.25" H: 5.5"
DAMP

7569(-15 -32)
(2) Medium Base 60W max.
T24-1

7569EN3(-15 -32)
(2) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★



A

Antique Bronze Finish (-71)
Clear Seeded Glass



Black Finish (-12)
Clear Seeded Glass

C. ONE LIGHT OUTDOOR CEILING FLUSH MOUNT
L: 8.25" W: 8.25" H: 4.75"
DAMP

7567(-15 -32)
(1) Medium Base 60W max.
T24-1

7567EN3(-15 -32)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



B

White Polypropylene Finish (-15)
Clear Textured Glass



C

Black Polypropylene Finish (-15)
Clear Textured Glass

FINISH CODES

(-15) White Polypropylene
(-32) Black Polypropylene
(-71) Antique Bronze
(-12) Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. ONE LIGHT OUTDOOR POST LANTERN
L: 10.5 W: 10.5" H: 18"
WET

82065-12
(1) Medium Base 75W max.
T24-1

82065EN3-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

B. ONE LIGHT OUTDOOR POST LANTERN
L: 8" W: 8" H: 18"
WET

8255-12
(1) Medium Base 75W max.
T24-1

8255EN7-12
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

C. ONE LIGHT OUTDOOR POST LANTERN
L: 8" W: 8" H: 11"
WET

8275-32
(1) Medium Base 60W max.
T24-1

8275EN7-32
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A

Black Polycarbonate Finish (-12)
Frosted Acrylic Diffuser



B

Black Polycarbonate Finish (-12)
Clear Beveled Acrylic Diffuser



C

Black Polypropylene Finish (-32)
Clear Beveled Acrylic Diffuser

FINISH CODES

(-32) Black Polypropylene
(-12) Black Polycarbonate

A. ONE LIGHT OUTDOOR POST LANTERN
D: 14" H: 15"
WET

8254-68
(1) Medium Base 75W max.
T24-1

8254EN3-68
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

B. ONE LIGHT OUTDOOR POST LANTERN
D: 12" H: 13"
WET

8252-68
(1) Medium Base 75W max.
T24-1

8252EN3-68
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★



A

Black Polycarbonate Finish (-68)
White Acrylic Diffuser



B

Black Polycarbonate Finish (-68)
White Acrylic Diffuser

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350



PRODUCT SHOWN: LED ADDRESS LIGHT IN ANTIQUE BRONZE FINISH

A. 120V LED ADDRESS LIGHT
W: 12.25" H: 7" E: 2.25"
WET

96091S(-15 -71 -12)
LED: 3000K, 120V, 2 Watts,
120 Lumens
LED

B. LOW-VOLTAGE ADDRESS LIGHT
W: 12.5" H: 7" E: 2.25"
WET

9600(-71 -12)
(2) Wedge Base T3¼
5W 16v lamps included

C. LOW-VOLTAGE ADDRESS LIGHT TRANSFORMER
L: 2.5" W: 2.125" H: 2"
WET

9647
16V, Class II

D. NUMBER TILES
W: 2.25" H: 5"
WET



A

White Powdercoat Finish (-15)



B

Antique Bronze Powdercoat Finish (-71)



Antique Bronze Powdercoat Finish (-71)



Black Powdercoat Finish (-12)



Black Powdercoat Finish (-12)



C



90610-68 90611-68 90612-68 90613-68 90614-68 90615-68



90616-68 90617-68 90618-68 90616-68 90619-68 90621-68

D

White Plastic Finish (-68)

FINISH CODES

(-68) White Plastic
(-15) White
(-71) Antique Bronze
(-12) Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

A. ONE LIGHT FLOOD LIGHT WITH PHOTO & MOTION SENSOR

W: 5.75" H: 12.25" E: 11.5"
Height from center of outlet box up: 2.625"
Head swivels

WET

8560701PM(-15 -71 -12)
(1) Medium BR40 120W max.
T24-1

8560701PMEN3(-15 -71 -12)
(1) Med. Base LED 3000K, 9W, 800 Lumen lamp incl.
T24-2 EN★

B. ONE LIGHT ADJUSTABLE SWIVEL FLOOD LIGHT

W: 5.6875" H: 12.25" E: 11.5"
Height from center of outlet box up: 2.625"
Head swivels

WET

8560701(-15 -71 -12)
(1) Medium Base BR40 75W max.
T24-1



A

White Finish (-15)
White Aluminum



Black Finish (-12)
Black Aluminum



B

White Finish (-15)
White Aluminum



Black Finish (-12)
Black Aluminum

FINISH CODES

(-15) White
(-71) Antique Bronze
(-12) Black

C. TWO LIGHT FLOOD LIGHT WITH PHOTO & MOTION SENSOR

W: 22.5" H: 12.5" E: 11.5"
Height from center of outlet box up: 2.625"
Heads swivel
WET

8560702PM(-15 -71 -12)
(2) Medium BR40 120W max.
T24-1

8560702PMEN3(-15 -71 -12)
(2) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★



C

Black Finish (-12)
Black Aluminum

D. TWO LIGHT ADJUSTABLE SWIVEL FLOOD LIGHT

W: 22" H: 12.5" E: 11.5"
Height from center of outlet box up: 2.625"
Heads swivel
WET

8560702(-15 -71 -12)
(2) Medium Base BR40 75W max.
T24-1



D

Antique Bronze Finish (-71)
Antique Bronze Aluminum

E. TWO LIGHT ADJUSTABLE SWIVEL FLOOD LIGHT

W: 9.5" H: 11" E: 2.5"
Heads swivel
WET

8642(-15 -12)
(2) Medium Base PAR38 90W max.
T24-1



E

White Finish (-15)
Polycarbonate

FINISH CODES

(-15) White
(-71) Antique Bronze
(-12) Black

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

EXTRUDED ALUMINUM POSTS OUTDOOR

Generation Lighting lanterns fit only 3" diameter Generation Lighting lantern accessories.



POST-ANBZ
Antique Bronze
WET



7'POST-BK
Black
WET



7'POST-BRAL
Brushed Aluminum
WET



7'POST-CB
Corinthian Bronze
WET



POST-CO
Copper Oxide
WET



POST-DWZ
Dark Weathered Zinc
WET



7'POST-ES
Espresso
WET



7'POST-GBZ
Grecian Bronze
WET



7'POST-HTBZ
Heritage Bronze
WET



POST-HTCP
Heritage Copper
WET



POST-NCP
Natural Copper
WET



7'POST-ORB
Oil Rubbed Bronze
WET



POST-PBS
Painted Brushed Steel
WET



POST-PDB
Painted Distressed Brass
WET



POST-PTBZ
Patina Bronze
WET



POST-SBL
Sable
WET



7'POST-SBR
Sorrel Brown
WET



POST-TXB
Textured Black
WET



7'POST-WAL
Walnut
WET



POST-WCT
Weathered Chestnut
WET

POSTS H: 7' D: 3"

PRODUCT #	FINISH	DETAILS
POST-ANBZ	Antique Bronze	Smooth
7'POST-BK	Black	Fluted
7'POST-BRAL	Brushed Aluminum	Smooth
7'POST-CB	Corinthian Bronze	Fluted
POST-CO	Copper Oxide	Smooth
POST-DWZ	Dark Weathered Zinc	Smooth
7'POST-ES	Espresso	Fluted
7'POST-GBZ	Grecian Bronze	Fluted
7'POST-HTBZ	Heritage Bronze	Fluted
POST-HTCP	Heritage Copper	Smooth

POSTS H: 7' D: 3"

PRODUCT #	FINISH	DETAILS
POST-NCP	Natural Copper	Smooth
7'POST-ORB	Oil Rubbed Bronze	Fluted
POST-PBS	Painted Brushed Steel	Smooth
POST-PDB	Painted Distressed Brass	Smooth
POST-PTBZ	Patina Bronze	Smooth
POST-SBL	Sable	Smooth
7'POST-SBR	Sorrel Brown	Smooth
POST-TXB	Textured Black	Smooth
7'POST-WAL	Walnut	Fluted
POST-WCT	Weathered Chestnut	Smooth

A. ALUMINUM POST
D: 3" H: 84"
WET

8101(-71 -12)

B. STEEL POST
D: 3" H: 84"
WET

8102(-15 -12)

C. ALUMINUM POST
D: 3" H: 84"
With Ladder Rest and Photocell
WET

8114-12

D. ALUMINUM POST
D: 3" H: 84"
With Photocell
WET

8112-12

E. CAST ALUMINUM POST
W: 10.5" H: 71"
WET

8120-12



A
Antique Bronze Finish (-71)

B
White Finish (-15)



C
Black Finish (-12)



D
Black Finish (-12)



E
Black Finish (-12)

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350

DIE-CAST ALUMINUM PIER MOUNTS OUTDOOR

Generation Lighting lanterns fit only 3" diameter Generation Lighting lantern accessories.



PIERMOUNT-ANBZ
Antique Bronze
WET



PIER MT-ASTB
Astral Bronze
WET



PIER MT-BK
Black
WET



PIER MT-BRAL
Brushed Aluminum
WET



PIER MT-CB
Corinthian Bronze
WET



PIERMOUNT-CO
Copper Oxide
WET



PIERMOUNT-DWZ
Dark Weathered Zinc
WET



PIER MT-ES
Espresso
WET



PIER MT-GBZ
Grecian Bronze
WET



PIER MT-HTBZ
Heritage Bronze
WET



PIERMOUNT-HTCP
Heritage Copper
WET



PIERMOUNT-NCP
Natural Copper
WET



PIER MT-ORB
Oil Rubbed Bronze
WET



PIERMOUNT-PBS
Painted Brushed Steel
WET



PIERMOUNT-PDB
Painted Distressed Brass
WET



PIERMOUNT-PTBZ
Patina Bronze
WET



PIERMOUNT-SBL
Sable
WET



PIER MT-SBR
Sorrel Brown
WET



PIERMOUNT-TXB
Textured Black
WET



PIER MT-WAL
Walnut
WET



PIERMOUNT-WCT
Weathered Chestnut
WET

PIER MOUNT H: 3.5" D: 6" sq.

PRODUCT #	FINISH	DETAILS
PIER MT-ANBZ	Antique Bronze	Fluted
PIER MT-ASTB	Astral Bronze	Fluted
PIER MT-BK	Black	Fluted
PIER MT-BRAL	Brushed Aluminum	Fluted
PIER MT-CB	Corinthian Bronze	Fluted
PIER MT-CO	Copper Oxide	Fluted
PIER MT-DWZ	Dark Weathered Zinc	Fluted
PIER MT-ES	Espresso	Fluted
PIER MT-GBZ	Grecian Bronze	Fluted
PIER MT-HTBZ	Heritage Bronze	Fluted
PIER MT-HTCP	Heritage Copper	Fluted

PIER MOUNT H: 3.5" D: 6" sq.

PRODUCT #	FINISH	DETAILS
PIER MT-NCP	Natural Copper	Fluted
PIER MT-ORB	Oil Rubbed Bronze	Fluted
PIER MT-PBS	Painted Brushed Steel	Fluted
PIER MT-PDB	Painted Distressed Brass	Fluted
PIER MT-PTBZ	Patina Bronze	Fluted
PIER MT-SBL	Sable	Fluted
PIER MT-SBR	Sorrel Brown	Smooth, Round
PIER MT-TXB	Textured Black	Fluted
PIER MT-WAL	Walnut	Fluted
PIER MT-WCT	Weathered Chestnut	Fluted

DIE-CAST ALUMINUM POST BASES



POSTBASE-ANBZ
Antique Bronze
WET



POSTBASE ASTB
Astral Bronze
WET



POSTBASE BK
Black
WET



POSTBASE-CO
Copper Oxide
WET



POSTBASE-DWZ
Dark Weathered Zinc
WET



POSTBASE ES
Espresso
WET



POSTBASE GBZ
Grecian Bronze
WET



POSTBASE HTBZ
Heritage Bronze
WET



POSTBASE-NCP
Natural Copper
WET



POSTBASE ORB
Oil Rubbed Bronze
WET



POSTBASE-PBS
Painted Brushed Steel
WET



POSTBASE-PDB
Painted Distressed Brass
WET



POSTBASE-PTBZ
Patina Bronze
WET



POSTBASE-SBL
Sable
WET

POST BASES H: 19.5" D: 10"

PRODUCT #	FINISH	DETAILS
POSTBASE-ANBZ	Antique Bronze	Smooth
POSTBASE ASTB	Astral Bronze	Fluted
POSTBASE BK	Black	Fluted
POSTBASE-CO	Copper Oxide	Smooth
POSTBASE-DWZ	Dark Weathered Zinc	Smooth
POSTBASE ES	Espresso	Fluted
POSTBASE GBZ	Grecian Bronze	Fluted

POST BASES H: 19.5" D: 10"

PRODUCT #	FINISH	DETAILS
POSTBASE HTBZ	Heritage Bronze	Fluted
POSTBASE-NCP	Natural Copper	Fluted
POSTBASE ORB	Oil Rubbed Bronze	Fluted
POSTBASE-PBS	Painted Brushed Steel	Smooth
POSTBASE-PDB	Painted Distressed Brass	Smooth
POSTBASE-PTBZ	Patina Bronze	Smooth
POSTBASE-SBL	Sable	Smooth

LED & Replacement Lamps: p.534 Additional Chain & Stems: p.537
Posts and Bases: p.350



PRODUCT SHOWN: JOVIE 58 IN BRUSHED STEEL HOUSING WITH SILVER ABS BLADES

CEILING FANS

JOVIE 58 LED

EN★ LED DAMP WET DC

BLADES
(3) Blades (Included)
12° Blade Pitch
58" Blade Sweep

BLADE MATERIAL
ABS

LAMPING
Integrated LED: 20W
Light Output: 960 Lumens Net
CCT: 2700K, 3000K and 4000K
CRI: 90+

MOUNTING
Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS
Handheld Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES
Wall Control ESSWC-10 (pg. 398)
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)

FAN SPECIFICATIONS



A. Fixture Drop: 14.7"
B. Blade Drop: 11.7"
C. Housing Width: 8.3"
D. Downrod: 6" (additional lengths pg. 401)

Motor Size: 178mm x 12mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	20 Watts	14 Watts
AIRFLOW	5648 CFM	4062 CFM
ENERGY COSTS	N/A	$4 Per Year
EFFICIENCY	288 CFM/Watt	282 CFM/Watt



DAMP
3JVR58BSD
Brushed Steel Housing
Silver ABS Blades
Frosted Acrylic Lens



WET
3JVR58AGPD
Aged Pewter Housing
Light Grey Weathered Oak ABS Blades
Frosted Acrylic Lens



WET
3JVR58MBKD
Midnight Black Housing
Midnight Black ABS Blades
Frosted Acrylic Lens



WET
3JVR58RZWD
Matte White Housing
Matte White ABS Blades
Frosted Acrylic Lens

AGP, MBK and RZW Finishes are Wet Rated and are Indoor/Outdoor Fans

JOVIE 58

EN★ DAMP WET DC

BLADES
(3) Blades (Included)
12° Blade Pitch
58" Blade Sweep

BLADE MATERIAL
ABS

MOUNTING
Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS
Handheld Remote,
6-speed, Reverse



COMPATIBLE ACCESSORIES
Wall Control ESSWC-10 (pg. 398)
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)

FAN SPECIFICATIONS



A. Fixture Drop: 13.5"
B. Blade Drop: 11.6"
C. Housing Width: 8.3"
D. Downrod: 6" (additional lengths pg. 401)

Motor Size: 178mm x 12mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	18 Watts	14 Watts
AIRFLOW	5551 CFM	3968 CFM
ENERGY COSTS	N/A	$4 Per Year
EFFICIENCY	315 CFM/Watt	288 CFM/Watt



DAMP
3JVR58BS
Brushed Steel Housing
Silver ABS Blades



WET
3JVR58AGP
Aged Pewter Housing
Light Grey Weathered Oak ABS Blades



WET
3JVR58MBK
Midnight Black Housing
Midnight Black ABS Blades



WET
3JVR58RZW
Matte White Housing
Matte White ABS Blades

JOVIE 52 LED CEILING FANS



PRODUCT SHOWN: JOVIE 52 LED IN BRUSHED STEEL HOUSING WITH SILVER/AMERICAN WALNUT REVERSIBLE BLADES AND FROSTED ACRYLIC LENS

JOVIE 52 LED

LED DAMP

BLADES
(3) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL
Plywood

LAMPING
Integrated LED: 20W
Light Output: 850 Lumens
CCT: 2700K, 3000K and 4000K
CRI: 90+

MOUNTING
Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS
3-Wire Wall Mount Control, 4-speed,
Dimmer and Manual Reverse



COMPATIBLE ACCESSORIES
See Control Compatibility Chart (pg. 397)
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)

FAN SPECIFICATIONS



A. Fixture Drop: 15.4"
B. Blade Drop: 11.6"
C. Housing Width: 8.3"
D. Downrod: 6" (additional lengths pg. 401)

Motor Size: 153mm x 15mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	61 Watts	36 Watts
AIRFLOW	5223 CFM	3535 CFM
ENERGY COSTS	N/A	$10 Per Year
EFFICIENCY	86 CFM/Watt	99 CFM/Watt



REV

3JVR52BSD
Brushed Steel Housing
Silver/American Walnut Reversible Blades
Frosted Acrylic Lens



3JVR52AGPD
Aged Pewter Housing
Light Grey Weathered Oak Blades
Frosted Acrylic Lens



3JVR52RZWD
Matte White Housing
Matte White Blades
Frosted Acrylic Lens



REV

3JVR52MBKD
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades
Frosted Acrylic Lens

JOVIE 52

DAMP

BLADES
(3) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL
Plywood

MOUNTING
Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS
Wall Mount Control, 4-speed,
Manual Reverse



COMPATIBLE ACCESSORIES
See Control Compatibility Chart (pg. 397)
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)

FAN SPECIFICATIONS



A. Fixture Drop: 13.5"
B. Blade Drop: 11.6"
C. Housing Width: 8.3"
D. Downrod: 6" (additional lengths pg. 401)

Motor Size: 153mm x 15mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	62 Watts	35 Watts
AIRFLOW	5901 CFM	4128 CFM
ENERGY COSTS	N/A	$10 Per Year
EFFICIENCY	95 CFM/Watt	117 CFM/Watt



REV

3JVR52BS
Brushed Steel Housing
Silver/American Walnut Reversible Blades



3JVR52AGP
Aged Pewter Housing
Light Grey Weathered Oak Blades



3JVR52RZW
Matte White Housing
Matte White Blades



REV

3JVR52MBK
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades

JOVIE 44 LED

LED DAMP

BLADES
(3) Blades (Included)
12° Blade Pitch
44" Blade Sweep

BLADE MATERIAL
Plywood

LAMPING
Integrated LED: 20W
Light Output: 850 Lumens
CCT: 2700K, 3000K and 4000K
CRI: 90+

MOUNTING
Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS
3-Wire Wall Mount Control, 4-speed,
Dimmer and Manual Reverse



COMPATIBLE ACCESSORIES
See Control Compatibility Chart (pg. 397)
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)

FAN SPECIFICATIONS



A. Fixture Drop: 15.4"
B. Blade Drop: 11.6"
C. Housing Width: 8.3"
D. Downrod: 6" (additional lengths pg. 401)

Motor Size: 153mm x 12mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	48 Watts	30 Watts
AIRFLOW	3928 CFM	2828 CFM
ENERGY COSTS	N/A	$8 Per Year
EFFICIENCY	81 CFM/Watt	95 CFM/Watt



REV

3JVR44BSD
Brushed Steel Housing
Silver/American Walnut Reversible Blades
Frosted Acrylic Lens



3JVR44AGPD
Aged Pewter Housing
Light Grey Weathered Oak Blades
Frosted Acrylic Lens



3JVR44RZWD
Matte White Housing
Matte White Blades
Frosted Acrylic Lens



REV

3JVR44MBKD
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades
Frosted Acrylic Lens



PRODUCT SHOWN: JOVIE 44 IN MATTE WHITE HOUSING WITH MATTE WHITE BLADES

JOVIE 44

DAMP

BLADES
(3) Blades (Included)
12° Blade Pitch
44" Blade Sweep

BLADE MATERIAL
Plywood

MOUNTING
Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS
Wall Mount Control, 4-speed,
Manual Reverse



COMPATIBLE ACCESSORIES
See Control Compatibility Chart (pg. 397)
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)

FAN SPECIFICATIONS



A. Fixture Drop: 13.5"
B. Blade Drop: 11.6"
C. Housing Width: 8.3"
D. Downrod: 6" (additional lengths pg. 401)

Motor Size: 153mm x 12mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	46 Watts	28 Watts
AIRFLOW	4034 CFM	2905 CFM
ENERGY COSTS	N/A	$8 Per Year
EFFICIENCY	88 CFM/Watt	102 CFM/Watt



REV
3JVR44BS
Brushed Steel Housing
Silver/American Walnut Reversible Blades



3JVR44AGP
Aged Pewter Housing
Light Grey Weathered Oak Blades



3JVR44RZW
Matte White Housing
Matte White Blades



REV
3JVR44MBK
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades

ERA 52 LED

LED DAMP

BLADES
(3) Blades (Included)
13° Blade Pitch
52" Blade Sweep

BLADE MATERIAL
Plywood

LAMPING
Downlight: (2) 9W LED Bulbs
Light Output: 1600 Lumens Net
CCT: 3000K
CRI: 90+
MC362 Finishing Cap Available (pg. 402)

MOUNTING
Maximum Slope Angle with
Included Hardware: 18°

INCLUDED CONTROLS
3-Wire Wall Mount Control, 4-speed,
Dimmer and Manual Reverse



COMPATIBLE ACCESSORIES
See Control Compatibility Charts (pg. 397 & 399)

FAN SPECIFICATIONS



A. Fixture Drop: 15"
B. Blade Drop: 10.9"
C. Housing Width: 8.1"
D. Downrod: 4.5" (additional lengths pg. 401)

Motor Size: 153mm x 18mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	63 Watts	39 Watts
AIRFLOW	5657 CFM	3959 CFM
ENERGY COSTS	N/A	$11 Per Year
EFFICIENCY	89 CFM/Watt	102 CFM/Watt



REV
3ERAR52BSD
Brushed Steel Housing
Silver/American Walnut Reversible Blades
Matte Opal Glass



3ERAR52AGP
Aged Pewter Housing
Light Grey Weathered Oak Blades
Matte Opal Glass



3ERAR52RZWD
Matte White Housing
Matte White Blades
Matte Opal Glass



REV
3ERAR52MBKD
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades
Matte Opal Glass

ERA 52 HUGGER LED

LED WET

BLADES
(3) Blades (Included)
13° Blade Pitch
52" Blade Sweep

BLADE MATERIAL
Plywood

LAMPING
Downlight: (2) 9W LED Bulbs
Light Output: 1600 Lumens Net
CCT: 3000K
CRI: 90+
MC362 Finishing Cap Available (pg. 402)

MOUNTING
Flush Mount Only

INCLUDED CONTROLS
3-Wire Wall Mount Control, 4-speed, Dimmer and Manual Reverse



COMPATIBLE ACCESSORIES
See Control Compatibility Charts (pg. 397 & 399)

FAN SPECIFICATIONS



A. Fixture Drop: 13"
B. Blade Drop: 8.8"
C. Housing Width: 8.1"

Motor Size: 153mm x 18mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	63 Watts	37 Watts
AIRFLOW	4784 CFM	3323 CFM
ENERGY COSTS	N/A	$10 Per Year
EFFICIENCY	76 CFM/Watt	90 CFM/Watt



REV

3ERHR52BSD
Brushed Steel Housing
Silver/American Walnut Reversible Blades
Matte Opal Glass



3ERHR52AGPD
Aged Pewter Housing
Light Grey Weathered Oak Blades
Matte Opal Glass



3ERHR52RZWD
Matte White Housing
Matte White Blades
Matte Opal Glass



REV

3ERHR52MBKD
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades
Matte Opal Glass

ERA 44 LED

LED DAMP

BLADES
(3) Blades (Included)
13° Blade Pitch
44" Blade Sweep

BLADE MATERIAL
Plywood

LAMPING
Downlight: (2) 9W LED Bulbs
Light Output: 1600 Lumens Net
CCT: 3000K
CRI: 90+
MC362 Finishing Cap Available (pg. 402)

MOUNTING
Maximum Slope Angle with
Included Hardware: 18°

INCLUDED CONTROLS
3-Wire Wall Mount Control, 4-speed,
Dimmer and Manual Reverse



COMPATIBLE ACCESSORIES
See Control Compatibility Charts (pg. 397 & 399)

FAN SPECIFICATIONS



A. Fixture Drop: 15"
B. Blade Drop: 10.9"
C. Housing Width: 8.1"
D. Downrod: 4.5" (additional lengths pg. 401)

Motor Size: 153mm x 15mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	57 Watts	35 Watts
AIRFLOW	4808 CFM	3477 CFM
ENERGY COSTS	N/A	$10 Per Year
EFFICIENCY	84 CFM/Watt	98 CFM/Watt



REV
3ERAR44BSD
Brushed Steel Housing
Silver/American Walnut Reversible Blades
Matte Opal Glass



3ERAR44AGPD
Aged Pewter Housing
Light Grey Weathered Oak Blades
Matte Opal Glass



3ERAR44RZWD
Matte White Housing
Matte White Blades
Matte Opal Glass



REV
3ERAR44MBKD
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades
Matte Opal Glass

ERA 44 HUGGER LED

LED DAMP

BLADES
(3) Blades (Included)
13° Blade Pitch
44" Blade Sweep

BLADE MATERIAL
Plywood

LAMPING
Downlight: (2) 9W LED Bulbs
Light Output: 1600 Lumens Net
CCT: 3000K
CRI: 90+
MC362 Finishing Cap Available (pg. 402)

MOUNTING
Flush Mount Only

INCLUDED CONTROLS
3-Wire Wall Mount Control, 4-speed, Dimmer and Manual Reverse



COMPATIBLE ACCESSORIES
See Control Compatibility Charts (pg. 397 & 399)

FAN SPECIFICATIONS



A. Fixture Drop: 13"
B. Blade Drop: 8.8"
C. Housing Width: 8.1"

Motor Size: 153mm x 15mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	56 Watts	33 Watts
AIRFLOW	4089 CFM	2851 CFM
ENERGY COSTS	N/A	$9 Per Year
EFFICIENCY	73 CFM/Watt	86 CFM/Watt



REV
3ERHR44BSD
Brushed Steel Housing
Silver/American Walnut Reversible Blades
Matte Opal Glass



3ERHR44AGPD
Aged Pewter Housing
Light Grey Weathered Oak Blades
Matte Opal Glass



3ERHR44RZWD
Matte White Housing
Matte White Blades
Matte Opal Glass



REV
3ERHR44MBKD
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades
Matte Opal Glass

TITUS 52 HUGGER LED

LED DAMP

BLADES
(3) Blades (Included)
13° Blade Pitch
52" Blade Sweep

BLADE MATERIAL
ABS

LAMPING
Integrated LED: 20W
Light Output: 800 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING
Flush Mount Only

INCLUDED CONTROLS
Handheld Remote,
4-speed, Dimmer and
Manual Reverse Switch



COMPATIBLE ACCESSORIES
See Control Compatibility Charts (pg. 397 & 399)

FAN SPECIFICATIONS



A. . Fixture Drop: 9.8"
B. Blade Drop: 8.7"
C. Housing Width: 7.5"

Motor Size: 153mm x 18mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	54 Watts	34 Watts
AIRFLOW	5087 CFM	3692 CFM
ENERGY COSTS	N/A	$9 Per Year
EFFICIENCY	95 CFM/Watt	109 CFM/Watt



3TTHR52SBD
Satin Brass Housing
Matte White ABS Blades
Frosted Acrylic Lens



3TTHR52BSD
Brushed Steel Housing
Silver ABS Blades
Frosted Acrylic Lens



3TTHR52MBKD
Midnight Black Housing
Midnight Black ABS Blades
Frosted Acrylic Lens



3TTHR52RZWD
Matte White Housing
Matte White ABS Blades
Frosted Acrylic Lens

TITUS 44 HUGGER LED

LED DAMP

BLADES
(3) Blades (Included)
13° Blade Pitch
44" Blade Sweep

BLADE MATERIAL
ABS

LAMPING
Integrated LED: 16W
Light Output: 740 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING
Flush Mount Only

INCLUDED CONTROLS
Handheld Remote,
4-speed, Dimmer and
Manual Reverse Switch



COMPATIBLE ACCESSORIES
See Control Compatibility Charts (pg. 397 & 399)

FAN SPECIFICATIONS



A. Fixture Drop: 9.8"
B. Blade Drop: 8.7"
C. Housing Width: 7.5"

Motor Size: 153mm x 15mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	44 Watts	29 Watts
AIRFLOW	4081 CFM	3057 CFM
ENERGY COSTS	N/A	$8 Per Year
EFFICIENCY	94 CFM/Watt	106 CFM/Watt



3TTHR44SBD
Satin Brass Housing
Matte White ABS Blades
Frosted Acrylic Lens



3TTHR44BSD
Brushed Steel Housing
Silver ABS Blades
Frosted Acrylic Lens



3TTHR44MBKD
Midnight Black Housing
Midnight Black ABS Blades
Frosted Acrylic Lens



3TTHR44RZWD
Matte White Housing
Matte White ABS Blades
Frosted Acrylic Lens

LOWDEN SMART 60 LED

EN★ LED DAMP DC SMART

BLADES
(5) Blades (Included)
12° Blade Pitch
60" Blade Sweep

BLADE MATERIAL
Plywood

LAMPING
Integrated LED: 20W
Light Output: 715 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING
Maximum Slope Angle with
Included Hardware: 30°

INCLUDED CONTROLS
Smart with Bond Home App (Download)
Hand-held Remote, 6-speed, Reverse



COMPATIBLE ACCESSORIES
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)

FAN SPECIFICATIONS



A. Fixture Drop: 14.9"
B. Blade Drop: 12.2"
C. Housing Width: 7.8"
D. Downrod: 6" (additional lengths pg. 401)

Motor Size: 178mm x 12mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	39 Watts	24 Watts
AIRFLOW	6729 CFM	4703 CFM
ENERGY COSTS	N/A	$7 Per Year
EFFICIENCY	175 CFM/Watt	192 CFM/Watt



REV
5LWDSM60BSD
Brushed Steel Housing
Silver/American Walnut Reversible Blades
Frosted Acrylic Lens



REV
5LWDSM60BSLGD
Brushed Steel Housing
Silver/Light Grey Weathered Oak Reversible Blades
Frosted Acrylic Lens



REV
5LWDSM60MBKD
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades
Frosted Acrylic Lens



5LWDSM60AGPD
Aged Pewter Housing
Light Grey Weathered Oak Blades
Frosted Acrylic Lens



5LWDSM60RZWD
Matte White Housing
Matte White Blades
Frosted Acrylic Lens

LOWDEN 52 LED

LED DAMP

BLADES
(5) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL
Plywood

LAMPING
Integrated LED: 20W
Light Output: 715 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING
Maximum Slope Angle with
Included Hardware: 30°

INCLUDED CONTROLS
Handheld Remote, 4-speed,
Dimmer and Manual Reverse



COMPATIBLE ACCESSORIES
See Control Compatibility Charts (pg. 397 & 399)
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)

FAN SPECIFICATIONS



A. Fixture Drop: 16"
B. Blade Drop: 13.3"
C. Housing Width: 7.8"
D. Downrod: 6" (additional lengths pg. 401)

Motor Size: 153mm x 20mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	63 Watts	38 Watts
AIRFLOW	5229 CFM	3585 CFM
ENERGY COSTS	N/A	$11 Per Year
EFFICIENCY	83 CFM/Watt	94 CFM/Watt



REV
5LWDR52BSD
Brushed Steel Housing
Silver/American Walnut Reversible Blades
Frosted Acrylic Lens



REV
5LWDR52BSLGD
Brushed Steel Housing
Silver/Light Grey Weathered Oak Reversible Blades
Frosted Acrylic Lens



REV
5LWDR52MBKD
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades
Frosted Acrylic Lens



5LWDR52AGPD
Aged Pewter Housing
Light Grey Weathered Oak Blades
Frosted Acrylic Lens



5LWDR52RZWD
Matte White Housing
Matte White Blades
Frosted Acrylic Lens

ORBIS 52 LED

LED DAMP

BLADES
(3) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL
Plywood

LAMPING
Integrated LED: 20W
Light Output: 870 Lumens Net
CCT: 2700K, 3000K and 4000K
CRI: 90+

MOUNTING
Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS
3-Wire Wall Mount Control, 4-speed,
Dimmer and Manual Reverse



COMPATIBLE ACCESSORIES
See Control Compatibility Charts (pg. 397 & 399)

FAN SPECIFICATIONS



A. Fixture Drop: 14.6"
B. Blade Drop: 11.8"
C. Housing Width: 9.1"
D. Downrod: 4.5" (additional lengths pg. 401)

Motor Size: 153mm x 18mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	60 Watts	35 Watts
AIRFLOW	5295 CFM	3626 CFM
ENERGY COSTS	N/A	$10 Per Year
EFFICIENCY	89 CFM/Watt	104 CFM/Watt



3OBSR52SBD
Satin Brass Housing
Matte White Blades
Frosted Acrylic Lens



REV
3OBSR52BSD
Brushed Steel Housing
Silver/American Walnut Reversible Blades
Frosted Acrylic Lens



REV
3OBSR52MBKD
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades
Frosted Acrylic Lens



3OBSR52RZWD
Matte White Housing
Matte White Blades
Frosted Acrylic Lens

ORBIS 52 HUGGER LED

LED DAMP

BLADES
(3) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL
Plywood

LAMPING
Integrated LED: 20W
Light Output: 870 Lumens Net
CCT: 2700K, 3000K and 4000K
CRI: 90+

MOUNTING
Flush Mount Only

INCLUDED CONTROLS
3-Wire Wall Mount Control, 4-speed, Dimmer and Manual Reverse



COMPATIBLE ACCESSORIES
See Control Compatibility Charts (pg. 397 & 399)

FAN SPECIFICATIONS



A. Fixture Drop: 11"
B. Blade Drop: 8.5"
C. Housing Width: 8.7"

Motor Size: 153mm x 18mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	60 Watts	35 Watts
AIRFLOW	4825 CFM	3324 CFM
ENERGY COSTS	N/A	$10 Per Year
EFFICIENCY	81 CFM/Watt	94 CFM/Watt



3OBSHR52SBD
Satin Brass Housing
Matte White Blades
Frosted Acrylic Lens



REV
3OBSHR52BSD
Brushed Steel Housing
Silver/American Walnut Reversible Blades
Frosted Acrylic Lens



REV
3OBSHR52MBKD
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades
Frosted Acrylic Lens



3OBSHR52RZWD
Matte White Housing
Matte White Blades
Frosted Acrylic Lens

SYRUS 52 LED

LED

BLADES
(3) Blades (Included)
13° Blade Pitch
52" Blade Sweep

BLADE MATERIAL
Plywood

LAMPING
Downlight: (2) 9W LED Bulbs
Light Output: 1600 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING
Maximum Slope Angle with
Included Hardware: 30°

INCLUDED CONTROLS
3-speed Pull Chain Control,
Manual Reverse Switch



COMPATIBLE ACCESSORIES
See Control Compatibility Charts (pg. 397 & 399)
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)

FAN SPECIFICATIONS

A. Fixture Drop: 15.9"
B. Blade Drop: 11.4"
C. Housing Width: 9.4"
D. Downrod: 4.5" (additional lengths pg. 401)

Motor Size: 153mm x 18mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	62 Watts	40 Watts
AIRFLOW	5336 CFM	3944 CFM
ENERGY COSTS	N/A	$11 Per Year
EFFICIENCY	86 CFM/Watt	99 CFM/Watt



REV
3SY52OZD
Oil Rubbed Bronze Housing
Oil Rubbed Bronze/American Walnut Reversible Blades
Frosted Acrylic Lens



REV
3SY52BSD
Brushed Steel Housing
Silver/American Walnut Reversible Blades
Frosted Acrylic Lens



REV
3SY52MBKD
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades
Frosted Acrylic Lens



3SY52RZWD
Matte White Housing
Matte White Blades
Frosted Acrylic Lens

DISCUS SMART 52 LED

EN★ LED DC SMART

BLADES
(5) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL
Plywood

LAMPING
Integrated LED: 20W
Light Output: 1060 Lumens Net
CCT: 3000K
CRI: 90+
Optional MC360 Finishing Cap Available (pg. 402)

MOUNTING
Maximum Slope Angle with
Included Hardware: 30°

INCLUDED CONTROLS
Smart with Bond Home App (Download)
Hand-held Remote, 6-speed, Reverse

FAN SPECIFICATIONS



A. Fixture Drop: 15.1"
B. Blade Drop: 10.6"
C. Housing Width: 11.1"
D. Downrod: 4.5" (additional lengths pg. 401)

Motor Size: 150mm x 16mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	36 Watts	25 Watts
AIRFLOW	6263 CFM	4310 CFM
ENERGY COSTS	N/A	$7 Per Year
EFFICIENCY	174 CFM/Watt	171 CFM/Watt



REV

5DISM52BSD
Brushed Steel Housing
Silver/American Walnut Reversible Blades
Matte Opal Glass



5DISM52AGPD
Aged Pewter Housing
Light Grey Weathered Oak Blades
Matte Opal Glass



5DISM52MBKD
Midnight Black Housing
Midnight Black Blades
Matte Opal Glass



5DISM52RZWD
Matte White Housing
Matte White Blades
Matte Opal Glass

DISCUS ORNATE 52 LED



PRODUCT SHOWN: DISCUS ORNATE 52 LED IN MATTE BLACK HOUSING WITH MATTE BLACK BLADES AND MATTE OPAL GLASS

DISCUS ORNATE 52 LED

LED

BLADES
(5) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL
Plywood

LAMPING
Integrated LED: 20W
Light Output: 715 Lumens Net
CCT: 2700K
CRI: 90+
Optional MC360 Finishing Cap Available (pg. 402)

MOUNTING
Maximum Slope Angle with
Included Hardware: 30°

INCLUDED CONTROLS
Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)
See Control Compatibility Charts (pg. 397 & 399)

FAN SPECIFICATIONS



A. Fixture Drop: 15.1"
B. Blade Drop: 10.6"
C. Housing Width: 11.1"
D. Downrod: 4.5" (additional lengths pg. 401)

Motor Size: 153mm x 18mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	65 Watts	41 Watts
AIRFLOW	4758 CFM	3415 CFM
ENERGY COSTS	N/A	$11 Per Year
EFFICIENCY	73 CFM/Watt	83 CFM/Watt



REV

5DIO52RBD
Roman Bronze Housing
Bronze/American Walnut Reversible Blades
Matte Opal Glass



5DIO52AGPD
Aged Pewter Housing
Light Grey Weathered Oak Blades
Matte Opal Glass



5DIO52BKD
Matte Black Housing
Matte Black Blades
Matte Opal Glass

DISCUS CLASSIC 52 LED

LED

BLADES
(5) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL
Plywood

LAMPING
Integrated LED: 20W
Light Output: 1060 Lumens Net
CCT: 3000K
CRI: 90+
Optional MC360 Finishing Cap Available (pg. 402)

MOUNTING
Maximum Slope Angle with
Included Hardware: 30°
Dual Mount allowing downrod and flush mounting

INCLUDED CONTROLS
Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)
See Control Compatibility Charts (pg. 397 & 399)

FAN SPECIFICATIONS



A. Fixture Drop: 15.1"
B. Blade Drop: 10.6"
C. Housing Width: 11.1"
D. Downrod: 4.5" (additional lengths pg. 401)

Motor Size: 153mm x 18mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	65 Watts	41 Watts
AIRFLOW	4758 CFM	3415 CFM
ENERGY COSTS	N/A	$11 Per Year
EFFICIENCY	73 CFM/Watt	83 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	65 Watts	41 Watts
AIRFLOW	3217 CFM	2164 CFM
ENERGY COSTS	N/A	$12 Per Year
EFFICIENCY	49 CFM/Watt	53 CFM/Watt



REV
5DIC52RBD-V1
Roman Bronze Housing
Bronze/American Walnut Reversible Blades
Matte Opal Glass



REV
5DIC52BSD-V1
Brushed Steel Housing
Silver/American Walnut Reversible Blades
Matte Opal Glass



REV
5DIC52PND-V1
Polished Nickel Housing
Silver/American Walnut Reversible Blades
Matte Opal Glass



5DIC52AGPD-V1
Aged Pewter Housing
Light Grey Weathered Oak Blades
Matte Opal Glass



5DIC52BKD-V1
Matte Black Housing
Matte Black Blades
Matte Opal Glass



5DIC52WHD-V1
White Housing
White Blades
Matte Opal Glass

DISCUS CLASSIC 44 LED

LED

BLADES
(5) Blades (Included)
12° Blade Pitch
44" Blade Sweep

BLADE MATERIAL
Plywood

LAMPING
Integrated LED: 20W
Light Output: 1060 Lumens Net
CCT: 3000K
CRI: 90+
Optional MC360 Finishing Cap Available (pg. 402)

MOUNTING
Maximum Slope Angle with
Included Hardware: 30°
Dual Mount allowing downrod and flush mounting

INCLUDED CONTROLS
Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)
See Control Compatibility Charts (pg. 397 & 399)

FAN SPECIFICATIONS



A. Fixture Drop: 15.1"
B. Blade Drop: 10.6"
C. Housing Width: 11.1"
D. Downrod: 4.5" (additional lengths pg. 401)

Motor Size: 153mm x 18mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	58 Watts	37 Watts
AIRFLOW	3954 CFM	2850 CFM
ENERGY COSTS	N/A	$10 Per Year
EFFICIENCY	68 CFM/Watt	77 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	58 Watts	37 Watts
AIRFLOW	3020 CFM	1970 CFM
ENERGY COSTS	N/A	$10 Per Year
EFFICIENCY	52 CFM/Watt	53 CFM/Watt



REV
5DIC44RBD-V1
Roman Bronze Housing
Bronze/American Walnut Reversible Blades
Matte Opal Glass



REV
5DIC44BSD-V1
Brushed Steel Housing
Silver/American Walnut Reversible Blades
Matte Opal Glass



REV
5DIC44PND-V1
Polished Nickel Housing
Silver/American Walnut Reversible Blades
Matte Opal Glass



5DIC44AGPD-V1
Aged Pewter Housing
Light Grey Weathered Oak Blades
Matte Opal Glass



5DIC44BKD-V1
Matte Black Housing
Matte Black Blades
Matte Opal Glass



5DIC44WHD-V1
White Housing
White Blades
Matte Opal Glass

COLONY 60 LED

LED DAMP

BLADES
(5) Blades (Included)
12° Blade Pitch
60" Blade Sweep

BLADE MATERIAL
Plywood

LAMPING
Downlight: (2) 9W LED Bulbs
Light Output: 1600 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING
Maximum Slope Angle with
Included Hardware: 30°
Dual Mount allowing downrod and flush mounting

INCLUDED CONTROLS
Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)
See Control Compatibility Charts (pg. 397 & 399)

FAN SPECIFICATIONS



A. Fixture Drop: 18.5"
B. Blade Drop: 11.5"
C. Housing Width: 13.8"
D. Downrod: 4.5" (additional lengths pg. 401)

Motor Size: 188mm x 20mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	72 Watts	47 Watts
AIRFLOW	5348 CFM	3963 CFM
ENERGY COSTS	N/A	$13 Per Year
EFFICIENCY	74 CFM/Watt	84 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	72 Watts	47 Watts
AIRFLOW	4581 CFM	3356 CFM
ENERGY COSTS	N/A	$13 Per Year
EFFICIENCY	63 CFM/Watt	71 CFM/Watt



REV
5CSM60RBD-V1
Roman Bronze Housing
Bronze/American Walnut Reversible Blades
Matte White Glass



REV
5CSM60BSD-V1
Brushed Steel Housing
Silver/American Walnut Reversible Blades
Matte White Glass



REV
5CSM60MBKD-V1
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades
Matte White Glass



5CSM60AGPD-V1
Aged Pewter Housing
Light Grey Weathered Oak Blades
Matte White Glass



5CSM60RZWD-V1
Matte White Housing
Matte White Blades
Matte White Glass

COLONY 60

DAMP

BLADES
(5) Blades (Included)
12° Blade Pitch
60" Blade Sweep

BLADE MATERIAL
Plywood

MOUNTING
Maximum Slope Angle with
Included Hardware: 30°
Dual Mount allowing downrod and flush mounting

INCLUDED CONTROLS
Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)
Light Kit Adaptable (pg. 403)
See Control Compatibility Charts (pg. 397 & 399)

FAN SPECIFICATIONS



A. Fixture Drop: 13.5"
B. Blade Drop: 11.5"
C. Housing Width: 13.8"
D. Downrod: 4.5" (additional lengths pg. 401)

Motor Size: 188mm x 20mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	72 Watts	47 Watts
AIRFLOW	5489 CFM	4096 CFM
ENERGY COSTS	N/A	$13 Per Year
EFFICIENCY	76 CFM/Watt	87 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	72 Watts	47 Watts
AIRFLOW	4877 CFM	3633 CFM
ENERGY COSTS	N/A	$13 Per Year
EFFICIENCY	68 CFM/Watt	77 CFM/Watt



REV
5CSM60RB
Roman Bronze Housing
Bronze/American Walnut Reversible Blades



REV
5CSM60BS
Brushed Steel Housing
Silver/American Walnut Reversible Blades



REV
5CSM60MBK
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades



5CSM60AGP
Aged Pewter Housing
Light Grey Weathered Oak Blades



5CSM60RZW
Matte White Housing
Matte White Blades

COLONY 52 LED

LED DAMP

BLADES
(5) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL
Plywood

LAMPING
Downlight: (2) 9W LED Bulbs
Light Output: 1600 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING
Maximum Slope Angle with
Included Hardware: 30°
Dual Mount allowing downrod and flush mounting

INCLUDED CONTROLS
Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)
See Control Compatibility Charts (pg. 397 & 399)

FAN SPECIFICATIONS



A. Fixture Drop: 17.7"
B. Blade Drop: 11.3"
C. Housing Width: 11.8"
D. Downrod: 4.5" (additional lengths pg. 401)

Motor Size: 153mm x 18mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	58 Watts	37 Watts
AIRFLOW	4224 CFM	3164 CFM
ENERGY COSTS	N/A	$10 Per Year
EFFICIENCY	73 CFM/Watt	85 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	58 Watts	37 Watts
AIRFLOW	2675 CFM	1900 CFM
ENERGY COSTS	N/A	$10 Per Year
EFFICIENCY	46 CFM/Watt	51 CFM/Watt



REV
5COM52RBD-V1
Roman Bronze Housing
Bronze/American Walnut Reversible Blades
Matte White Glass



REV
5COM52BSD-V1
Brushed Steel Housing
Silver/American Walnut Reversible Blades
Matte White Glass



REV
5COM52MBKD-V1
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades
Matte White Glass



5COM52AGPD-V1
Aged Pewter Housing
Light Grey Weathered Oak Blades
Matte White Glass



5COM52RZWD-V1
Matte White Housing
Matte White Blades
Matte White Glass

COLONY 52

DAMP

BLADES
(5) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL
Plywood

MOUNTING
Maximum Slope Angle with
Included Hardware: 30°
Dual Mount allowing downrod and flush mounting

INCLUDED CONTROLS
Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)
Light Kit Adaptable (pg. 403)
See Control Compatibility Charts (pg. 397 & 399)

FAN SPECIFICATIONS



A. Fixture Drop: 12.8"
B. Blade Drop: 11.3"
C. Housing Width: 11.8"
D. Downrod: 4.5" (additional lengths pg. 401)

Motor Size: 153mm x 18mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	58 Watts	36 Watts
AIRFLOW	4201 CFM	3475 CFM
ENERGY COSTS	N/A	$10 Per Year
EFFICIENCY	72 CFM/Watt	97 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	58 Watts	37 Watts
AIRFLOW	2375 CFM	1748 CFM
ENERGY COSTS	N/A	$10 Per Year
EFFICIENCY	41 CFM/Watt	47 CFM/Watt



REV
5COM52RB
Roman Bronze Housing
Bronze/American Walnut Reversible Blades



REV
5COM52BS
Brushed Steel Housing
Silver/American Walnut Reversible Blades



REV
5COM52MBK
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades



5COM52AGP
Aged Pewter Housing with
Light Grey Weathered Oak Blades



5COM52RZW
Matte White Housing
Matte White Blades

LINDEN DC 52 LED

EN★ LED DC

BLADES
(5) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL
MDF

LAMPING
Downlight: (2) 9W LED Bulbs
Light Output: 1600 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING
Maximum Slope Angle with
Included Hardware: 30°
Dual Mount allowing downrod and flush mounting

INCLUDED CONTROLS
Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)
Light Kit Adaptable (pg. 403)

FAN SPECIFICATIONS



A. Fixture Drop: 17.8"
B. Blade Drop: 11.4"
C. Housing Width: 10.3"
D. Downrod: 4.5" (additional lengths pg. 401)

Motor Size: 150mm x 16mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	29 Watts	18 Watts
AIRFLOW	5154 CFM	3746 CFM
ENERGY COSTS	N/A	$5 Per Year
EFFICIENCY	175 CFM/Watt	206 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	31 Watts	18 Watts
AIRFLOW	4201 CFM	3116 CFM
ENERGY COSTS	N/A	$5 Per Year
EFFICIENCY	135 CFM/Watt	172 CFM/Watt



REV
5LDDC52BZD
Bronze Housing
Bronze/American Walnut Reversible Blades
Matte White Glass



REV
5LDDC52BSD
Brushed Steel Housing
Silver/American Walnut Reversible Blades
Matte White Glass



REV
5LDDC52MBKD
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades
Matte White Glass



5LDDC52RZWD
Matte White Housing
Matte White Blades
Matte White Glass

Can be installed without light kit.

LINDEN 52 LED

LED

BLADES
(5) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL
MDF

LAMPING
Downlight: (2) 9W LED Bulbs
Light Output: 1600 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING
Maximum Slope Angle with
Included Hardware: 30°
Dual Mount allowing downrod and flush mounting

INCLUDED CONTROLS
Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)

FAN SPECIFICATIONS



A. Fixture Drop: 17.2"
B. Blade Drop: 11.4"
C. Housing Width: 10.3"
D. Downrod: 4.5" (additional lengths pg. 401)

Motor Size: 153mm x 15mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	61 Watts	39 Watts
AIRFLOW	4520 CFM	3424 CFM
ENERGY COSTS	N/A	$11 Per Year
EFFICIENCY	75 CFM/Watt	88 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	61 Watts	39 Watts
AIRFLOW	3785 CFM	2815 CFM
ENERGY COSTS	N/A	$11 Per Year
EFFICIENCY	62 CFM/Watt	72 CFM/Watt



REV
5LD52BZD
Bronze Housing
Bronze/American Walnut Reversible Blades
Matte White Glass



REV
5LD52BSD
Brushed Steel Housing
Silver/American Walnut Reversible Blades
Matte White Glass



REV
5LD52MBKD
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades
Matte White Glass



5LD52RZWD
Matte White Housing
Matte White ABS Blades
Matte White Glass

LINDEN 52 LED 3

BLADES
(5) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL
MDF

LAMPING
Downlight: (3) 9W LED Bulbs
Light Output: 2400 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING
Maximum Slope Angle with
Included Hardware: 30°

INCLUDED CONTROLS
Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)

FAN SPECIFICATIONS



A. Fixture Drop: 19.3"
B. Blade Drop: 11.6"
C. Housing Width: 10.3"
D. Downrod: 4.5" (additional lengths pg. 401)

Motor Size: 153mm x 12mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	58 Watts	38 Watts
AIRFLOW	4917 CFM	3830 CFM
ENERGY COSTS	N/A	$11 Per Year
EFFICIENCY	85 CFM/Watt	102 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	58 Watts	38 Watts
AIRFLOW	3954 CFM	3082 CFM
ENERGY COSTS	N/A	$11 Per Year
EFFICIENCY	69 CFM/Watt	82 CFM/Watt



REV
5LD52BSF
Brushed Steel Housing
Silver/American Walnut Reversible Blades
Frosted White Glass



REV
5LD52BZF
Bronze Housing
Bronze/American Walnut Reversible Blades
Frosted White Glass



REV
5LD52MBKF
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades
Frosted White Glass



5LD52RZWF
Matte White Housing
Matte White Blades
Frosted White Glass

LINDEN 52

BLADES
(5) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL
MDF

MOUNTING
Maximum Slope Angle with
Included Hardware: 30°
Dual Mount allowing downrod and flush mounting

INCLUDED CONTROLS
Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)

FAN SPECIFICATIONS



A. Fixture Drop: 13.3"
B. Blade Drop: 11.4"
C. Housing Width: 10.3"
D. Downrod: 4.5" (additional lengths pg. 401)

Motor Size: 153mm x 12mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	61 Watts	39 Watts
AIRFLOW	4326 CFM	3291 CFM
ENERGY COSTS	N/A	$11 Per Year
EFFICIENCY	71 CFM/Watt	84 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	61 Watts	39 Watts
AIRFLOW	3715 CFM	2783 CFM
ENERGY COSTS	N/A	$11 Per Year
EFFICIENCY	61 CFM/Watt	71 CFM/Watt



REV
5LD52BZ
Bronze Housing
Bronze/American Walnut Reversible Blades



REV
5LD52BS
Brushed Steel Housing
Silver/American Walnut Reversible Blades



REV
5LD52MBK
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades



5LD52RZW
Matte White Housing
Matte White Blades

LINDEN 48 LED

LED

BLADES
(3) Blades (Included)
12° Blade Pitch
48" Blade Sweep

BLADE MATERIAL
MDF

LAMPING
Downlight: (2) 9W LED Bulbs
Light Output: 1600 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING
Maximum Slope Angle with
Included Hardware: 30°

INCLUDED CONTROLS
Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)

FAN SPECIFICATIONS



A. Fixture Drop: 17.2"
B. Blade Drop: 11.4"
C. Housing Width: 10.3"
D. Downrod: 4.5" (additional lengths pg. 401)

Motor Size: 153mm x 10mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	55 Watts	35 Watts
AIRFLOW	4055 CFM	2871 CFM
ENERGY COSTS	N/A	$10 Per Year
EFFICIENCY	73 CFM/Watt	83 CFM/Watt



REV

3LD48BZD
Bronze Housing
Bronze/American Walnut Reversible Blades
Matte White Glass



REV

3LD48BSD
Brushed Steel Housing
Silver/American Walnut Reversible Blades
Matte White Glass



REV

3LD48MBKD
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades
Matte White Glass



3LD48RZWD
Matte White Housing
Matte White Blades
Matte White Glass

LINDEN 48

BLADES
(3) Blades (Included)
12° Blade Pitch
48" Blade Sweep

BLADE MATERIAL
MDF

MOUNTING
Maximum Slope Angle with
Included Hardware: 30°

INCLUDED CONTROLS
Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)

FAN SPECIFICATIONS



A. Fixture Drop: 13.3"
B. Blade Drop: 11.4"
C. Housing Width: 10.3"
D. Downrod: 4.5" (additional lengths pg. 401)

Motor Size: 153mm x 10mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	55 Watts	35 Watts
AIRFLOW	4064 CFM	2895 CFM
ENERGY COSTS	N/A	$10 Per Year
EFFICIENCY	74 CFM/Watt	84 CFM/Watt



REV
3LD48BZ
Bronze Housing
Bronze/American Walnut Reversible Blades



REV
3LD48BS
Brushed Steel Housing
Silver/American Walnut Reversible Blades



REV
3LD48MBK
Midnight Black Housing
Midnight Black/American Walnut Reversible Blades



3LD48RZW
Matte White Housing
Matte White Blades

JOVIE OUTDOOR 58 LED

EN★ LED WET DC

BLADES
(3) Blades (Included)
12° Blade Pitch
58" Blade Sweep

BLADE MATERIAL
ABS

LAMPING
Integrated LED: 20W
Light Output: 960 Lumens Net
CCT: 2700K, 3000K and 4000
CRI: 90+

MOUNTING
Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS
Handheld Remote, 6-speed,
Reverse and Dimmer



COMPATIBLE ACCESSORIES
Wall Control ESSWC-10 (pg. 398)
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)

FAN SPECIFICATIONS



A. Fixture Drop: 14.7"
B. Blade Drop: 11.7"
C. Housing Width: 8.3"
D. Downrod: 6" (additional lengths pg. 401)

Motor Size: 178mm x 12mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	20 Watts	14 Watts
AIRFLOW	5648 CFM	4062 CFM
ENERGY COSTS	N/A	$4 Per Year
EFFICIENCY	288 CFM/Watt	282 CFM/Watt



3JVR58AGPD
Aged Pewter Housing
Light Grey Weathered Oak ABS Blades
Frosted Acrylic Lens



3JVR58MBKD
Midnight Black Housing
Midnight Black ABS Blades
Frosted Acrylic Lens



3JVR58RZWD
Matte White Housing
Matte White ABS Blades
Frosted Acrylic Lens

AGP, MBK and RZW Finishes are Wet Rated and are Indoor/Outdoor Fans

JOVIE OUTDOOR 58

EN★ WET DC

BLADES
(3) Blades (Included)
12° Blade Pitch
58" Blade Sweep

BLADE MATERIAL
ABS

MOUNTING
Maximum Slope Angle with
Included Hardware: 20°

INCLUDED CONTROLS
Handheld Remote,
6-speed,Reverse



COMPATIBLE ACCESSORIES
Wall Control ESSWC-10 (pg. 398)
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)

FAN SPECIFICATIONS



A. Fixture Drop: 13.5"
B. Blade Drop: 11.6"
C. Housing Width: 8.3"
D. Downrod: 6" (additional lengths pg. 401)

Motor Size: 178mm x 12mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	18 Watts	14 Watts
AIRFLOW	5551 CFM	3968 CFM
ENERGY COSTS	N/A	$4 Per Year
EFFICIENCY	315 CFM/Watt	288 CFM/Watt



3JVR58AGP
Aged Pewter Housing
Light Grey Weathered Oak ABS Blades



3JVR58MBK
Midnight Black Housing
Midnight Black ABS Blades



3JVR58RZW
Matte White Housing
Matte White ABS Blades

LINDEN OUTDOOR 52 LED

LED WET

BLADES
(5) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL
ABS

LAMPING
Downlight: (2) 9W LED Bulbs
Light Output: 1600 Lumens Net
CCT: 3000K
CRI: 90+

MOUNTING
Maximum Slope Angle with
Included Hardware: 30°

INCLUDED CONTROLS
Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)
See Compatibility Chart (pg. 397 & 399)

FAN SPECIFICATIONS



A. Fixture Drop: 17.8"
B. Blade Drop: 11.4"
C. Housing Width: 10.3"
D. Downrod: 4.5" (additional lengths pg. 401)

Motor Size: 153mm x 15mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	62 Watts	40 Watts
AIRFLOW	5051 CFM	3778 CFM
ENERGY COSTS	N/A	$11 Per Year
EFFICIENCY	81 CFM/Watt	94 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	62 Watts	40 Watts
AIRFLOW	4251 CFM	3178 CFM
ENERGY COSTS	N/A	$11 Per Year
EFFICIENCY	68 CFM/Watt	79 CFM/Watt



5LDO52BZD
Bronze Housing
Bronze ABS Blades
Matte White Glass



5LDO52MBKD
Midnight Black Housing
Midnight Black ABS Blades
Matte White Glass



5LDO52RZWD
Matte White Housing
Matte White ABS Blades
Matte White Glass

LINDEN OUTDOOR 44

WET

BLADES
(5) Blades (Included)
12° Blade Pitch
44" Blade Sweep

BLADE MATERIAL
ABS

MOUNTING
Maximum Slope Angle with
Included Hardware: 30°

INCLUDED CONTROLS
Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)
Light Kit Adaptable (pg. 403)

FAN SPECIFICATIONS



A. Fixture Drop: 13.3"
B. Blade Drop: 11.4"
C. Housing Width: 10.3"
D. Downrod: 4.5" (additional lengths pg. 401)

Motor Size: 153mm x 12mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	50 Watts	34 Watts
AIRFLOW	3835 CFM	3067 CFM
ENERGY COSTS	N/A	$10 Per Year
EFFICIENCY	76 CFM/Watt	90 CFM/Watt

FTC ENERGY GUIDE

HUGGER	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	50 Watts	34 Watts
AIRFLOW	3062 CFM	2440 CFM
ENERGY COSTS	N/A	$10 Per Year
EFFICIENCY	61 CFM/Watt	72 CFM/Watt



5LDO44BZ
Bronze Housing
Bronze ABS Blades



5LDO44MBK
Midnight Black Housing
Midnight Black ABS Blades



5LDO44RZW
Matte White Housing
Matte White ABS Blades

DISCUS OUTDOOR 52 LED

LED WET

BLADES
(5) Blades (Included)
12° Blade Pitch
52" Blade Sweep

BLADE MATERIAL
ABS

LAMPING
Integrated LED: 20W
Light Output: 715 Lumens Net
CCT: 2700K
CRI: 90+
Optional MC360 Finishing Cap Available (pg. 402)

MOUNTING
Maximum Slope Angle with
Included Hardware: 30°

INCLUDED CONTROLS
Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)
See Control Compatibility Charts (pg. 397 & 399)

FAN SPECIFICATIONS



A. Fixture Drop: 15.1"
B. Blade Drop: 10.6"
C. Housing Width: 11.1"
D. Downrod: 4.5" (additional lengths pg. 401)

Motor Size: 153mm x 18mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	61 Watts	39 Watts
AIRFLOW	4470 CFM	3266 CFM
ENERGY COSTS	N/A	$11 Per Year
EFFICIENCY	73 CFM/Watt	83 CFM/Watt



5DIW52RBD
Roman Bronze Housing
Roman Bronze ABS Blades
Matte Opal Glass



5DIW52PBSD
Painted Brushed Steel Housing
Painted Brushed Steel ABS Blades
Matte Opal Glass



5DIW52BKD
Matte Black Housing
Matte Black ABS Blades
Matte Opal Glass



5DIW52WHD
White Housing
White ABS Blades
Matte Opal Glass

CRUISE OUTDOOR 52

WET

BLADES
(5) Blades (Included)
13° Blade Pitch
52" Blade Sweep

BLADE MATERIAL
ABS

MOUNTING
Maximum Slope Angle with
Included Hardware: 30°

INCLUDED CONTROLS
Pull Chain Operation, 3-speed,
Manual Reverse Switch



COMPATIBLE ACCESSORIES
Slope Ceiling Canopy Kits MC95 & MC93 (pg. 400)
Light Kit Adaptable (pg. 403)
See Compatibility Chart (pg. 397 & 399)

FAN SPECIFICATIONS



A. Fixture Drop: 14"
B. Blade Drop: 10.9"
C. Housing Width: 10.4"
D. Downrod: 4.5" (additional lengths pg. 401)

Motor Size: 172mm x 20mm

FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	68 Watts	42 Watts
AIRFLOW	4324 CFM	3238 CFM
ENERGY COSTS	N/A	$12 Per Year
EFFICIENCY	64 CFM/Watt	76 CFM/Watt



5CU52RB
Roman Bronze Housing
American Walnut ABS Blades



5CU52BK
Midnight Black Housing
Black ABS Blades



5CU52WH
White Housing
White ABS Blades

NEO MAGNETIC HAND-HELD & WALL MOUNT | Battery Operated | Hard Wired



MCRC1 (Universal)

- Hand-held or wall mount
- Works with virtually all pull-chain fans
- Non-reversing fan and light control
- Canopy installed receiver
- Can be used with MCRC3


(Transmitter)


(Receiver)

TRANSMITTER AND FAN RECEIVER
MCRC1

TRANSMITTER ONLY
MCRC1T



MCRC3 (Universal)

- 2-wire wall control
- Works with virtually all pull-chain fans
- Non-reversing fan and light control
- Canopy installed receiver
- Includes white and almond face plates
- Can be used with MCRC1


(Transmitter)


(Receiver)

TRANSMITTER AND FAN RECEIVER
MCRC3

TRANSMITTER ONLY
MCRC3W

COMBO WALL-MOUNT, HAND-HELD WALL CONTROL



CK250 (Combo Wall-Mount/Hand-Held Ki)

- Non-reversing fan and dimming downlight control
- Canopy installed receiver
- 3-speed
- Battery-operated hand-held transmitter or wall control (no hardwiring required)
- Dip switch control offering 16 different frequencies
- 1,000W surge protection
- White and almond face plates included


(Transmitter)


(Receiver)


(Includes Enclosure for Hand-Held Use)

TRANSMITTER ONLY
CT100 (does not reverse fan)



CK300 (Combo Wall-Mount/Hand-Held Ki)

- Reversing fan and dimming downlight control
- Switch housing installed receiver
- 3-speed
- Battery-operated hand-held transmitter or wall control (no hardwiring required)
- Dip switch control offering 16 different frequencies
- 1,000W surge protection
- White and almond face plates included


(Transmitter)


(Receiver)


(Includes Enclosure for Hand-Held Use)

TRANSMITTER ONLY
CT150

AC MOTOR FAN CONTROL CHART

	NEO REMOTE CONTROL KIT	NEO TRANSMITTER ONLY	COMBO HAND-HELD/WALL REMOTE KIT	
	MCRC1 MCRC3	**MCRC1T MCRC3W**	**CK250**	**CK300**
Colony 60 LED	x	x	x	
Colony 60	x	x	x	
Colony 52 LED	x	x	x	
Colony 52	x	x	x	
Cruise Outdoor 52	x	x	x	x
Discus Classic 52 LED	x	x	x	
Discus Classic 44 LED	x	x	x	
Discus Ornate 52 LED	x	x	x	
Discus Outdoor 52 LED	x	x	x	
Era 52 LED	x	x	x	
Era 44 LED	x	x	x	
Jovie 44	x	x	x	
Jovie 44 LED	x	x	x	
Jovie 52	x	x	x	
Jovie 52 LED	x	x	x	
Linden 52 LED	x	x	x	
Linden 52	x	x	x	
Linden 48 LED	x	x	x	
Linden 48	x	x	x	
Linden Outdoor 52 LED	x	x	x	
Linden Outdoor 44	x	x	x	
Syrus 52 LED	x	x	x	

Cant find the fan you are looking for?

This means it is offered with its own remote control, included in the box. For remote control details, please check the fan's product page.

WALL MOUNT CONTROLS



ESWC-1 (Wall Control)

- Rotary-style fan wall control
- 3-speed
- Includes ivory and white knobs
- Face plate not included



ESSWC-3-WH (Wall Control)

- Converts standard two-wire wall switch to a four-speed (High, Medium/High, Medium, Low) fan control



ESSWC-4-WH (Wall Control)

- For use with extra heavy duty 212mm motors
- Converts standard two-wire wall switch to a heavy duty (212mm motor fans) four-speed (high, medium/high, medium, low) fan control



ESSWC-5-WH (Wall Control)

- Converts standard wall switch to fan and on/off light control
- Wall switch must have three wires, (with two hot leads) to operate both fan and light separately



ESSWC-6-WH (Wall Control)

- 4-speed wall control
- Converts standard wall switch to a multi-function fan and light control
- Wall switch must have three wires, (with two hot leads) to operate both fan and light separately



ESSWC-10 (Wall Control)

- 6-speed wall transmitter
- Reversing fan and light control
- LED light dimmer



ESSWC-11 (Wall Control)

- 3-speed wall transmitter
- Reversing fan and light control
- LED light dimmer
- Variable Breeze



MCSMRC (Smart AC Control)

- Hand-held or wall mount
- Converts non-Smart fans into Smart fans
- Works with virtually all AC motor fans
- Non-reversing fan and light control
- Canopy installed receiver
- 4 Speeds

AC MOTOR FAN CONTROL CHART

DIRECT WIRED WALL CONTROLS

	ESWC-1	ESSWC-3-WH	ESSWC-4-WH	ESSWC-5-WH	ESSWC-6-WH
Colony 60 LED				x	x
Colony 60	x	x	x	x	x
Colony 52 LED				x	x
Colony 52	x	x	x	x	x
Cruise Outdoor 52	x	x	x	x	x
Discus Classic 52 LED				x	x
Discus Classic 44 LED				x	x
Discus Ornate 52 LED				x	x
Discus Outdoor 52 LED				x	x
Era 52 LED				x	x
Era 44 LED				x	x
Linden 52 LED				x	x
Linden 52				x	x
Linden 48 LED				x	x
Linden 48				x	x
Linden Outdoor 52 LED				x	x
Linden Outdoor 44				x	x
Syrus 52 LED	x	x		x	x

Cant find the fan you are looking for?

This means it is offered with its own remote control, included in the box. For remote control details, please check the fan's product page.

MC93 (Slope Ceiling Canopy Kit)



MC93RB
Roman Bronze

For extreme sloped or vaulted ceilings (up to 46° pitch) this adapter can easily be mounted on most Visual Comfort & Co. models under 35 lbs.



MC93AGP
Aged Pewter



MC93BBS
Burnished Brass



MC93BK
Matte Black



MC93BS
Brushed Steel



MC93BZ
Bronze



MC93CH
Chrome



MC93KOA
Koa



MC93MBK
Midnight Black



MC93OZ
Oil Rubbed Bronze



MC93PN
Polished Nickel



MC93RB
Roman Bronze



MC93RZW
Matte White



MC93SN
Satin Nickel



MC93WH
White



MC93WGR
Washed Grey

MC95 (Slope Ceiling Canopy Kit)



MC95RB
Roman Bronze

For extreme sloped or vaulted ceilings (up to 46° pitch) this adapter can easily be mounted on most Visual Comfort & Co. models under 35 lbs.



MC95AGP
Aged Pewter



MC95BBS
Burnished Brass



MC95BK
Matte Black



MC95BS
Brushed Steel



MC95CH
Chrome



MC95BZ
Bronze



MC95GRY
Grey



MC95KOA
Koa



MC95BNZ
Deep Bronze



MC95OZ
Oil Rubbed Bronze



MC95PN
Polished Nickel



MC95RB
Roman Bronze



MC95RZW
Matte White



MC95SN
Satin Nickel



MC95TI
Titanium



MC95WH
White

Our decorative downrods have pre-drilled holes on both ends. For optimum performance, we recommend that your ceiling fan be installed with the blades suspended 7' to 9' above the floor.

Standard 1/2" Diameter Downrods

Ceiling Height	9 FT	10 FT	11 FT	12 FT	13 FT	14 FT	15 FT
Suggested Downrod Length	12 IN	18 IN	24 IN	36 IN	48 IN	60 IN	72 IN
Aged Pewter	DR12AGP	DR18AGP	DR24AGP	DR36AGP	DR48AGP	DR60AGP	DR72AGP
Bronze	DR12BZ	DR18BZ	DR24BZ	DR36BZ	DR48BZ	DR60BZ	DR72BZ
Brushed Steel	DR12BS	DR18BS	DR24BS	DR36BS	DR48BS	DR60BS	DR72BS
Burnished Brass	DR12BBS	DR18BBS	DR24BBS	DR36BBS	DR48BBS	DR60BBS	DR72BBS
Deep Bronze	DR12BNZ	DR18BNZ	DR24BNZ	DR36BNZ	DR48BNZ	DR60BNZ	DR72BNZ
Hand Rubbed Antique Brass	DR12HAB	DR18HAB	DR24HAB	DR36HAB	DR48HAB	DR60HAB	DR72HAB
Matte Black	DR12BK	DR18BK	DR24BK	DR36BK	DR48BK	DR60BK	DR72BK
Matte White	DR12RZW	DR18RZW	DR24RZW	DR36RZW	DR48RZW	DR60RZW	DR72RZW
Midnight Black	DR12MBK	DR18MBK	DR24MBK	DR36MBK	DR48MBK	DR60MBK	DR72MBK
Oil Rubbed Bronze	DR12OZ	DR18OZ	DR24OZ	DR36OZ	DR48OZ	DR60OZ	DR72OZ
Polished Nickel	DR12PN	DR18PN	DR24PN	DR36PN	DR48PN	DR60PN	DR72PN
Roman Bronze	DR12RB	DR18RB	DR24RB	DR36RB	DR48RB	DR60RB	DR72RB
Satin Brass	DR12SB	DR18SB	DR24SB	DR36SB	DR48SB	DR60SB	DR72SB
Satin Nickel	DR12SN	DR18SN	DR24SN	DR36SN	DR48SN	DR60SN	DR72SN
White	DR12WH	DR18WH	DR24WH	DR36WH	DR48WH	DR60WH	DR72WH

For use with Coastal fans.

Matte White	DRC12RZW	DRC18RZW	DRC24RZW	DRC36RZW	DRC48RZW	DRC60RZW	DRC72RZW
Midnight Black	DRC12MBK	DRC18MBK	DRC24MBK	DRC36MBK	DRC48MBK	DRC60MBK	DRC72MBK

MC360



MC360RB
Roman Bronze

Finishing Cap (Blanking Plate)
Exclusive for Discus Classic, Discus Ornate, Discus Outdoor, Discus Smart fans.



Shown: 5DISM52AGPD with Finishing Cap MC362AGP



MC360AGP
Aged Pewter



MC360BS
Brushed Steel



MC360BK
Matte Black



MC360RB
Roman Bronze

MC360RZW
Matte White

MC362



MCM362MBK
Midnight Black

Finishing Cap (Blanking Plate)
Exclusive for Era fans.



Shown: 3ERHR52BSD with Finishing Cap MC360BS



MC362AGP
Aged Pewter



MC362BS
Brushed Steel



MC362MBK
Midnight Black

MC362RZW
Matte White

These light kits are compatible with all Generation Lighting Fans that accomodate Light Kits



MC260

MC260 LED
LIGHT KIT
- H: 1.2" W: 5.1"
- 18W Integrated LED
- 3000K | 1600 Lumens Net | CRI 90+
- Frosted White Shade

MC260MBK
Midnight Black

MC260PN
Polished Nickel

MC260RZW
Matte White

MC260BS
Brushed Steel (shown)



MC261

MC261 LED
LIGHT KIT
- H: 2.6" W: 11.2"
- 21W Integrated LED
- 3000K | 1800 Lumens Net | CRI 90+
- Frosted White Shade

MC261BS
Brushed Steel

MC261OZ
Oil Rubbed Bronze

MC261RZW
Matte White

MC261AGP
Aged Pewter (shown)



MC264

MC264 LED WET T24
LIGHT KIT
- H: 2.75" D: 7"
- 20W Integrated LED
- 3000K | 700 Lumens Net | CRI 90+
- Frosted Acrylic Lens

MC264AGP
Aged Pewter

MC264BK
Midnight Black

MC264RZW
Matte White (Shown)



MC266

MC266 WET T24
LIGHT KIT
- H: 3.625" D: 11.625"
- (2) 9W Medium A19 LED Bulbs (Included)
- 3000K | 800 Lumens Net | CRI 90+
- Matte White Glass

MC266BK
Matte Black

MC266RB
Roman Bronze

MC266RZW
Matte White

MC266OZ
Oil Rubbed Bronze (Shown)



MC265

MC265 LED DAMP T24
LIGHT KIT
- H: 2.75" D: 9"
- 20W Integrated LED
- 3000K | 700 Lumens Net | CRI 90+
- Frosted Acrylic Lens

MC265AGP
Aged Pewter

MC265BK
Matte Black

MC265BS
Brushed Steel

MC265RZW
Matte White (Shown)

These light kits are compatible with the following collections:

Colony 60 Colony 52 Cruise 52 Linden 52 Linden 48 Linden Outdoor 44



MC224

MC224 LED
HUGGER LIGHT KIT
- H: 4.5" W: 12.4"
- (3) Candelabra 6W LED Bulb (Included)
- 2700K | 1500 Lumens Net | CRI 90+
- Light Frosted Glass

MC224RB-V1
Roman Bronze

MC224RZW-V1
Matte White

MC224BS-V1
Brushed Steel (shown)



MC242

MC242 LED DAMP
LIGHT KIT
- H: 4.9" W: 11.75"
- (2) 9W Medium A19 LED Bulbs (Included)
- 3000K | 1600 Lumens Net | CRI 90+
- Matte Opal Glass

Aged Pewter
Brushed Steel
Matte White

Oil Rubbed Bronze
Roman Bronze (shown)



MC247

MC247 LED DAMP
LIGHT KIT
- H: 3.8" W: 15.7"
- (3) 9W Medium A19 LED Bulbs (Included)
- 3000K | 2400 Lumens Net | CRI 90+
- Matte Opal Glass

MC247RZW
Matte White

MC247RB
Roman Bronze

MC247BS
Brushed Steel (shown)



PRODUCT SHOWN: JANE LED TAPE (OBSCURED)

LIGHTING SYSTEMS



PRODUCT SHOWN: JANE LED TAPE IN EXTRUDED CHANNEL (OBSCURED)


UNDERCABINET


DISPLAY LIGHTING


COVE LIGHTING


CLOSET LIGHTING

A WEALTH OF APPLICATIONS

Generation Lighting is a trusted source for decorative and energy efficient accent lighting. We offer encased Undercabinet lighting, LED Disk Lights, Low-Voltage LED Linear Lighting, and our industry leading LX Cable System. We provide solutions for cove, undercabinet, display, and other accent lighting applications to create layers of lighting and visual interest. Our flexible, long-life LED linear lighting offers maximum flexibility – easy to install on most surfaces and field cuttable to ensure lighting that exactly meets your needs. Our product is certified for residential and commercial applications.



PRODUCT SHOWN: VIVID 120V LED 12"

ENCASED UNDERCABINET LIGHTING

Encased undercabinet lighting is a great supplement to the standard overhead lighting found in most kitchens, offices or retail spaces. At brighter levels it offers extra illumination for key tasks such as food preparation, reading or showcasing product. At lower levels it can be a wonderful accent when you are trying to set just the right mood for entertaining or unwinding at the end of the day.

We offer a variety of 120V LED systems to complement any application be it for a residential kitchen or for illuminating shelving in a retail setting. Each system comes in multiple lengths and features quick connects for powering via a wall outlet, knock-outs for hardwiring and the capability to easily link multiple units together.



VIVID 120V LED

The Vivid LED Undercabinet series takes the classic xenon or fluorescent undercabinet light to the next level. Using high quality LED technology, these fixtures achieve great light output and a high level of energy efficiency at an extremely affordable price point. With local on/off switches and the ability to be dimmed down to 10% these fixtures work well for different activities or times of day. In 2023, we will offer Vivid II as a transition from Vivid I with improved connector cords and updated LED components.



SELF-CONTAINED FLUORESCENT

Self-Contained Fluorescent Lighting is designed with quality and performance in mind. The low profile design is optimal for confined areas. High performance electronic ballasts and T5 lamps provide instant-on, flicker-free light. Contains multiple knockouts for ease of installation and linking units together.



VIVID 120V LED 12"



The Vivid LED Undercabinet series takes the classic xenon or fluorescent undercabinet light to the next level. Using high quality LED technology, these fixtures achieve great light output and a high level of energy efficiency at an extremely affordable price point.

2700K VIVID I	**49274S-15**	**49275S-15**	**49276S-15**	**49277S-15**	**49278S-15**
3000K VIVID I	**49374S-15**	**49375S-15**	**49376S-15**	**49377S-15**	**49378S-15**
3000K VIVID II	**495193S-15**	**495293S-15**	**495393S-15**	**495493S-15**	**495593S-15**
Length	7.5"	12"	18"	24"	30"
Voltage	120V DIRECT WIRE				
Lumens (@ 3000K)	VIVID I: 343	VIVID I: 575	VIVID I: 900	VIVID I: 1245	VIVID I: 1461
	VIVID II: 350, 575, 900, 1250, and 1450				
Power Consumption	VIVID I: 6.4W	VIVID I: 9.7W	VIVID I: 15.5W	VIVID I: 20.6W	VIVID I: 26W
	VIVID II: 5.1W, 8.1W, 12.2W, 16.7W, and 21W				
Efficacy	VIVID I: 54 LM/W	VIVID I: 59 LM/W	VIVID I: 58 LM/W	VIVID I: 60 LM/W	VIVID I: 55 LM/W
	VIVID II: 69, 71, 74, 75, AND 69 LM/W				
Color Rendering Index	90 CRI				
Rated Average Life	50,000 HOURS TO 70%				
Dimming range[1]	DOWN TO 10%				
Installation	HARD WIRE OR PLUG IN WITH OPTIONAL POWER CORD ACCESSORY. LINK MULTIPLE UNITS WITH OPTIONAL CONNECTOR CORDS.				
Certification	EN★ T24-1				
Features	LOCAL ON/OFF SWITCH				

[1] Vivid 120V LED is dimmable with a standard incandescent or electronic low voltage (ELV) dimmer. When sizing dimmer consult with the dimmer manufacturer for information on de-rating the dimmer for in-rush current.

BINNING CHART

Indicates how consistent color is from LED-to-LED along the black body cure of natural light. 1-step color binning helps ensure color variance is imperceptible to the human eye. Chart applies to all Vivid LED fixtures with a variance of 5%.

Vivd LED 3000K





DIMMER COMPATIBILITY

Lutron	DIVA DVCL-153P, SKYLARK SCL-152P, LUMEA LECL-153P, SKYLARK CONTOUR CTCL-153P, MAESTRO MACL-153M, SUNNATA STCL-153, CASETA PD-6WCL, CASETA PD-5NE, MAESTRO MA-PRO, RADIORA 2 RRD-6NA, MAESTRO MRF2-6ELV, RADIORA 2 RRD-10ND, HOMEWORKS QS HQRD-10ND, RADIORA 2 RRD-H6BRL
RadioRa 2	HYBRID KEYPADS
Leviton	DECORA SMART DW1DK-1BZ, SURESLIDE 6672
Eaton	TOGGLE TAL06P2
Legrand	ADORNE ADTP600RMHW1, ADORNE ADTH700RMTUW1, RADIANT RHL743P
Forbes & Lomax	FLR603P-2ND GEN
Insteon	2477D
Control4	DECORA FORWARD PHASE C4-FPD120, ADAPTIVE PHASE C4-APD120



SELF-CONTAINED FLUORESCENT 21"



Self-Contained Fluorescent Lighting is designed with quality and performance in mind. The low profile design is optimal for confined areas. High performance electronic ballasts and T5 lamps provide instant-on, flicker-free light. Contains multiple knockouts for ease of installation and linking units together.

Item Number	4975BLE-15	4976BLE-15	4977BLE-15
Finish	WHITE (-15)		
Length	12.25"	21.25"	24.5"
Color Temperature	3000K		
Voltage	120V AC		
Gross Lumens[1]	390	855	780
Power Consumption	8W	13W	16W
Efficacy	49 LM/W	66 LM/W	49 LM/W
Color Rendering Index	>82 CRI		
Rated Average Lamp Life	10,000 HOURS		
Dimmable	NO		
Minimum Spacing	ADJACENT MOUNTING CAPABLE		
Includes	T5 LAMP		
Certification	DAMP T24-1		

[1] Gross Lumen level is derived from lamp source output. Some illumination is lost through diffuser. Actual light delivered to surface will be less.

SELF-CONTAINED FLUORESCENT



PRODUCT SHOWN: SELF-CONTAINED FLUORESCENT (OBSCURED)

COMPONENT GUIDE

	CHOOSE FIXTURE				
VIVID I 120V LED 	**2700K**				
	49274S-15 Length: 7.5"	**49275S-15** Length: 12"	**49276S-15** Length: 18"	**49277S-15** Length: 24"	**49278S-15** Length: 30"
	3000K				
	49374S-15 Length: 7.5"	**49375S-15** Length: 12"	**49376S-15** Length: 18"	**49377S-15** Length: 24"	**49378S-15** Length: 30"
VIVID II 120V LED 	**3000K**				
	495193S-15 Length: 7.5"	**495293S-15** Length: 12"	**495393S-15** Length: 18"	**495493S-15** Length: 24"	**495593S-15** Length: 30"
SELF-CONTAINED FLUORESCENT 	**3000K**				
	4975BLE-15 Length: 12.25"	**4976BLE-15** Length: 21.25"	**4977BLE-15** Length: 24.5"		

Utilize this guide to draft a quick spec. Refer to page 439 for technical and dimming information.



A. CONNECTOR CORDS
Cords to join Vivid I Undercabinet fixtures together in a sequence.

95220S-15
Length: 3"

95221S-15
Length: 6"

95222S-15
Length: 12"

95223S-15
Length: 18"



B. MALE TO MALE CONNECTOR
Use to join Vivid I Undercabinet fixtures together in sequence with no gap in between units.

95236S-15
Length: 1"



C. FEMALE TO FEMALE CONNECTOR
Use to join a power and connector cord or two connector cords for longer runs.

95237S-15
Length: 1"



A. POWER CORDS
For plug-in installs where Vivid I Undercabinet fixtures will be powered via a wall outlet.

95230S-15
Length: 24"

95231S-15
Length: 72"



A. CONNECTOR CORDS
Cords to join Vivid II Undercabinet fixtures together in a sequence.

495603S-15
Length: 3"

495606S-15
Length: 6"

495612S-15
Length: 12"

496624S-15
Length: 24"



B. CONNECTOR
Use to join Vivid II Undercabinet fixtures together in sequence.

495688S-15



A. POWER CORDS
For plug-in installs where Vivid II Undercabinet fixtures will be powered via a wall outlet.

495624S-15
Length: 24"

495672S-15
Length: 72"



A. ON/OFF SWITCH (OPTIONAL)
Snaps into switch knock out on Self-Contained Fluorescent fixtures.

9027-15



PRODUCT SHOWN: LED DISK LIGHTS IN BRUSHED NICKEL FINISH

Disk Lights are convenient and small LED lights that feature a round, circular shape. They are becoming a popular addition to homes by creating a stunning lighting effect within glass-faced cabinets or above small, niche spaces. The compact, low-voltage light offers significant, yet gently diffused light output. Easily connect to multiple connectors to create a beautiful lighting system. Disk Lights' sturdy design enables install as either a recessed or surface mounted fixture based on the application.

Disk Lights are ideal for residential, commercial and retail applications with ample lumen output and versatility. Our Disk Lights are both linkable and dimmable, which allows homeowners to customize lighting as they see fit; available connector lengths include 3", 12", 36" and 72". Generation Lighting offers a combination of versatility, safety, energy efficiency and dimmability, making it a smart and practical choice for disk lighting.



DISK LIGHTS

Generation Lighting dimmable LED Disk Lights are the perfect solution for taking your accent lighting to the next level. A simple and sleek aluminum body allows these lights to blend in seamlessly with different styles of interior furnishing. The 3000K warm white light will create a comforting and inviting atmosphere in your home without irritating the eye. Our Disk Lights are designed to be extremely energy efficient, consuming only 3 watts per light and providing 90 CRI and 250 lumens output. Available in three finishes: White, Black or Brushed Nickel with an acrylic diffuser. Disk Lights are perfectly suitable for use in cabinets, closets, under counter, bookshelf, media center, etc. You can link up to 8 disk lights per run and with no bulbs to change and maintenance-free operation, expect reliable use for years to come.



LED DISK LIGHTING



Disk Lights are ideal for residential, commercial and retail applications with ample lumen output and versatility.

3000K	984100S(-15 -962 -12)
Finish	WHITE (-15), BRUSHED NICKEL (-962), BLACK (-12)
Voltage	12V DC
Lumens Delivered at 3000K	250
Power Consumption	3W/DISK
Efficacy	90.9 LM/W
Color Rendering Index	90 CRI
Rated Average Life	35,000 HOURS TO 70%
Certification	IP20 RATED FOR INDOOR USE, ENERGY STAR® QUALIFIED
Dimmable[1]	YES, TO 10%
Max. Run Length	8 DISKS / CONNECTION

BINNING CHART

Indicates how consistent color is from LED-to-LED along the black body cure of natural light. 1-step color binning helps ensure color variance is imperceptible to the human eye. Chart applies to all LED Disk Light fixtures with a variance of 5%.

LED Disk Lights 3000K



RELATIVE SPECTRAL POWER DISTRIBUTION





CONFIGURATION

Generation Lighting LED Disk lights can be configured in a daisy chain of up to 8 disks using our USB C to C cables.

COMPONENT GUIDE

CHOOSE FIXTURE

LED DISKS



White Finish (-15)



Brushed Nickel Finish (-962)



Black Finish (-12)

984100S (-15 -962 -12)
Diameter: 3" Height: 0.4375"

SELECT CONNECTORS



A. TRANSFORMER POWER CORDS
Cords have bare leads on one end for easy wiring to transformers and a USB C connector at other end for connecting to LED Disks.

984124S(-12 -15)
L: 24"

984172S(-12 -15)
L: 72"



C. USB C TO USB C CABLE
Connects LED Disk Lights together. Can also be used for wiring to remote transformers.

984003S(-12 -15)
L: 3"

984006S(-12 -15)
L: 6"

984012S(-12 -15)
L: 12"

984018S(-12 -15)
L: 18"



B. PLUG IN POWER ADAPTOR CORDS
Cords that have male USB input to male USB C output

984024S(-12 -15)
L: 24"

984072S(-12 -15)
L: 72"

Utilize this guide to draft a quick spec. Refer to page 438 for technical and dimming information.

SELECT ACCESSORIES



A. "Y" CONNECTOR CORD
Use to split the low voltage LED Disk connector cords to create a parallel run. Female USB C input to 2 male USB C outputs.

984102S(-12 -15)
L: 12"



C. DIMMER
Connect in the 12V DC run to dim Disk lights from 100% down to 10%. Female USB C Input to Male USB C Output.

984101S(-12 -15)

B. MOUNTING CLIPS
Space mounting clips according to run length to keep connector cords close to mounting surfaces.

984099S(-12 -15)

POWER SOURCE



A. TRANSFORMER
Electronic Transformers, Indoor use only. 984218S-15 18W, 120V Primary, 12V DC Secondary. 984230S-15 30W, 120V Primary, 12V DC Secondary. 984240S-15 40W, 120V Primary, 12V DC Secondary. 984260S-15 60W, 120V Primary, 12V DC Secondary.

984218S-15
Maximum of 4 disks

984230S-15
Maximum of 8 disks



B. PLUG IN POWER ADAPTOR
120V plug in transformer, 12V DC 1 Amp output for use with USB C connectors.

984201S(-12 -15)
Maximum of 4 disks



PRODUCT SHOWN: JANE LED TAPE

Small form factor, linear task and accent lighting is critical in residential and commercial spaces to layer light and create visual interest while placing light exactly where it is needed. LED Tape and Channels are often placed near a surface – frequently a white or light-colored surface which tends to pick up LED color variances adjacent to each other. We are proud to offer high color quality and consistency across our LED Tape and Accent Lighting lineup.



JANE LED TAPE

Jane LED Tape is perfect for a wide range of indoor applications where space is limited. Its low-profile design and flexibility allow for discrete installation in spaces like under cabinets, cove ceilings, toe-kicks, in cabinets or even in drawers. Jane 200 features high quality LED diodes that meet a stringent three-step binning threshold for maintaining a consistent color of light across an entire run.



EXTRUDED CHANNEL

When space allows, create an Extruded Channel, by simply fitting Jane LED tape into 4′ sections of polycarbonate track. For maximum flexibility, our track can be cut to size in the field. It mounts flat or at a 45-degree angle using screws or double-sided tape. The track is available with a flat, frosted lens to protect Jane LED tape and reduce pixelation while providing a wider beam of light.



EXTRUDED CHANNEL LENS

Flat, frosted lens for use with extruded channel to protect Jane LED tape and reduce pixelation while providing a wider beam of light. Sold separate from extruded channel.





JANE 200 LED TAPE

Jane 200 features high quality LED diodes that meet a stringent three-step binning threshold for maintaining a consistent color of light across an entire run.

2700K	**900004-15**	**900006-15**
3000K	**900005-15**	**900007-15**
Length	40'	10'
Finish	WHITE (-15)	
Voltage	24V DC	
Lumens Delivered at 3000K	200/FT	
Power Consumption	2.2W/FT	
Efficacy	90.9 LM/W	90.9 LM/W
Color Rendering Index	90 CRI	
Rated Average Life	50,000 HOURS TO 70%	
Certification	IP20 RATED FOR INDOOR USE, ENERGY STAR® QUALIFIED	
Dimmable[1]	YES, TO 10%	
Max. Run Length	40'	
Installation	CUT EVERY 4" TO FIT YOUR SPACE. EVERY CUT PIECE CAN BE POWERED. CONNECT TO TRANSFORMER USING CONNECTOR CORD. YOU MAY ALSO CONNECT STRIPS TOGETHER USING AVAILABLE CONNECTOR CORDS.	

[1] Jane LED Tape is dimmable on magnetic and electronic low voltage systems. For magnetic systems, a standard incandescent or magnetic low voltage (MLV) can be used. For electronic, an electronic low voltage (ELV) dimmer is recommended.

BINNING CHART

Indicates how consistent color is from LED-to-LED along the black body cure of natural light. 1-step color binning helps ensure color variance is imperceptible to the human eye. Chart applies to all LED Disk Light fixtures with a variance of 5%.

Jane LED Tape 3000K





COMPONENT GUIDE

JANE 200 LED TAPE



CHOOSE FIXTURE

2700K

900006-15 Length: 10"	**900004-15** Length: 40"

3000K

900007-15 Length: 10"	**900005-15** Length: 40"

SELECT CONNECTORS



A. CONNECTOR CORDS
Cords with fold-over clasps on either end for quick and secure connections between two pieces of Jane 200 LED Tape.

905002-15
Length: 3"

905003-15
Length: 6"

905004-15
Length: 12"

905005-15
Length: 18"

905006-15
Length: 24"

905007-15
Length: 36"

905040-15
Length: 72"



B. POWER CORD
For connecting Jane LED Tape to 24V DC Transformer. Cord has bare leads on one end for easy wiring to transformer and a fold-over clasp on the other for a quick, secure connection to LED tape.

905000-15
Length: 96"



C. JOINER CONNECTOR
Adapter with fold-over clasps on each end for linking two pieces of Jane 200 tape together with minimal gap.

905001-15
Length: .812" Width: 5" Height: .187"

Utilize this guide to draft a quick spec. Refer to page 437 for technical information and compatible dimmers on transformers.

SELECT ACCESSORIES



A. EXTRUDED CHANNEL
4' sections of polycarbonate track, able to be cut to size in the field. Channel mounts flat or at a 45-degree angle using screws or double-sided tape.

98670-15
Length: 48" Width: .75" Height: .0.5"

B. EXTRUDED CHANNEL FLAT LENS
Flat, frosted lens for use with extruded channel to protect Jane 200 LED tape and reduce pixelation while providing a wider beam of light. Sold separate from extruded channel.

98672-97
Length: 48" Width: .625" Height: .0.6"

C. DOUBLE FACED TAPE
L: 25' W: .375" H: .031"
Specially designed "High Adhesion" 3M™ double-faced tape for use with LED extruded channel. Allow minimum 24 hours curing of adhesive prior to applying power to the circuit.

9450
3M™

D. CHANNEL SCREWS (50PCS)
⅜" long #4 Phillips flat head screws for securely mounting LED extruded channel.

9862

E. LED TAPE CLIPS (10PCS)
Metal clips for securing LED tape. Brushed Steel finish.

905045-32

SELECT POWER SOURCE



A. ELECTRONIC TRANSFORMERS
Electronic Transformers, Indoor use only.
98745S-12 60W, 120V Primary, 24V DC Secondary.
98746S-12 105W, 120V Primary, 24V DC Secondary.
98747S-12 150W, 120V Primary, 24V DC Secondary.

98745S-12
L: 9.375" W: 2.5" H: 1.375"

98746S-12
L: 11" W: 4" H: 2.25"

98747S-12
L: 11" W: 4" H: 2.25"



B. MAGNETIC TRANSFORMER
Magnetic Transformer, Wet or Indoor use.
98743S-12 200W, 120V Primary, 24V DC Secondary.

98743S-12
L: 8.78" W: 3.75" H: 4.25"



PRODUCT SHOWN: LED FESTOON (OBSCURED)

LX CABLE SYSTEM

The Generation Lighting LX Cable System is our premier lighting solution giving users the utmost flexibility to easily design and install customized lighting to meet the specific needs of their space. Simply identify the length of run for which you will need cable, choose the lamping modules best suited for your application, and select a transformer.

Our LX Cable System is uniquely engineered so that you can mix and match any of our lamping modules on the same system. The snap-on design enables quick installation and the ability to adjust over time as lighting needs or preferences change.



HIGH OUTPUT LED MODULES

The miniature, High Output LED Modules can be used with 12V Generation Lighting LX Cable Systems powered by magnetic low-voltage or electronic low-voltage transformers.



LED FESTOON

Upgrade to our LX LED Festoons from our 5W Xenon Festoons and realize an energy savings of over 80% without compromising light output. LX LED Festoons snap into LX Festoon Lampholders (sold separately), making retrofitting of existing systems easy.



XENON FESTOON

Generation Lighting LX Xenon Festoons revolutionized the under cabinet lighting industry and continue to be an industry standard.



WEDGE BASE

LX Wedge Base Lamps provide illumination for a varied list of applications. LX Wedge Base Lamps add another level of versatility to Generation Lighting LX Cable systems.





Simply snap the LED modules onto LX track and cable to provide a generous amount of illumination without the need for a lampholder. These high intensity LED modules utilize wider recommended spacing than our festoons while still providing even surface illumination.

Item Number	98700S-986	98701S-986	98702S-986	98703S-986
Length	2"		4"	
Color Temperature	2700K	3000K	2700K	3000K
Voltage	12V AC			
Finish	TINTED ALUMINUM (-986)			
Diffuser	FROSTED			
Delivered Lumens	85	90	220	230
Power Consumption	1.7W		4W	
Efficacy	50 LM/W	53 LM/W	55 LM/W	58 LM/W
Color Rendering Index	90 CRI			
Rated Average Life	50,000 HOURS TO 70%			
Dimmable[1]	DOWN TO 10%			
Installation	HIGH OUTPUT LED MODULES SNAP ONTO THE LX TRACK			
Recommended Spacing	6" ON CENTER (1" MINIMUM SEPARATION)		12" ON CENTER (1" MINIMUM SEPARATION)	
Certification	ETL			

[1] Generation Lighting High Output LED Modules are dimmable on magnetic and electronic low voltage systems. For magnetic systems, a standard incandescent or magnetic low voltage (MLV) dimmer can be used. For electronic, an electronic low voltage (ELV) dimmer is recommended.





For new systems, pick a matching LX Festoon Lampholder and clip them onto your LX Cable and Track. LX LED Festoons are available in 2700 and 3000K in 12V (lampholder sold separately).

Item Number	96116S(-32 -33)	96118S(-32 -33)
Finish	CLEAR (-32), FROSTED (-33)	
Color Temperature	2700K	3000K
Voltage	12V AC	
Delivered Lumens	59	60
Power Consumption	.708W	
Efficacy	83 LM/W	85 LM/W
Color Rendering Index	>90 CRI	
Rated Average Life	50,000 HOURS TO 70%	
Dimmable[1]	DOWN TO 10%	
Lamp Base	FESTOON	
Recommended Spacing	4" ON CENTER (1" MINIMUM SEPARATION)	
Certification	CETL DAMP	

FESTOON LAMPHOLDER

For use with our highly specified LED and Xenon festoons, Generation Lighting LX Festoon Lampholders feature a high quality reflector and base for directing light where you need it. Our Accent Task Socket for general applications provides crisp linear lighting. Each lampholder snaps onto LX Track and Cable with ease and can be spaced based on your criteria.





Item Numbers	9830(-15 -12)
Reflector	"L" ACCENT TASK SOCKET
Voltage	12V AC
Lamp Base	FESTOON
Certification	CETL DAMP
Maximum Wattage	(1) 10W XENON FESTOON (1) LED FESTOON
Recommended Minimum Spacing	2" ON CENTER (5W XENON) 4" ON CENTER (LED FESTOON)
Material	HEAT RESISTANT POLYCARBONATE BASE AND ANODIZED ALUMINUM REFLECTOR

[1] LX LED Festoons are dimmable on magnetic and electronic low voltage systems. For magnetic systems, a standard incandescent or magnetic low voltage (MLV) dimmer can be used. For electronic, an electronic low voltage (ELV) dimmer is recommended.

Lamps in chart above only compatible with Festoon Lampholder 9830.

Application	Recommended Spacing on Center	Suggested Lamp Source(s)
Above Cabinet	6" - 12"	LED FESTOON
Under Cabinet	2" - 6"	LED FESTOON
Inside Cabinet	1 - 2 PER SHELF	LED FESTOON
Toe Space	4"	LED FESTOON
Showcase	4" - 6"	LED FESTOON
Cove	2" - 6"	LED FESTOON





Xenon Festoon are available in 5W and 10W. Our directional lampholder easily positions light where you need it (lampholder sold separately).

Item Number	97118(-32 -33)	97119(-32 -33)
Color Temperature	2550K	2650K
Voltage	12V AC	12V AC
Rated Watts	5 WATTS	10 WATTS
Finish	CLEAR (-32), FROSTED (-33)	
Gross Lumens	33	83
Power Consumption	4.2W	8.4W
Efficacy	8 LM/W	10 LM/W
Color Rendering Index	>90 CRI	
Rated Average Life	16,000 HOURS	12,000 HOURS
Dimmable	YES	
Lamp Base	FESTOON	
Recommended Spacing	4" ON CENTER (1" MINIMUM SEPARATION)	

FESTOON LAMPHOLDER

For use with our highly specified LED and Xenon festoons, Generation Lighting LX Festoon Lampholders feature a high quality reflector and base for directing light where you need it. Our Accent Task Socket for general applications provides crisp linear lighting. Each lampholder snaps onto LX Track and Cable with ease and can be spaced based on your criteria.







Item Numbers	9830(-15 -12)
Reflector	"L" ACCENT TASK SOCKET
Voltage	12V AC
Lamp Base	FESTOON
Certification	CETL DAMP
Maximum Wattage	(1) 10W XENON FESTOON (1) LED FESTOON
Recommended Minimum Spacing	2" ON CENTER (5W XENON) 4" ON CENTER (LED FESTOON)
Material	HEAT RESISTANT POLYCARBONATE BASE AND ANODIZED ALUMINUMREFLECTOR

APPLICATION GUIDE

Lamp Item #	Lampholder Spacing	Distance to Illuminated Surface				
		6"	12"	18"	24"	30"
97118(-32 -33)	2"	114	52	24	14	10
	4"	71	32	15	8.9	6.4
	6"	64	29	13	8	5.7
	8"	57	26	12	7.1	5.1
	10"	51	23	11	6.3	4.5
	12"	45	20	9.5	5.6	4.0
97119(-32 -33)	4"	179	81	38	22	16
	6"	160	72	34	20	14
	8"	142	64	30	18	13
	10"	128	58	27	16	11
	12"	114	52	24	14	10





LX Wedge Base Lamps provide illumination for a varied list of applications. LX Wedge Base Lamps add another level of versatility to Generation Lighting LX Cable systems (lampholder sold separately).

Item Number	9728	9731	9732
Lamp Type	T3¼ INCANDESCENT	T3¼ XENON	T3¼ XENON
Color Temperature	2300K	2400K	2550K
Voltage	12V AC	12V AC	12V AC
Rated Watts	5W	3W	5W
Gross Lumens	23	15	33
Power Consumption	4W	2.7W	4.2W
Efficacy	6 LM/W	6 LM/W	8 LM/W
Color Rendering Index	>90 CRI	>90 CRI	>90 CRI
Rated Average Life	9,000 HOURS	19,000 HOURS	8,000 HOURS
Dimmable	YES	YES	YES
Lamp Base	WEDGE	WEDGE	WEDGE
Minimum Spacing	4" ON CENTER	4" ON CENTER	4" ON CENTER

WEDGE BASE LAMPHOLDER

For use with our xenon and incandescent wedge base lamps, Generation Lighting LX Wedge Base Lampholders feature a high quality reflector for minimizing light loss from your selected lamps. Each lampholder snaps onto LX Track and Cable with ease and can be spaced based on your criteria and lamp source (sold separately).





Item Number	9428(-15 -12)
Reflector	TWO LAMP SOCKET, IDEAL FOR COVE LIGHTING
Voltage	12V AC
Lamp Type	T3¼ WEDGE
Certification	CETL DAMP
Maximum Wattage	(2) 5W INCANDESCENT OR XENON
Recommended Minimum Spacing	4" ON CENTER
Material	HEAT RESISTANT POLYCARBONATE BASE AND ANODIZED ALUMINUM REFLECTOR

FOOTCANDLE & SPACING CHART

Application	Recommended Spacing on Center	Suggested Lamp Source(s)
Above Cabinet	2" - 4"	3W-5W INCANDESCENT OR XENON
Inside Cabinet	1 - 2 PER SHELF	3W-5W INCANDESCENT OR XENON
Toe Space	2" - 4"	3W-5W INCANDESCENT OR XENON
Cove	4"	3W-5W INCANDESCENT OR XENON

COMPONENT GUIDE

	CHOOSE FIXTURE		
HIGH OUTPUT LED MODULES	**2700K**	**3000K**	
	**98700S-986** Length: 2"	**98701S-986** Length: 2"	
	**98702S-986** Length: 4"	**98703S-986** Length: 4"	
LED FESTOON AND LAMPHOLDER	**2700K**	**3000K**	
  **9830(-15 -12)** 9830-12 shown	**96116S(-32 -33)**	**96118S-32**	
XENON FESTOON AND LAMPHOLDER	**2550K**	**2650K**	
  **9830(-15 -12)** 9830-15 shown	**97118(-32 -33)**	**97119(-32 -33)**	
WEDGE BASE AND LAMPHOLDER	**2300K**	**2400K**	**2550K**
  **9428(-15 -12)** 9428-15 shown	**9728**	**9731**	**9732**

Utilize this guide to draft a quick spec. Refer to page 437 for technical information and compatible dimmers on transformers.

SELECT ACCESSORIES



A. TRACK
Noryl® track to support cable and lampholders. Use double faced tape (9450), track clip (9438) or screws (9862) through pre-drilled holes to attach track to surface. Track may be flexed, notched, curved and easily cut for various applications.

9435(-15 -12)
L: 48" W: .5" H: .25"



B. TRACK WITH FASCIA PANEL
One piece Noryl® fascia panel with integral track to support cable and lampholders. Use under shelves or where system cannot be hidden behind a lip on cabinets. Track/fascia may be easily cut to various lengths. Use double faced tape (9450) track clip (9438) or screws (9862) through pre-drilled holes to attach track/fascia to surface. Use double-faced tape on glass and other smooth surfaces.

9443-12
L: 48" W: .5" H: .25"



C. TRACK CLIP
Polycarbonate track mounting clip. Easily snaps on at any point along 9435 track or 9443 track/fascia panel to secure to surface. Space clips according to weight of fixtures, to prevent track from sagging. Includes .375" long #4 screw.

9438(-15 -12)
L: 1" W: .75" H: .343"



D. INDOOR CABLE SPOOL
Spools of cable especially designed with easy piercing, self-sealing insulation over stranded copper wire for use with Generation Lighting LX Cable Lighting system. Markings for lampholder placement every 2". Designed to be mounted in Generation Lighting LX Track. LX 10/2 AWG 105° C cable is rated for indoor use only. Maximum wattage per length 300W at 12V; 600w at 24V cable is not rated to run behind walls. Check with local codes.

9471(-15 -12)
L: 100' W: .375" H: .187"

9470(-15 -12)
L: 50' W: .375" H: .187"

9469(-15 -12)
L: 25' W: .375" H: .187"



E. MINIATURE WIRING COMPARTMENT / SPLICER
Polycarbonate splicer with cover for connection between transformer extension Wire (i.e. Romex) and low voltage cable, or LED Tape Connector. Maximum 25 amps.

9459(-15 -12)
L: 2" W: .968" H: .625"



F. TAP OFF CONNECTOR
Polycarbonate tap off connector. Use to tap off of low voltage Generation Lighting® Cable and create a parallel run for shelving, etc. Corrosion resistant contacts pierce the specially designed Generation Lighting® cable for electrical connection. Listed 12V and 24V. Wet location 12v only. Maximum wattage after connection on 105˚C Generation Lighting® tap cable: 200W at 12V; 375W at 24V.

9380(-15 -12)
L: 1.5" W: 1.5" H: .437"



G. FUSED PLUG
For powering multiple Generation Lighting low voltage luminaires from an LX Cable System. See page "Technical Information" for detailed wiring information.

9488-12
L: .875" W: .75" H: .812"



H. WIRING COMPARTMENT
Steel wiring compartment with hole for .5" conduit connector, snap on cover and opening for track and cable. Includes terminal block for connection between transformer extension Wire (i.e. Romex type) and low voltage cable. Maximum 25 amps.

9481-15
L: 2" W: 1.312" H: 1.25"

I. CHANNEL SCREWS
⅜" long #4 Phillips flat head screws for securely mounting LED extruded channel.

9862

J. DOUBLE FACED TAPE
Specially designed "High Adhesion" 3M™ double-faced tape for use with LED extruded channel. Allow minimum 24 hours curing of adhesive prior to applying power to the circuit.

9450
L: 25' W: .375" H: .031"

SELECT POWER SOURCE

A. MAGNETIC TRANSFORMERS
Include boost tap for use when transformer is located 20' or more from first light.



94458-12
L: 8.75" W: 4.25" H: 3.75"

94460-12
L: 10.5" W: 4.312" H: 4.312"

94462-12
L: 10.5" W: 4.375" H: 3.875"

B. ELECTRONIC TRANSFORMERS
Include boost tap for use when transformer is located 20' or more from first light.



75W 12V ZERO-LOAD TRANSFORMER

96622S-12
L: 7.805" W: 1.36" H: 0.949"



150W 12V ZERO-LOAD TRANSFORMER

96624S-12
L: 8.385" W: 2.53" H: 1.219"

TRANSFORMERS

Generation Lighting power supplies deliver consistent, reliable energy, extending the life and quality of our lighting fixtures. Technical information, dimmer compatibility, as well as maximum run lengths are listed in the following section.



MAGNETIC TRANSFORMERS

Magnetic transformers are encased in a powder coated metal enclosure that is potted to minimize noise and vibration. All are UL/cUL listed, NEC 411 approved, thermally protected, dimmable, and have resettable magnetic circuit breakers for short circuit protection. Housings feature easy-hang bracket, wiring access door, and knockouts for line voltage entry.



ELECTRONIC TRANSFORMERS

The zero-load electronic transformers from Generation Lighting provide industry leading technology in a small form factor. All transformers now include radio frequency interference modules to eliminate interference that can occur when dimming low-voltage fixtures. These units also have the added benefits of local on/off switches and a user replaceable secondary side of the transformer that can be swapped without an electrician or even needing to touch the primary wiring.

JANE LED TAPE TRANSFORMERS



Magnetic Transformer	Compatible Dimmers
200W, 24V DC SINGLE OUTPUT TRANSFORMER L: 8.78" W: 3.75" H: 4.25" 200W, 120V Primary, 24V DC Secondary, Magnetic Transformer, Black Powder Coated Enclosure, Wet or Dry Location **98743S-12**	Lutron Diva DVCL-153P, Lutron Skylark SCL-152P, Lutron Lumea LECL-153P, Lutron Skylark Contour CTCL-153P, Lutron Maestro MACL-153M, Lutron Sunnata STCL-153, Lutron Diva DVRP-253P, Lutron Caseta PD-6WCL, Lutron Caseta PD-5NE, Lutron Maestro MA-PRO, Lutron RadioRa 2 RRD-6NA, Lutron Maestro MRF2-6ELV, Lutron RadioRa 2 RRD-10ND, Lutron HomeWorks QS HQRD-10ND, Lutron Maestro MRF2S-6CL, Lutron RadioRa2 RRD-6CL, Lutron HomeWorks QS HQRD-6CL, Lutron HomeWorks QS HQRA-6CL, Lutron RadioRa 2 RRD-H6BRL, RadioRa 2 Hybrid Keypads, Leviton Toggle TSL06, Leviton Decora Smart DW1DK-1BZ, Leviton Decora DSL06 SSL7A, Eaton Toggle TAL06P2, Legrand Adorne ADTP600RMHW1, Legrand Adorne ADTH700RMTUW1, Insteon 2477D, Control4 Decora Forward Phase C4-FPD120, Control4 Adaptive Phase C4-APD120



Electronic Transformers	Compatible Dimmers
60W, 24V DC SINGLE OUTPUT TRANSFORMER L: 9.375" W: 2.5" H: 1.375" 60W, 120V Primary, 24V DC Secondary, Electronic Transformer. Black Powder Coated Enclosure. Indoor Use Only. **98745S-12**	Lutron Diva DVCL-153P, Lutron Skylark SCL-152P, Lutron Lumea LECL-153P, Lutron Skylark Contour CTCL-153P, Lutron Maestro MACL-153M, Lutron Sunnata STCL-153, Lutron Diva DVRP-253P, Lutron Caseta PD-6WCL, Lutron Caseta PD-5NE, Lutron Maestro MA-PRO, Lutron RadioRa 2 RRD-6NA, Lutron Maestro MRF2-6ELV, Lutron RadioRa 2 RRD-10ND, Lutron HomeWorks QS HQRD-10ND, Lutron Maestro MRF2S-6CL, Lutron RadioRa2 RRD-6CL, Lutron HomeWorks QS HQRD-6CL, Lutron HomeWorks QS HQRA-6CL, Lutron RadioRa 2 RRD-H6BRL, RadioRa 2 Hybrid Keypads, Leviton Toggle TSL06, Leviton Decora Smart DW1DK-1BZ, Leviton Decora DSL06 SSL7A, Eaton Toggle TAL06P2, Legrand Adorne ADTP600RMHW1, Legrand Adorne ADTH700RMTUW1, Insteon 2477D, Control4 Decora Forward Phase C4-FPD120, Control4 Adaptive Phase C4-APD120
105W, 24V DC SINGLE OUTPUT TRANSFORMER L: 11" W: 4" H: 2.25" 105w, 120V Primary, 24V DC Secondary, Electronic Transformer. Black Powder Coated Enclosure. Indoor Use Only. **98746S-12**	Lutron Diva DVCL-153P, Lutron Skylark SCL-152P, Lutron Lumea LECL-153P, Lutron Skylark Contour CTCL-153P, Lutron Maestro MACL-153M, Lutron Sunnata STCL-153, Lutron Diva DVRP-253P, Lutron Caseta PD-6WCL, Lutron Caseta PD-5NE, Lutron Maestro MA-PRO, Lutron RadioRa 2 RRD-6NA, Lutron Maestro MRF2-6ELV, Lutron RadioRa 2 RRD-10ND, Lutron HomeWorks QS HQRD-10ND, Lutron Maestro MRF2S-6CL, Lutron RadioRa2 RRD-6CL, Lutron HomeWorks QS HQRD-6CL, Lutron HomeWorks QS HQRA-6CL, Lutron RadioRa 2 RRD-H6BRL, RadioRa 2 Hybrid Keypads, Leviton Toggle TSL06, Leviton Decora Smart DW1DK-1BZ, Leviton Decora DSL06 SSL7A, Eaton Toggle TAL06P2, Legrand Adorne ADTP600RMHW1, Legrand Adorne ADTH700RMTUW1, Insteon 2477D, Control4 Decora Forward Phase C4-FPD120, Control4 Adaptive Phase C4-APD120
150W, 24V DC SINGLE OUTPUT TRANSFORMER L: 11" W: 4" H: 2.25" 150W, 120V Primary, 24V DC Secondary, Electronic Transformer. Black Powder Coated Enclosure. Indoor Use Only. **98747S-12**	Lutron Diva DVCL-153P, Lutron Skylark SCL-152P, Lutron Lumea LECL-153P, Lutron Skylark Contour CTCL-153P, Lutron Maestro MACL-153M, Lutron Sunnata STCL-153, Lutron Diva DVRP-253P, Lutron Caseta PD-6WCL, Lutron Caseta PD-5NE, Lutron Maestro MA-PRO, Lutron RadioRa 2 RRD-6NA, Lutron Maestro MRF2-6ELV, Lutron RadioRa 2 RRD-10ND, Lutron HomeWorks QS HQRD-10ND, Lutron Maestro MRF2S-6CL, Lutron RadioRa2 RRD-6CL, Lutron HomeWorks QS HQRD-6CL, Lutron HomeWorks QS HQRA-6CL, Lutron RadioRa 2 RRD-H6BRL, RadioRa 2 Hybrid Keypads, Leviton Toggle TSL06, Leviton Decora Smart DW1DK-1BZ, Leviton Decora DSL06 SSL7A, Eaton Toggle TAL06P2, Legrand Adorne ADTP600RMHW1, Legrand Adorne ADTH700RMTUW1, Insteon 2477D, Control4 Decora Forward Phase C4-FPD120, Control4 Adaptive Phase C4-APD120

DISK LIGHT TRANSFORMERS



Electronic Transformers	Dimming
18W, 12V DC SINGLE OUTPUT TRANSFORMER 18w, 120v Primary, 12v DC Secondary, Electronic Transformer. Maximum of 4 disks. Indoor Use Only. **984218S-15**	 **DIMMER** Connect in the 12V DC run to dim Disk lights from 100% down to 10%. Female USB C Input to Male USB C Output. **984101S(-12 -15)**
30W, 12V DC SINGLE OUTPUT TRANSFORMER 30w, 120v Primary, 12v DC Secondary, Electronic Transformer. Maximum of 8 disks. Indoor Use Only. **984230S-15**	



Electronic Transformer	Dimming
PLUG IN POWER ADAPTOR 120V plug in transformer, 12V DC 1 Amp output for use with USB C connectors. Maximum of 8 disks. **984201S(-12 -15)**	 **DIMMER** Connect in the 12V DC run to dim Disk lights from 100% down to 10%. Female USB C Input to Male USB C Output. **984101S(-12 -15)**

LX CABLE SYSTEMS TRANSFORMERS



Magnetic Transformers	Dimming
75W, 12V DC SINGLE OUTPUT TRANSFORMER L: 8.75" W: 4.25" H: 3.35" 75w, 120v Primary, 12v DC Secondary, Electronic Transformer. Indoor Use Only. **94458-12**	When dimming a low-voltage system, it is recommended that the dimming occur on the primary side of the transformer, reducing the power coming into the transformer. The dimmer must be matched to the type of transformer that's powering the system. For Magnetic transformers, use a standard, incandescent line voltage dimmer or a magnetic low voltage (MLV) dimmer.
150W, 12V DC SINGLE OUTPUT TRANSFORMER L: 10.5" W: 4.3125" H: 4.3125" 150w, 120v Primary, 12v DC Secondary, Electronic Transformer. Indoor Use Only. **94460-12**	
300W, 12V DC SINGLE OUTPUT TRANSFORMER L: 10.5" W: 4.375" H: 3.875" 300w, 120v Primary, 12v DC Secondary, Electronic Transformer. Indoor Use Only. **94462-12**	



Electronic Transformer	Dimming
75W 12V ZERO-LOAD TRANSFORMER L: 7.805" W: 1.36" H: 0.949" Hardwire to power source and operate remotely or with installed switch.Secondary side features quick connection for fast install. **96622S-12**	When dimming a low-voltage system, it is recommended that the dimming occur on the primary side of the transformer, reducing the power coming into the transformer. The dimmer must be matched to the type of transformer that's powering the system. For Electronic transformers, use an eletronic low voltage (ELV) Dimmer.



Electronic Transformer	Dimming
150W 12V ZERO-LOAD TRANSFORMER L: 8.385" W: 2.53" H: 1.219" Hardwire to power source and operate remotely or with installed switch. **96624S-12**	When dimming a low-voltage system, it is recommended that the dimming occur on the primary side of the transformer, reducing the power coming into the transformer. The dimmer must be matched to the type of transformer that's powering the system. For Electronic transformers, use an eletronic low voltage (ELV) Dimmer.



PRODUCT SHOWN: TRAVERSE MIRAGE IN WHITE FINISH

RECESSED

TRAVERSE LED RECESSED



PRODUCT SHOWN: TRAVERSE MIRAGE IN WHITE FINISH

Generation Lighting has revolutionized the world of recessed downlights with our Traverse line of LED-light modules. The Traverse lineup does more than just eliminate many of the LED pain points that used to turn off consumers. It also provides you with one-stop shopping, courtesy of six different downlight options that provide superior performance and value at various price points.

Generation Lighting Traverse downlights feature advanced technology that enhances job-site productivity and efficiency with quick, easy installations. At the same time, they provide consumers with eye-pleasing, long-lasting, energy-efficient and more cost-effective LED lighting solutions. In short, the Traverse line is exactly what you'd expect from Generation Lighting, which has dominated the LED-lighting market for the last decade.



TRAVERSE MIRAGE



TRAVERSE AUBREY WALL WASH



TRAVERSE LOTUS



TRAVERSE FLEX



TRAVERSE LYTE



TRAVERSE DIRECT

TRAVERSE MIRAGE RECESSED



TRAVERSE MIRAGE



FEATURES & BENEFITS

- Recessed look and feel with unparalleled efficacy of LED
- Economical, long lasting upgrade to standard recessed lighting
- Provides visually pleasing, color accurate illumination (90 CRI)
- Dimmable down to 10%
- ENERGY STAR® Qualified
- Title-24 Compliant
- Wet Rated for shower ceiling installations
- Flat lens
- Easy to install

DIMMER COMPATIBILITY

Forbes & Lomax	FLR603P
Legrand	RHL743P
Insteon	2477D
Lutron	DVCL-153P, SCL-152P, LECL-153P, CTCL-153P, MACL-153M, STCL-153, DVRP-253P, PD-6WCL, PD-5NE, MA-PRO, RRD-6NA, MRF2-6ELV, RRD-10ND, MRF2S-6CL,
Leviton	TSL06, DW1DK-1BZ, DSL06 SSL7A, 6672, DSE06-1

SPECIFICATIONS

Item Number	**14916RD-15**
Item Name	TRAVERSE MIRAGE
Finish	WHITE (-15)
Color Temperature	3000K
Lumens Delivered	800
Watts Consumed	13.8
Efficacy	58
Color Rendering Index	90 CRI
Beam Spread	LAMBERTIAN
Rated Average Life	50,000 HOURS TO 70%
Dimmable	YES TO <10%
Warm On Dim	NO
Voltage	120V
Power Factor	>.9
Ambient Operating Temp.	-40°C TO +35°C
Construction	CONSTRUCTION STAMPED ALUMINUM
Lens	POLYCARBONATE
Warranty	5 YEARS
Installation	NEW CONSTRUCTION (4" ROUND, 4" SQUARE/OCTAGONAL)
Qualifications	EN★ WET T24-4



TRAVERSE AUBREY WALL WASH



FEATURES & BENEFITS

- Designed for superior performance and value
- Economical, longer lasting alternative to standard recessed downlights
- Provides visually pleasing, color accurate illumination (90 CRI)
- ENERGY STAR® Qualified
- Title-24 Compliant
- Wet rated for shower ceiling Installations
- Dimmable down to 10%
- Angled housing for optimal light performance displayed on a wall
- Easy to install

DIMMER COMPATIBILITY

Forbes & Lomax	FLR603P
Legrand	RHL743P
Insteon	2477D
Lutron	DVCL-153P, SCL-152P, LECL-153P, CTCL-153P, MACL-153M, STCL-153, DVRP-253P, PD-6WCL, PD-5NE, MA-PRO, RRD-6NA, MRF2-6ELV, RRD-10ND, MRF2S-6CL,
Leviton	TSL06, DW1DK-1BZ, DSL06 SSL7A, 6672, DSE06-1

SPECIFICATIONS

Item Number	**14936RD-15**
Item Name	TRAVERSE AUBREY WALL WASH
Finish	WHITE (-15)
Color Temperature	3000K
Lumens Delivered	580
Watts Consumed	10
Efficacy	58
Color Rendering Index	90 CRI
Beam Spread	LAMBERTIAN
Rated Average Life	50,000 HOURS TO 70%
Dimmable	YES TO <10%
Voltage	120V
Power Factor	>.9
Ambient Operating Temp.	-40°C TO +35°C
Lens	POLYCARBONATE
Warranty	5 YEARS
Installation	NEW CONSTRUCTION (3"/4" ROUND, 4" SQUARE/OCTAGONAL)
Qualifications	EN★ WET T24-4

TRAVERSE LOTUS RECESSED

A. TRAVERSE LOTUS 12"

B. TRAVERSE LOTUS 9"

C. TRAVERSE LOTUS 7"

D. TRAVERSE LOTUS 5"



FEATURES & BENEFITS

- Designed for superior performance and value
- Economical, longer lasting alternative to standard recessed downlights
- Provides visually pleasing, color accurate illumination (90 CRI)
- Easy to install:
  - Standard 120V lighting fixture
  - Mounts on all standard junction boxes, including pan junction box
- ENERGY STAR® qualified
- Title-24 Compliant
- Wet rated for shower ceiling Installations
- Dimmable down to 10%

DIMMER COMPATIBILITY

Forbes & Lomax	FLR603P
Legrand	RHL743P
Insteon	2477D
Lutron	DVCL-153P, SCL-152P, LECL-153P, CTCL-153P, MACL-153M, STCL-153, DVRP-253P, PD-6WCL, PD-5NE, MA-PRO, RRD-6NA, MRF2-6ELV, RRD-10ND, MRF2S-6CL,
Leviton	TSL06, DW1DK-1BZ, DSL06 SSL7A, 6672, DSE06-1

SPECIFICATIONS

Item Number	149212RD-15	14929RD-15	14827RD-15	14825RD-15
Item Name	A. TRAVERSE LOTUS 12" ROUND	B. TRAVERSE LOTUS 9" ROUND	C. TRAVERSE LOTUS 7" ROUND	D. TRAVERSE LOTUS 5" ROUND
Finish	WHITE (-15)	WHITE (-15)	WHITE (-15)	WHITE (-15)
Color Temperature	3000K	3000K	3000K	3000K
Lumens Delivered	1400	1150	850	550
Watts Consumed	22 WATTS	18 WATTS	15 WATTS	10 WATTS
Efficacy	64 LM/W	64 LM/W	57 LM/W	55 LM/W
Color Rendering Index	90 CRI	90 CRI	90 CRI	90 CRI
Beam Spread	LAMBERTIAN	LAMBERTIAN	LAMBERTIAN	LAMBERTIAN
Rated Average Life	50,000 HOURS TO 70%	50,000 HOURS TO 70%	50,000 HOURS TO 70%	50,000 HOURS TO 70%
Dimmable	YES TO 10%	YES TO <10%	YES TO <10%	YES TO <10%
Voltage	120V	120V	120V	120V
Power Factor	>.9	>.9	>.9	>.9
Ambient Operating Temp.	-20°C TO +45°C	-20°C TO +45°C	-20°C TO +45°C	-20°C TO +45°C
Lens	POLYCARBONATE	POLYCARBONATE	POLYCARBONATE	POLYCARBONATE
Warranty	5 YEARS	5 YEARS	5 YEARS	5 YEARS
Installation	NEW CONSTRUCTION (3"/4" ROUND, 4" SQUARE/ OCTAGONAL, 4" PANCAKE)	NEW CONSTRUCTION (3"/4" ROUND, 4" SQUARE/ OCTAGONAL, 4" PANCAKE)	NEW CONSTRUCTION (3"/4" ROUND, 4" SQUARE/ OCTAGONAL, 4" PANCAKE)	NEW CONSTRUCTION (3"/4" ROUND, 4" SQUARE/ OCTAGONAL, 4" PANCAKE)
Qualifications	EN★ WET T24-4	EN★ WET T24-4	EN★ WET T24-4	EN★ WET T24-4



TRAVERSE FLEX





FEATURES & BENEFITS

- Designed for superior performance and value
- Economical, longer lasting alternative to standard recessed downlights
- Provides visually pleasing, color accurate illumination (90 CRI)
- Easy to install: uses mounting ring, trim snaps into ring with springs
- Standard 120V lighting fixture
- Mounts to 4" junction boxes, including pancake junction box
- ENERGY STAR® qualified
- Title-24 Compliant
- Wet rated for shower ceiling installations
- Dimmable down to 3%

DIMMER COMPATIBILITY

Forbes & Lomax	FLR603P
Legrand	RHL743P
Insteon	2477D
Lutron	DVCL-153P, SCL-152P, LECL-153P, CTCL-153P, MACL-153M, STCL-153, DVRP-253P, PD-6WCL, PD-5NE, MA-PRO, RRD-6NA, MRF2-6ELV, RRD-10ND, MRF2S-6CL,
Leviton	TSL06, DW1DK-1BZ, DSL06 SSL7A, 6672, DSE06-1

SPECIFICATIONS

Item Number	**14620S-15**
Item Name	TRAVERSE FLEX
Finish	WHITE (-15)
Color Temperature	3000K
Lumens Delivered	850
Watts Consumed	13 WATTS
Efficacy	65 LM/W
Color Rendering Index	90 CRI
Beam Spread	LAMBERTIAN
Rated Average Life	50,000 HOURS TO 70%
Dimmable	YES TO 3%
Warm On Dim	YES
Voltage	120V
Power Factor	>.9
Ambient Operating Temp.	-40°C TO +35°C
Construction	STAMPED ALUMINUM, POWDER COATED
Lens	POLYCARBONATE SNAP IN
Warranty	5 YEARS
Installation	NEW CONSTRUCTION ON 4" ROUND OR OCTAGONAL JUNCTION BOX, 4" PANCAKE
Qualifications	EN★ WET T24-4

TRAVERSE LYTE RECESSED



TRAVERSE LYTE





FEATURES & BENEFITS

- Designed for superior performance and value
- Economical, longer lasting alternative to standard recessed downlights
- Provides visually pleasing, color accurate illumination (90 CRI)
- Easy to install:
  - Standard 120V lighting fixture
  - Mounts on all standard junction boxes, including pancake junction box
- Retrofits into most common recessed lighting housings with optional Edison base adapter (5" and 6" uses part #14795)
- ENERGY STAR® qualified
- Title-24 Compliant
- Wet rated for shower ceiling installations
- Dimmable down to 5%

DIMMER COMPATIBILITY

Forbes & Lomax	FLR603P
Legrand	RHL743P
Insteon	2477D
Lutron	DVCL-153P, SCL-152P, LECL-153P, CTCL-153P, MACL-153M, STCL-153, DVRP-253P, PD-6WCL, PD-5NE, MA-PRO, RRD-6NA, MRF2-6ELV, RRD-10ND, MRF2S-6CL,
Leviton	TSL06, DW1DK-1BZ, DSL06 SSL7A, 6672, DSE06-1

RECESSED HOUSING COMPATIBILITY

All-Pro	EI500AT, EI500RAT, ET500, ET500R, EI700AT, EI700RAT, EI700ATNB, EI700, EI700R, EI700NB, ET700,ET700R, EI700U, EI700UAT, EI2700AT, EI2700, ET2700, ET2700R
Capri	CR1, PR1, QL1, R9ASIC
Commercial Electric	H3, H17, H18
Elco	EL71CA
Halo	H7ICAT, H7RICAT, H7ICT, H7RICT, H7ICATNB, H7ICTNB, H7T, H7RT, H7TNB, H7TCP, H7UICT, H7UICAT, H27ICAT, H27RICAT, H27ICT, H27RICT, H27T, H27RT, H5ICAT, H5RICAT, H5T, H5RT, H25ICAT
Juno	ICC22/R/W/S, IC23/W, IC21/R, TC2/R, IC20, IC25/W/S, TC20
Lightolier	11041CS/ICR/SIC/SICR, 1104ICX (WITH ML7RAB HOUSING ADAPTER)
Lithonia Lighting	L7X, L7XP
Prescolite	IBXS
Progress	P87 (WITH ML7RAB HOUSING ADAPTER). REQUIRES MOUNTING CLIP ACCESSORY (SOLD SEPARATELY). CONSULT FACTORY FOR DETAILS.
Generation Lighting	1128, 1128QC, 11028, 11028QC, 11128, 11128QC, 11118, 11018, 1128FB
Thomas	PS1, PS9RM

SPECIFICATIONS

Item Number	**14550S-15**
Item Name	TRAVERSE LYTE
Finish	WHITE (-15)
Color Temperature	3000K
Lumens Delivered	850
Watts Consumed	13
Efficacy	65 LM/W
Color Rendering Index	90 CRI
Beam Spread	LAMBERTIAN
Rated Average Life	50,000 HOURS TO 70%
Dimmable	YES TO <5%
Voltage	120V
Power Factor	>.9
Ambient Operating Temp.	-40°C TO +35°C
Construction	STAMPED ALUMINUM, POWDER COATED
Lens	POLYCARBONATE
Warranty	5 YEARS
Installation	NEW CONSTRUCTION ON 3" AND 4" ROUND JUNCTION BOXES, 4" SQUARE / OCTAGON. RETROFIT REQUIRES 14795, 4" PANCAKE
Qualifications	EN★ WET T24-4

OPTIONAL RETROFIT KIT



14795
For housings with or without integral "C" clips



TRAVERSE DIRECT



FEATURES & BENEFITS

- Designed for superior performance and value
- Economical, longer lasting alternative to standard recessed downlights
- Provides visually pleasing, color accurate illumination (90 CRI)
- Easy to install: mounts directly to j-box without a mounting ring
- Standard 120V lighting fixture
- Mounts on all Standard junction boxes, including pancake junction box
- ENERGY STAR® qualified
- Title-24 Compliant
- Wet rated for shower ceiling installations when adding silicone around trim
- Dimmable down to 3%

DIMMER COMPATIBILITY

Forbes & Lomax	FLR603P
Legrand	RHL743P
Insteon	2477D
Lutron	DVCL-153P, SCL-152P, LECL-153P, CTCL-153P, MACL-153M, STCL-153, DVRP-253P, PD-6WCL, PD-5NE, MA-PRO, RRD-6NA, MRF2-6ELV, RRD-10ND, MRF2S-6CL,
Leviton	TSL06, DW1DK-1BZ, DSL06 SSL7A, 6672, DSE06-1

SPECIFICATIONS

Item Number	**14210S-15**
Item Name	TRAVERSE DIRECT
Finish	WHITE (-15)
Color Temperature	3000K
Lumens Delivered	850
Watts Consumed	11.4 WATTS
Efficacy	75 LM/W
Color Rendering Index	90 CRI
Beam Spread	LAMBERTIAN
Rated Average Life	50,000 HOURS TO 70%
Dimmable	YES TO 3%
Warm On Dim	YES
Voltage	120V
Power Factor	>.9
Ambient Operating Temp.	-40°C TO +35°C
Construction	STAMPED ALUMINUM, POWDER COATED
Lens	POLYCARBONATE
Warranty	5 YEARS
Installation	REMOVABLE LENS FOR FLEXIBLE INSTALLATION, NEW CONSTRUCTION ON 3" AND 4" ROUND JUNCTIONS BOXES, 4" SQUARE/OCTAGONAL, RETROFIT REQUIRES 14795, 4" PANCAKE, DIRECT MOUNT TO JUNCTION BOX
Qualifications	EN★ WET T24-4

RECESSED HOUSING



PRODUCT SHOWN: 4" HOUSING WITH MULTIPLIER TRIM, WHITE

Selecting the right recessed housing begins with knowing the Installation method as well as understanding how the space will be used. The guide below will help you with the process of selecting your housing.

REMODEL OR NEW CONSTRUCTION

A “remodel” Installation typically is an existing room project where the Installation is made by cutting through existing ceiling materials. The housing will not be supported by joists but by the ceiling material, such as drywall.

A “new construction” project is one that has access to the ceiling and joists; where insulation and drywall are not yet installed. New construction housings are nailed directly into the joists with adjustable bar hangers.

IC OR NON-IC HOUSING

IC (insulation contact) housings can come in direct contact with insulation materials. Insulation should not be compressed.

Non-IC (no insulation contact) housings are for areas without insulation or where insulation can be kept a minimum of 3" away from housing.

SIZE OF HOUSING

4″ housings are designed for a smaller, sleek look in your ceiling. Best used in smaller spaces for a minimal look.

6″ housings are for the standard large aperture approach in your ceiling. Can be used in tall entryways and two-story hallways or high ceilings.

ADDITIONAL CONSIDERATIONS

AIR-TIGHT HOUSINGS are sealed to prevent air from escaping into the ceiling / floor above; a benefit to heating /cooling efficiency.

A RECESSED TRIM is the “ring” blending the recessed housing, lamp and ceiling material into a clean finish.

A BAFFLE is the cone-like piece that surrounds the inside of the housing around the bulb; they can be smooth or ridged and help shape the light and minimize glare.



4" HOUSING 1115



4" HOUSING 1179



6" HOUSING 1128 & 1128QC



6" HOUSING 11028QC



6" HOUSING 10119



6" HOUSING 10118



6" HOUSING 1109

RECESSED HOUSING



PRODUCT SHOWN: 4" HOUSING WITH MULTIPLIER TRIM, WHITE

Remodel / Non-IC





1115
Remodel / Non-IC

Safe – thermally protected, listed for damp location

Non-IC housings approved for use at least 3" away from insulation.

Junction box

Features snap-on covers, pry-out knockouts, riveted ground Wire, and through-circuit wiring, with 2-in/2-out #12 Wire.

White Finish (-15)
White Frosted Glass

4" SHOWER TRIM
(1) Medium Base
PAR20 35w max.
WET
1152AT-15



White Finish (-15)
Clear Fresnel Glass

4" SHOWER TRIM
(1) Medium Base
PAR20 35w max.
WET
1153AT-15



White Trim / Baffle (-14)

4" BAFFLE TRIM
(1) Medium Base
PAR20 50w max.
DAMP
1156AT-14



White Finish (-15)

4" EYEBALL TRIM
(1) Medium Base
PAR20 50w max.
DAMP
1166AT-15



White Trim / Baffle (-14)

4" MULTIPLIER TRIM
(1) Medium Base
PAR20 50w max.
DAMP
1162AT-14

4" HOUSING 1179 RECESSED

New Construction / IC Airtight





1179
New Construction / IC Airtight

Airtight construction
Meets airtight requirements for 2.0 CFM or less air leakage.

Safe – thermally protected, listed for damp location
IC housings approved for use in direct contact with insulation.

Adjustable housing
Housing adjusts vertically for various ceiling thicknesses.

Junction box
Features snap-on covers, pry-out knockouts, riveted ground Wire, and through-circuit wiring, with 2-in/2-out #12 Wire.

White Finish (-15)
White Frosted Glass

4" SHOWER TRIM
(1) Medium Base
PAR20 35w max.
WET
1152AT-15



White Finish (-15)
Clear Fresnel Glass

4" SHOWER TRIM
(1) Medium Base
PAR20 35w max.
WET
1153AT-15



White Trim / Baffle (-14)

4" BAFFLE TRIM
(1) Medium Base
PAR20 50w max.
DAMP
1156AT-14



White Finish (-15)

4" EYEBALL TRIM
(1) Medium Base
PAR20 50w max.
DAMP
1166AT-15



White Trim / Baffle (-14)

4" MULTIPLIER TRIM
(1) Medium Base
PAR20 50w max.
DAMP
1162AT-14

New Construction / IC Airtight





1128
New Construction / IC Airtight

Airtight Construction
Meets airtight requirements for 2.0 CFM or less air leakage.

Safe – thermally protected, listed for damp location
IC housings approved for use in direct contact with insulation.

Adjustable housing
Housing adjusts vertically for various ceiling thicknesses.

Junction box with integral Romex connector
Features quick-push and lock connector and through-circuit wiring with 4-in/4-out #12 Wire.

Quick Connectors
QC models come with quick connect Wire connectors for fast connections to house Wire.



White Trim / Baffle (-14)

6" BAFFLE TRIM
(1) Medium Base
PAR30L 75W max.
(1) Medium Base
PAR30S 50w max.
(1) Medium Base
BR30 65w max.
DAMP
1126-14



White Deep Cone Baffle (-14)

6" BAFFLE TRIM
(1) Medium Base
PAR30L 75W max.
(1) Medium Base
PAR30S 50w max.
(1) Medium Base
BR30 65w max.
DAMP
1151AT-14



White Aluminum Ring (-15)
Clear Fresnel Glass

6" SHOWER TRIM
(1) Medium Base
40w max.
WET
1155AT-15



White Deep Cone Baffle (-14)

6" OPEN SHOWER TRIM
(1) Medium Base
PAR30L 75W max.
(1) Medium Base
PAR30S 50w max.
(1) Medium Base
PAR38 90w max.
WET
1154AT-14

White Aluminum Ring (-15)
White Glass Diffuser

6" SHOWER TRIM
(1) Medium Base
40w max.
WET
1133AT-15

6" HOUSING 11028QC RECESSED

New Construction / IC Airtight





11028QC
New Construction / IC Airtight

Airtight Construction
Meets airtight requirements for 2.0 CFM or less air leakage.

Safe – thermally protected, listed for damp location
IC housings approved for use in direct contact with insulation.

Adjustable housing
Housing adjusts vertically for various ceiling thicknesses.

Junction box with integral Romex connector
Features quick-push and lock connector and through-circuit wiring with 4-in/4-out #12 Wire.

Quick Connectors
QC models come with quick connect Wire connectors for fast connections to house Wire.



White Aluminum Ring (-15)
White Glass Diffuser

6" FLAT GLASS SHOWER TRIM

(1) Medium Base
40w max.
WET
11033AT-15



White Deep Cone Baffle
(-14)

6" OPEN SHOWER TRIM

(1) Medium Base
PAR30L 75W max.
(1) Medium Base
PAR30S 50w max.
(1) Medium Base
PAR38 90w max.
WET
1154AT-14



White Deep Cone Baffle
(-14)

6" BAFFLE TRIM

(1) Medium Base
PAR30L 75W max.
(1) Medium Base
PAR30S 50w max.
(1) Medium Base
BR30 65w max.
(1) Medium Base
PAR38 90w max.
DAMP
1151AT-14

New Construction / IC / Shallow Airtight

Remodel / IC Airtight





11019
New Construction / IC / Shallow Airtight

Airtight Construction

Meets airtight requirements for 2.0 CFM or less air leakage.

Safe – thermally protected, listed for damp location

IC housings approved for use in direct contact with insulation.

Adjustable Housing

Housing adjusts vertically for various ceiling thicknesses

Junction box

Features quick-push and lock connector and through-circuit wiring with 4in/4-out #12 Wire.



White Deep Cone Baffle (-14)

6" BAFFLE TRIM

(1) Medium Base PAR30L 75W max.
(1) Medium Base PAR30S 50w max.
(1) Medium Base BR30 65w max.

WET

1158AT-14



White Aluminum Ring (-15)
White Glass Diffuser

6" FLAT GLASS SHOWER TRIM

(1) Medium Base 40w max.

WET

11033AT-15

6" HOUSING 11018 RECESSED

Remodel / IC Airtight





11018
Remodel / IC Airtight

Airtight Construction
Meets airtight requirements for 2.0 CFM or less air leakage.

Safe – thermally protected, listed for damp location
IC housings approved for use in direct contact with insulation.

Fast, easy installation
Provided with mounting clips

Junction box
Features snap-on covers, pry-out knockouts, riveted ground Wire, and through-circuit wiring, with 2-in/2-out #12 Wire.



White Aluminum Ring (-15)
White Fresnel Glass Diffuser

6" FLAT GLASS SHOWER TRIM

(1) Medium Base
40w max.

WET

11033AT-15



White Deep Cone Baffle
(-14)

6" BAFFLE TRIM

(1) Medium Base
PAR30L 75W max.
(1) Medium Base
PAR30S 50w max.
(1) Medium Base
BR30 65w max.
(1) Medium Base
PAR38 90w max.

DAMP

1151AT-14



White Deep Cone Baffle
(-14)

6" OPEN SHOWER TRIM

(1) Medium Base
PAR30L 75W
max.
(1) Medium Base
PAR30S 50w
max.
(1) Medium Base
PAR38 90w max.

WET

1154AT-14

New Construction / IC Airtight / Sloped Ceiling

Adjustable socket assembly provides flexibility in lamping options.

Break-away bar hangers extend and will not fall out of plaster flange.

Designed to fit ceiling slopes of 15° to 45°.



Quick Hit™ captive nails included and positioned for fast, easy Installation.

Tab to locate on bottom of joist.



1109
New Construction / IC Airtight / Sloped Ceiling

Airtight Construction
Meets airtight requirements for 2.0 CFM or less air leakage.

Safe – thermally protected, listed for damp location
IC housings approved for use in direct contact with insulation.

Adjustable Housing
Housing adjusts vertically for various ceiling thicknesses

Junction box
Features quick-push and lock connector and through-circuit wiring with 4in/4-out #12 Wire.



White Trim / Baffle (-14)

6" SLOPED TRIM
(1) Medium Base
PAR38 75W max.
DAMP
1121-14



PRODUCT SHOWN: ALTURAS NINE LIGHT
CHANDELIER IN BRUSHED NICKEL FINISH

BUILDER SERIES



PRODUCT SHOWN: ALTURAS FIVE LIGHT CHANDELIER IN SATIN BRASS FINISH

A. LARGE NINE LIGHT CHANDELIER
D: 32.5" H: 32.75"
12' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

3124609(-848 -962 -112)
(9) Medium Base 60W max.
T24-1

3124609EN3(-848 -962 -112)
(9) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

B. MEDIUM FIVE LIGHT CHANDELIER
D: 27.25" H: 27"
12' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

3124605(-848 -962 -112)
(5) Medium Base 75W max.
T24-1

3124605EN3(-848 -962 -112)
(5) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

C. SMALL THREE LIGHT CHANDELIER
D: 19" H: 18.75"
12' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

3124603(-848 -962 -112)
(3) Medium Base 75W max.
T24-1

3124603EN3(-848 -962 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



A

Midnight Black Finish (-112)
Opal Etched Glass Shades



B

Brushed Nickel Finish (-962)
Opal Etched Glass Shades



C

Satin Brass Finish (-848)
Opal Etched Glass Shades

FINISH CODES

(-848) Satin Brass
(-962) Brushed Nickel
(-112) Midnight Black

D. LARGE NINE LIGHT CHANDELIER
D: 32.5" H: 32.75"
12' Wire, (3) 12" Stems, (1) 6" Stem
DAMP

3124679(-112 -848 -962)
(9) Medium Base 60W max.
T24-1

3124679EN7(-112 -848 -962)
(9) Med. Base LED 2700K,
8W, 800 Lumens lamps incl.
T24-2 EN★



D

Midnight Black Finish (-112)
Clear Seeded Glass Shades



Satin Brass Finish (-848)
Clear Seeded Glass Shades

FINISH CODES

(-112) Midnight Black
(-848) Satin Brass
(-962) Brushed Nickel

E. MEDIUM FIVE LIGHT CHANDELIER

D: 27.25" H: 27"
12' Wire, (3) 12" Stems, (1) 6" Stem
DAMP

3124675(-112 -848 -962)
(5) Medium Base 75W max.
T24-1

3124675EN7(-112 -848 -962)
(5) Med. Base LED 2700K,
8W, 800 Lumens lamps incl.
T24-2 EN★

F. SMALL THREE LIGHT CHANDELIER

D: 19" H: 18.75"
12' Wire, (3) 12" Stems, (1) 6" Stem
DAMP

3124673(-112 -848 -962)
(3) Medium Base 75W max.
T24-1

3124673EN7(-112 -848 -962)
(3) Med. Base LED 2700K,
8W, 800 Lumens lamps incl.
T24-2 EN★



E

Midnight Black Finish (-112)
Clear Seeded Glass Shades



F

Brushed Nickel Finish (-962)
Clear Seeded Glass Shades



Satin Brass Finish (-848)
Clear Seeded Glass Shades

FINISH CODES

(-112) Midnight Black
(-848) Satin Brass
(-962) Brushed Nickel

G. MEDIUM THREE LIGHT PENDANT
D: 19" H: 18.75"
12' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

6624603(-848 -962 -112)
(3) Medium Base 75W max.
T24-1

6624603EN3(-848 -962 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

H. ONE LIGHT MINI-PENDANT
D: 3.5" H: 7.25"
12' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

6124601(-848 -962 -112)
(1) Medium Base 75W max.
T24-1

6124601EN3(-848 -962 -112)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

I. MEDIUM TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT
D: 14" H: 16.375" Semi-Flush H: 14.875"
6' Wire pre-laced through 3' Chain
DAMP

7724602(-848 -962 -112)
(2) Medium Base 60W max.
T24-1

7724602EN3(-848 -962 -112)
(2) Med. Base LED 3000K,
9.3W, 800 Lumen lamps incl.
T24-2 EN★



G

Satin Brass Finish (-848)
Opal Etched Glass



H

Midnight Black Finish (-112)
Etched, White Glass



I

Brushed Nickel Finish (-962)
Opal Etched Glass

FINISH CODES

(-848) Satin Brass
(-962) Brushed Nickel
(-112) Midnight Black

J. FOUR LIGHT WALL / BATH
W: 30.5" H: 9.25" E: 7.25"
Height from center of outlet box
up: 6.25" down: 3"
DAMP

4424604(-05 -848 -962 -778 -112)
(4) Medium Base 75W max.
T24-1

4424604EN3(-05 -848 -962 -778 -112)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



J

Chrome Finish (-05)
Etched, White Inside Glass

K. THREE LIGHT WALL / BATH
W: 22" H: 9.25" E: 7.5"
Height from center of outlet box
up: 6.25" down: 3"
DAMP

4424603(-05 -848 -962 -778 -112)
(3) Medium Base 75W max.
T24-1

4424603EN3(-05 -848 -962 -778 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



K

Satin Brass Finish (-848)
Etched, White Inside Glass

L. TWO LIGHT WALL / BATH
W: 13.5" H: 9.25" E: 6.5"
Height from center of outlet box
up: 6.25" down: 3"
DAMP

4424602(-05 -848 -962 -778 -112)
(2) Medium Base 75W max.
T24-1

4424602EN3(-05 -848 -962 -778 -112)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



L

Brushed Nickel Finish (-962)
Etched, White Inside Glass



Midnight Black Finish (-112)
Etched, White Inside Glass

M. ONE LIGHT WALL / BATH SCONCE
W: 4.5" H: 8.75" E: 6.25"
Height from center of outlet box
up: 5.75" down: 3"
DAMP

4124601(-05 -848 -962 -778 -112)
(1) Medium Base 75W max.
T24-1

4124601EN3(-05 -848 -962 -778 -112)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



M

Pewter Bronze Finish (-778)
Etched, White Inside Glass

FINISH CODES

(-05) Chrome
(-848) Satin Brass
(-962) Brushed Nickel
(-778) Pewter Bronze
(-112) Midnight Black



PRODUCT SHOWN: OSLO NINE LIGHT CHANDELIER IN BRUSHED NICKEL FINISH

A. LARGE NINE LIGHT CHANDELIER
D: 26" H: 26.75"
12' Wire pre-laced through 10' Chain

31162(-05 -962 -112)
(9) Medium Base 60W max.
T24-1

31162EN3(-05 -962 -112)
(9) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

B. MEDIUM FIVE LIGHT CHANDELIER
D: 24" H: 20" Downlight H: 27"
12' Wire pre-laced through 10' Chain

31161(-05 -962 -112)
(5) Medium Base 75W max.
T24-1

31161EN3(-05 -962 -112)
(5) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

C. SMALL THREE LIGHT CHANDELIER
D: 15" H: 16.5" Downlight H: 22"
12' Wire pre-laced through 10' Chain

31160(-05 -962 -112)
(3) Medium Base 75W max.
T24-1

31160EN3(-05 -962 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



A

Chrome Finish (-05)
Cased Opal Etched Glass



B

Brushed Nickel Finish (-962)
Cased Opal Etched Glass



C

Midnight Black Finish (-112)
Cased Opal Etched Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-112) Midnight Black

D. MEDIUM THREE LIGHT LINEAR CHANDELIER

L: 25.25" W: 4" H: 9.5"
12' Wire, (6) 12" Stems, (2) 6" Stems

66160(-05 -962 -112)
(3) Medium Base 75W max.
T24-1

66160EN3(-05 -962 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

E. MEDIUM ONE LIGHT PENDANT

D: 15.75" H: 8.75"
12' Wire pre-laced through 10' Chain

65160(-05 -962 -112)
(1) Medium Base 150W max.
T24-1

65160EN3(-05 -962 -112)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

F. ONE LIGHT MINI-PENDANT

D: 4" H: 5.75"
10' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.

61160(-05 -962 -112)
(1) Medium Base 75W max.
T24-1

61160EN3(-05 -962 -112)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

G. MEDIUM TWO LIGHT SEMI FLUSH CONVERTIBLE PENDANT

D: 13.5" H: 11.25" Semi-Flush H: 10"
12' Wire pre-laced through 10' Chain

77160(-05 -962 -112)
(2) Medium Base 75W max.
T24-1

77160EN3(-05 -962 -112)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



D

Brushed Nickel (-962)
Cased Opal Etched Glass



F

Midnight Black (-112)
Cased Opal Etched Glass



E

Brushed Nickel Finish (-962)
Cased Opal Etched Glass



G

Chrome Finish (-05)
Cased Opal Etched Glass



Midnight Black Finish (-112)
Cased Opal Etched Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-112) Midnight Black

H. FOUR LIGHT WALL / BATH
W: 27.5" H: 8.5" E: 5.5"
Height from center of outlet box
up: 6.25" down: 2.25"
DAMP

41163(-05 -962 -112)
(4) Medium Base 75W max.
T24-1

41163EN3(-05 -962 -112)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



H

Chrome Finish (-05)
Cased Opal Etched Glass

I. THREE LIGHT WALL / BATH
W: 20" H: 8.5" E: 5.5"
Height from center of outlet box
up: 6.25" down: 2.25"
DAMP

41162(-05 -962 -112)
(3) Medium Base 75W max.
T24-1

41162EN3(-05 -962 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



I

Brushed Nickel Finish (-962)
Cased Opal Etched Glass

J. TWO LIGHT WALL / BATH
W: 12.5" H: 8.5" E: 5.5"
Height from center of outlet box
up: 6.25" down: 2.25"
DAMP

41161(-05 -962 -112)
(2) Medium Base 75W max.
T24-1

41161EN3(-05 -962 -112)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



J

Bronze Finish (-710)
Cased Opal Etched Glass

K. ONE LIGHT WALL / BATH SCONCE
W: 4.75" H: 8.75" E: 5.5"
Height from center of outlet box
up: 4.75" down: 4"
DAMP

41160(-05 -962 -112)
(1) Medium Base 75W max.
T24-1

41160EN3(-05 -962 -112)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



K

Midnight Black Finish (-112)
Cased Opal Etched Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-112) Midnight Black

A. LARGE NINE LIGHT CHANDELIER
D: 26" H: 26.75"
12' Wire pre-laced through 10' of chain

31172(-112 -710 -962)
(9) Medium Base 60W max.
T24-1

31172EN7(-112 -710 -962)
(9) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★

B. MEDIUM FIVE LIGHT CHANDELIER
D: 24" H: 20"
12' Wire pre-laced through 10' of chain

31171(-112 -710 -962)
(5) Medium Base 75W max.
T24-1

31171EN7(-112 -710 -962)
(5) Med. Base LED 2700K, 8W, 800 Lumen lamps incl.
T24-2 EN★

C. SMALL THREE LIGHT CHANDELIER
D: 15" H: 16.5"
12' Wire pre-laced through 10' of chain

31170(-112 -710 -962)
(3) Medium Base 75W max.
T24-1

31170EN7(-112 -710 -962)
(3) Med. Base LED 2700K, 8W, 800 Lumen lamps incl.
T24-2 EN★

D. ONE LIGHT MINI-PENDANT
D: 4" H: 5.75"
10' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.

61170(-112 -710 -962)
(1) Medium Base 75W max.
T24-1

61170EN7(-112 -710 -962)
(1) Med. Base LED 2700K, 8W, 800 Lumen lamp incl.
T24-2 EN★



A

Midnight Black Finish (-112)
Clear Seeded Glass



C

Brushed Nickel Finish (-962)
Clear Seeded Glass



B

Bronze Finish (-710)
Clear Seeded Glass



D

Midnight Black Finish (-112)
Clear Seeded Glass

FINISH CODES

(-112) Midnight Black
(-710) Bronze
(-962) Brushed Nickel

E. FOUR LIGHT WALL / BATH
W: 27.5" H: 8.5" E: 5.5"
Height from center of outlet box
up: 6.25" down: 2.25"
DAMP

41173(-05 -112 -710 -962)
(4) Medium Base 75W max.
T24-1

41173EN7(-05 -112 -710 -962)
(4) Med. Base LED 2700K,
8W, 800 Lumen lamps incl.
T24-2 EN★



E

Bronze Finish (-710)
Clear Seeded Glass

F. THREE LIGHT WALL / BATH
W: 20" H: 8.5" E: 5.5"
Height from center of outlet box
up: 6.25" down: 2.25"
DAMP

41172(-05 -112 -710 -962)
(3) Medium Base 75W max.
T24-1

41172EN7(-05 -112 -710 -962)
(3) Med. Base LED 2700K,
8W, 800 Lumen lamps incl.
T24-2 EN★



F

Brushed Nickel Finish (-962)
Clear Seeded Glass

G. TWO LIGHT WALL / BATH
W: 12.5" H: 8.5" E: 5.5"
Height from center of outlet box
up: 6.25" down: 2.25"
DAMP

41171(-05 -112 -710 -962)
(2) Medium Base 75W max.
T24-1

41171EN7(-05 -112 -710 -962)
(2) Med. Base LED 2700K,
8W, 800 Lumen lamps incl.
T24-2 EN★



G

Chrome Finish (-05)
Clear Seeded Glass

H. ONE LIGHT WALL / BATH SCONCE
W: 4.75" H: 8.75" E: 5.5"
Height from center of outlet box
up: 4.75" down: 4"
DAMP

41170(-05 -112 -710 -962)
(1) Medium Base 75W max.
T24-1

41170EN7(-05 -112 -710 -962)
(1) Med. Base LED 2700K,
8W, 800 Lumen lamp incl.
T24-2 EN★



H

Midnight Black Finish (-112)
Clear Seeded Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black



PRODUCT SHOWN: SEVILLE NINE LIGHT
CHANDELIER IN BRONZE FINISH

A. LARGE NINE LIGHT CHANDELIER

D: 28.875" H: 27.125"
10' of Wire pre-laced through 6' of Chain
DAMP

3120209(-962 -710)
(9) Medium Base 75W max.
T24-1

3120209EN3(-962 -710)
(9) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★

B. MEDIUM FIVE LIGHT CHANDELIER

D: 21" H: 17.5"
6' of Wire pre-laced through 3' of Chain
DAMP

3120205(-962 -710)
(5) Medium Base 75W max.
T24-1

3120205EN3(-962 -710)
(5) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★

C. SMALL THREE LIGHT CHANDELIER

D: 17" H: 15.75"
6' of Wire pre-laced through 3.5' of Chain
DAMP

3120203(-962 -710)
(3) Medium Base 75W max.
T24-1

3120203EN3(-962 -710)
(3) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★



A

Brushed Nickel Finish (-962)
Etched White Glass



B

Bronze Finish (-710)
Etched White Glass



C

Brushed Nickel Finish (-962)
Etched White Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze

D. MEDIUM FIVE LIGHT HANGING SHADE
D: 21.5" H: 22.125"
6' of Wire pre-laced through 3.5' of Chain
DAMP

3320205(-962 -710)
(5) Candelabra Base 60W max.
T24-1

3320205EN(-962 -710)
(5) LED Cand. Base 2700K, 3.5W, 350 Lumen lamps incl.
T24-2 EN★

E. MEDIUM THREE LIGHT PENDANT
D: 18.625" H: 20.625"
10' Wire pre-laced through 6' Chain
DAMP

6616503(-962 -710)
(3) Medium Base 75W max.
T24-1

6616503EN3(-962 -710)
(3) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★



D

Bronze Finish (-710)
White Linen Shade



E

Brushed Nickel Finish (-962)
Satin Etched Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze

F. ONE LIGHT MINI-PENDANT

D: 4" H: 7"
10' of Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

6120201(-962 -710)
(1) Medium Base 75W max.
T24-1

6120201EN3(-962 -710)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

G. SMALL TWO LIGHT SEMI-FLUSH / PENDANT

D: 13.875" H: 12.375" Semi-Flush 11.375"
6' Wire pre-laced through 3' Chain
DAMP

7716502(-962 -710)
(2) Medium Base 75W max.
T24-1

7716502EN3(-962 -710)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



F

Bronze Finish (-710)
Etched White Glass



Brushed Nickel Finish (-962)
Etched White Glass



G

Bronze Finish (-710)
Satin Etched Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze

H. FIVE LIGHT WALL / BATH

W: 35.875" H: 8.5" E: 6.625"
Height from center of outlet box
up: 3.375" down: 5.125"

DAMP

4420205(-05 -962 -710)
(5) Medium Base 75W max.
T24-1

4420205EN3(-05 -962 -710)
(5) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

I. FOUR LIGHT WALL / BATH

W: 28.375" H: 8.5" E: 6.625"
Height from center of outlet box
up: 3.375" down: 5.125"

DAMP

4420204(-05 -962 -710)
(4) Medium Base 75W max.
T24-1

4420204EN3(-05 -962 -710)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



H

Chrome Finish (-05)
Etched, White Inside Glass



I

Brushed Nickel Finish (-962)
Etched, White Inside Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-710) Bronze

J. THREE LIGHT WALL / BATH

W: 21" H: 8.5" E: 6.625"
Height from center of outlet box
up: 3.375" down: 5.125"
DAMP

4420203(-05 -962 -710)
(3) Medium Base 75W max.
T24-1

4420203EN3(-05 -962 -710)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



J

Bronze Finish (-710)
Etched, White Inside Glass

K. TWO LIGHT WALL / BATH

W: 13.5" H: 8.5" E: 6.625"
Height from center of outlet box
up: 3.375" down: 5.125"
DAMP

4420202(-05 -962 -710)
(2) Medium Base 75W max.
T24-1

4420202EN3(-05 -962 -710)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



K

Chrome Finish (-05)
Etched, White Inside Glass

L. ONE LIGHT WALL / BATH SCONCE

W: 4.75" H: 8.5" E: 6.625"
Height from center of outlet box
up: 3.375" down: 5.125"
DAMP

4120201(-05 -962 -710)
(1) Medium Base 75W max.
T24-1

4120201EN3(-05 -962 -710)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



L

Brushed Nickel Finish (-962)
Etched, White Inside Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-710) Bronze



PRODUCT SHOWN: WINDOM NINE LIGHT CHANDELIER IN SATIN BRASS FINISH

A. LARGE NINE LIGHT CHANDELIER
D: 28" H: 30"
10' of wire pre-laced through 6' of chain
DAMP

3102809(-962 -848 -710 -112)
(9) Medium Base 75W max.
T24-1

3102809EN3(-962 -848 -710 -112)
(9) Med. Base LED 3000K
9W, 800 Lumen lamps incl.
T24-2 EN★

B. MEDIUM FIVE LIGHT CHANDELIER
D: 20" H: 19.75"
6' of wire pre-laced through 3' of chain
DAMP

3102805(-962 -848 -710 -112)
(5) Medium Base 75W max.
T24-1

3102805EN3(-962 -848 -710 -112)
(5) Med. Base LED 3000K
9W, 800 Lumen lamps incl.
T24-2 EN★

C. SMALL THREE LIGHT CHANDELIER
D: 18" H: 16.5"
6' of wire pre-laced through 3' of chain
DAMP

3102803(-962 -848 -710 -112)
(3) Medium Base 75W max.
T24-1

3102803EN3(-962 -848 -710 -112)
(3) Med. Base LED 3000K
9W, 800 Lumen lamps incl.
T24-2 EN★



A

Brushed Nickel (-962)
Etched Opal Glass



B

Midnight Black Finish (-112)
Etched Opal Glass



C

Bronze (-710)
Etched Opal Glass

FINISH CODES

(-962) Brushed Nickel
(-848) Satin Brass
(-710) Bronze
(-112) Midnight Black

D. ONE LIGHT MINI-PENDANT
D: 4.25" H: 5.875"
Supplied with 8' of Wire
(3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware Incl.
DAMP

6102801(-962 -848 -710 -112)
(1) Medium Base 75W max.
T24-1

6102801EN3(-962 -848 -710 -112)
(1) Med. Base LED 3000K
9W, 800 Lumen lamp incl.
T24-2 EN★

E. MEDIUM THREE LIGHT PENDANT
D: 18.625" H: 20.625"
10' Wire pre-laced through 6' Chain
DAMP

6616503(-962 -848 -710 -112)
(3) Medium Base 75W max.
T24-1

6616503EN3(-962 -848 -710 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

F. SMALL TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT
D: 13.875" H: 12.375" Semi-Flush 11.375"
6' Wire pre-laced through 3' Chain
DAMP

7716502(-962 -848 -710 -112)
(2) Medium Base 100W max.
T24-1

7716502EN3(-962 -848 -710 -112)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



E
Midnight Black Finish (-112)
Satin Etched Glass



D
Satin Brass Finish (-848)
Etched Opal Glass



Bronze (-710)
Etched Opal Glass



F
Brushed Nickel Finish (-962)
Satin Etched Glass

FINISH CODES

(-962) Brushed Nickel
(-848) Satin Brass
(-710) Bronze
(-112) Midnight Black

G. FOUR LIGHT WALL / BATH
W: 24.375" H: 7.5" E: 6.625
Height from center of outlet box
up: 5.1875" down: 2.3125"
DAMP

4402804(-05 -962 -848 -710 -112)
(4) Medium Base 75W max.
T24-1

4402804EN3(-05 -962 -848 -710 -112)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



G

Satin Brass Finish (-848)
Etched Opal Glass

H. THREE LIGHT WALL / BATH
W: 18" H: 7.5" E: 6.625"
Height from center of outlet box
up: 5.1875" down: 2.3125"
DAMP

4402803(-05 -962 -848 -710 -112)
(3) Medium Base 75W max.
T24-1

4402803EN3(-05 -962 -848 -710 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



H

Brushed Nickel Finish (-962)
Etched Opal Glass

I. TWO LIGHT WALL / BATH
W: 12" H: 7.5" E: 6.625"
Height from center of outlet box
up: 5.1875" down: 2.3125"
DAMP

4402802(-05 -962 -848 -710 -112)
(2) Medium Base 75W max.
T24-1

4402802EN3(-05 -962 -848 -710 -112)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



I

Chrome Finish (-05)
Etched Opal Glass

J. ONE LIGHT WALL / BATH SCONCE
W: 4.5" H: 11.375" E: 6.625"
Height from center of outlet box
up: 7.375" down: 4"
DAMP

4102801(-05 -962 -848 -710 -112)
(1) Medium Base 75W max.
T24-1

4102801EN3(-05 -962 -848 -710 -112)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



J

Bronze Finish (-710)
Etched Opal Glass



Midnight Black Finish (-112)
Etched Opal Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-848) Satin Brass
(-710) Bronze
(-112) Midnight Black

A. LARGE NINE LIGHT CHANDELIER
D: 29" H: 29.5"
10' Wire pre-laced through 6' Chain
DAMP

3115209(-05 -962 -710)
(9) Medium Base 75W max.
T24-1

3115209EN3(-05 -962 -710)
(9) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



A

Chrome Finish (-05)
Satin Etched Glass



Bronze Finish (-710)
Satin Etched Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-710) Bronze

B. MEDIUM FIVE LIGHT CHANDELIER
D: 20.375" H: 17" Downlight H: 24.75"
6' Wire pre-laced through 3' Chain
DAMP

3115205(-05 -962 -710)
(5) Medium Base 75W max.
T24-1

3115205EN3(-05 -962 -710)
(5) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

C. SMALL THREE LIGHT CHANDELIER
D: 18" H: 15" Downlight H: 22"
6' Wire pre-laced through 3' Chain
DAMP

3115203(-05 -962 -710)
(3) Medium Base 75W max.
T24-1

3115203EN3(-05 -962 -710)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



B

Brushed Nickel Finish (-962)
Satin Etched Glass



Downlight Chrome Finish (-05)
Satin Etched Glass



C

Bronze Finish (-710)
Satin Etched Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-710) Bronze

D. EXTRA LARGE THREE LIGHT PENDANT
D: 19.25" H: 18.375"
6' Wire pre-laced through 3' Chain
DAMP

6615203(-05 -962 -710)
(3) Medium Base 75W max.
T24-1

6615203EN3(-05 -962 -710)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

E. MEDIUM TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT
D: 15" H: 10.5" Semi-Flush H: 9"
6' Wire pre-laced through 3' Chain
DAMP

7715202(-05 -962 -710)
(2) Medium Base 75W max.
T24-1

7715202EN3(-05 -962 -710)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

F. LARGE ONE LIGHT PENDANT
D: 15" H: 8"
6' Wire pre-laced through 3' Chain
DAMP

6515201(-05 -962 -710)
(1) Medium Base 75W max.
T24-1

6515201EN3(-05 -962 -710)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

G. ONE LIGHT MINI-PENDANT
D: 4.375" H: 6.375"
6' Wire, (3) 12" Stems, 12" Chain
Sloped Ceiling Mounting Hardware incl.
DAMP

6115201(-05 -962 -710)
(1) Medium Base 75W max.
T24-1

6115201EN3(-05 -962 -710)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



D
Chrome Finish (-05)
Satin Etched Glass



F
Bronze Finish (-710)
Satin Etched Glass



E
Brushed Nickel Finish (-962)
Satin Etched Glass



G
Chrome Finish (-05)
Satin Etched Glass



Bronze Finish (-710)
Satin Etched Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-710) Bronze

H. FOUR LIGHT WALL / BATH
W: 24.75" H: 9" E: 6.75"
Height from center of outlet box
up: 6.75" down: 2.25"
DAMP

4415204(-05 -962 -710)
(4) Medium Base 75W max.
T24-1

4415204EN3(-05 -962 -710)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



H

Chrome Finish (-05)
Satin Etched Glass

I. THREE LIGHT WALL / BATH
W: 18" H: 9" E: 6.75"
Height from center of outlet box
up: 6.75" down: 2.25"
DAMP

4415203(-05 -962 -710)
(3) Medium Base 75W max.
T24-1

4415203EN3(-05 -962 -710)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



I

Brushed Nickel Finish (-962)
Satin Etched Glass

J. TWO LIGHT WALL / BATH
W: 12" H: 9" E: 6.75"
Height from center of outlet box
up: 6.75" down: 2.25"
DAMP

4415202(-05 -962 -710)
(2) Medium Base 75W max.
T24-1

4415202EN3(-05 -962 -710)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



J

Bronze Finish (-710)
Satin Etched Glass

K. ONE LIGHT WALL / BATH SCONCE
W: 4.75" H: 9.75" E: 6.75"
Height from center of outlet box
up: 5.75" down: 4"
DAMP

4115201(-05 -962 -710)
(1) Medium Base 75W max.
T24-1

4115201EN3(-05 -962 -710)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



K

Chrome Finish (-05)
Satin Etched Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-710) Bronze

A. MEDIUM FOUR LIGHT LINEAR CHANDELIER
L: 40.75" W: 5.5" H: 15"
6' Wire, (3) 12" Stems, (1) 6" Stem

6614504(-962 -710 -112)
(4) Medium Base 60W max.
T24-1

6614504EN7(-962 -710 -112)
(4) Med. Base LED 2700K,
8W, 800 Lumen lamps incl.
T24-2 EN★

B. LARGE NINE LIGHT UP CHANDELIER
D: 32" H: 22"
10' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.

3214509(-962 -710 -112)
(9) Medium Base 60W max.
T24-1

3214509EN7(-962 -710 -112)
(9) Med. Base LED 2700K,
8W, 800 Lumen lamps incl.
T24-2 EN★



A

Bronze Finish (-710)
Clear Seeded Glass

B

Brushed Nickel Finish (-962)
Clear Seeded Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black

C. MEDIUM FIVE LIGHT CHANDELIER
D: 24" H: 10.5"
6' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.

3114505(-962 -710 -112)
(5) Medium Base 60W max.
T24-1

3114505EN7(-962 -710 -112)
(5) Med. Base LED 2700K,
8W, 800 Lumen lamps incl.
T24-2 EN★

D. MEDIUM FIVE LIGHT UP CHANDELIER
D: 23.875" H: 10.5"
6' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.

3214505(-962 -710 -112)
(5) Medium Base 60W max.
T24-1

3214505EN7(-962 -710 -112)
(5) Med. Base LED 2700K,
8W, 800 Lumen lamps incl.
T24-2 EN★

E. SMALL THREE LIGHT CHANDELIER
D: 19.875" H: 10.5"
6' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.

3114503(-962 -710 -112)
(3) Medium Base 60W max.
T24-1

3114503EN7(-962 -710 -112)
(3) Med. Base LED 2700K,
8W, 800 Lumen lamps incl.
T24-2 EN★



C
Bronze Finish (-710)
Clear Seeded Glass



E
Midnight Black Finish (-112)
Clear Seeded Glass



D
Bronze Finish (-710)
Clear Seeded Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black

F. LARGE ONE LIGHT PENDANT
D: 16" H: 12.75"
6' Wire, (3) 12" Stems, (1) 6" Stem, Sloped Ceiling Mounting Hardware incl. For Additional Lamping Options, Please See GenerationLighting.com

6614501-962
(1) Medium Base 75W max.
T24-1

G. MEDIUM ONE LIGHT PENDANT
D: 12.75" H: 11.5"
6' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.

6514501-962
(1) Medium Base 75W max.
T24-1

6514501EN7-962
(1) Med. Base LED 2700K, 8W, 800 Lumen lamp incl.
T24-2 EN★

H. MEDIUM ONE LIGHT PENDANT
D: 12" H: 10.125"
10' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

6227801-112
(1) Medium Base 75W max.
T24-1

6227801EN7-112
(1) Med. Base LED 2700K, 8W, 800 Lumen lamp incl.
T24-2 EN★

I. ONE LIGHT MINI-PENDANT
D: 5.5" H: 9"
6' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.

6114501(-962 -710 -112)
(1) Medium Base 60W max.
T24-1

6114501EN7(-962 -710 -112)
(1) Med. Base LED 2700K, 8W, 800 Lumen lamp incl.
T24-2 EN★

J. SMALL THREE LIGHT CEILING FLUSH MOUNT
D: 11.25" H: 7.5"
DAMP

7514503(-962 -710)
(3) Candelabra 40W max.
T24-1

7514503EN(-962 -710)
(3) Cand. Base LED 2700K, 3.5W, 350 Lumen lamp incl.
T24-2 EN★

K. MEDIUM TWO LIGHT SEMI-FLUSH
D: 15" H: 10.375"
DAMP

7714502(-962 -710 -112)
(2) Medium Base 75W max.
T24-1

7714502EN7(-962 -710 -112)
(2) Med. Base LED 2700K, 8W, 800 Lumen lamps incl.
T24-2 EN★

FINISH CODES
(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black
(-05) Chrome



F
Brushed Nickel Finish (-962)
Clear Seeded Glass



G
Brushed Nickel Finish (-962)
Clear Seeded Glass



H
Midnight Black Finish (-112)
Clear Seeded Glass



I
Brushed Nickel Finish (-962)
Clear Seeded Glass



J
Bronze Finish (-710)
Clear Seeded Glass



K
Brushed Nickel Finish (-962)
Clear Seeded Glass

L. FOUR LIGHT WALL / BATH
W: 28.75" H: 10.75" E: 6.75"
Height from center of outlet box
up: 8.5" down: 2.25"
DAMP

4414504(-05 -962 -710 -112)
(4) Medium Base 60W max.
T24-1

4414504EN7(-05 -962 -710 -112)
(4) Med. Base LED 2700K,
8W, 800 Lumen lamps incl.
T24-2 EN★



L

Chrome Finish (-05)
Clear Seeded Glass

M. THREE LIGHT WALL / BATH
W: 21" H: 10.75" E: 6.75"
Height from center of outlet box
up: 8.5" down: 2.25"
DAMP

4414503(-05 -962 -710 -112)
(3) Medium Base 60W max.
T24-1

4414503EN7(-05 -962 -710 -112)
(3) Med. Base LED 2700K,
8W, 800 Lumen lamps incl.
T24-2 EN★



M

Brushed Nickel Finish (-962)
Clear Seeded Glass

N. TWO LIGHT WALL / BATH
W: 15" H: 10.75" E: 6.75"
Height from center of outlet box
up: 8.5" down: 2.25"
DAMP

4414502(-05 -962 -710 -112)
(2) Medium Base 60W max.
T24-1

4414502EN7(-05 -962 -710 -112)
(2) Med. Base LED 2700K,
8W, 800 Lumen lamps incl.
T24-2 EN★



N

Bronze Finish (-710)
Clear Seeded Glass

O. ONE LIGHT WALL / BATH SCONCE
W: 5.5" H: 9.75" E: 6.75"
Height from center of outlet box
up: 5.5" down: 4.25"
DAMP

4114501(-05 -962 -710 -112)
(1) Medium Base 60W max.
T24-1

4114501EN7(-05 -962 -710 -112)
(1) Med. Base LED 2700K,
8W, 800 Lumen lamp incl.
T24-2 EN★



O

Midnight Black Finish (-112)
Clear Seeded Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black

A. LARGE NINE LIGHT CHANDELIER
D: 31.375" H: 26"
6' of Wire, (3) 12" Stems,
(1) 6" Stem
Sloped Ceiling Mounting
Hardware incl.
DAMP

3128809(-962 -710 -112)
(9) Medium Base 75W max.
T24-1

3128809EN3(-962 -710 -112)
(9) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



A

Brushed Nickel Finish (-962)
Etched White Glass



Midnight Black Finish (-112)
Etched White Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black

B. MEDIUM FIVE LIGHT CHANDELIER
D: 23.875" H: 14.5"
6' of Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

3128805(-962 -710 -112)
(5) Medium Base 75W max.
T24-1

3128805EN3(-962 -710 -112)
(5) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

C. SMALL THREE LIGHT CHANDELIER
D: 19.625" H: 13.125"
6' of Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

3128803(-962 -710 -112)
(3) Medium Base 75W max.
T24-1

3128803EN3(-962 -710 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



B

Brushed Nickel Finish (-962)
Etched White Glass



Midnight Black Finish (-112)
Etched White Glass



C

Bronze Finish (-710)
Etched White Glass



Brushed Nickel Finish (-962)
Etched White Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black

D. LARGE THREE LIGHT PENDANT

D: 16" H: 18.5"
10' Wire pre-laced through 6' Chain
DAMP

6528803(-962 -710 -112)
(3) Medium Base 75W max.
T24-1

6528803EN3(-962 -710 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

E. LARGE THREE LIGHT SEMI-FLUSH MOUNT

D: 16" H: 12.5"
DAMP

7728803(-962 -710 -112)
(3) Medium Base 75W max.
T24-1

7728803EN3(-962 -710 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

F. ONE LIGHT MINI-PENDANT

D: 5.5" H: 6.375"
Supplied with 10' of Wire,
(3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

6128801(-962 -710 -112)
(1) Medium Base 75W max.
T24-1

6128801EN3(-962 -710 -112)
(1) Med. Base LED 3000K,
9W Bulb Lamps incl.
T24-2 EN★



D

Brushed Nickel Finish (-962)
Etched White Glass



F

Midnight Black Finish (-112)
Etched White Glass



Brushed Nickel Finish (-962)
Etched White Glass



E

Bronze Finish (-710)
Etched White Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black

G. FOUR LIGHT WALL / BATH
W: 31.875" H: 8.375" E: 7.25"
Height from center of outlet box
up: 5.75" down: 2.5"
DAMP

4428804(-05 -962 -710 -112)
(4) Medium Base 75W max.
T24-1

4428804EN3(-05 -962 -710 -112)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



G

Midnight Black Finish (-112)
Etched White Glass

H. THREE LIGHT WALL / BATH
W: 23.125" H: 8.375" E: 7.25"
Height from center of outlet box
up: 5.75" down: 2.5"
DAMP

4428803(-05 -962 -710 -112)
(3) Medium Base 75W max.
T24-1

4428803EN3(-05 -962 -710 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



H

Brushed Nickel Finish (-962)
Etched, White Inside Glass

I. TWO LIGHT WALL / BATH
W: 14.25" H: 8.375" E: 7.25"
Height from center of outlet box
up: 5.75" down: 2.5"
DAMP

4428802(-05 -962 -710 -112)
(2) Medium Base 75W max.
T24-1

4428802EN3(-05 -962 -710 -112)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



I

Bronze Finish (-710)
Etched, White Inside Glass

J. ONE LIGHT WALL / BATH SCONCE
W: 5.5" H: 8.25" E: 7.25"
Height from center of outlet box
up: 4.375" down: 3.875"
DAMP

4128801(-05 -962 -710 -112)
(1) Medium Base 75W max.
T24-1

4128801EN3(-05 -962 -710 -112)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



J

Chrome Finish (-05)
Etched, White Inside Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black

A. LARGE NINE LIGHT CHANDELIER
D: 30" H: 29"
10' of Wire pre-laced through 6' of Chain
DAMP

3130709(-962 -112)
(9) Medium Base 75W max.
T24-1

3130709EN3(-962 -112)
(9) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★



A

Brushed Nickel Finish (-962)
Etched White Glass



Midnight Black Finish (-112)
Etched White Glass

FINISH CODES

(-962) Brushed Nickel
(-112) Midnight Black

B. MEDIUM FIVE LIGHT CHANDELIER
D: 24" H: 24"
6' of Wire pre-laced through 3' of Chain
DAMP

3130705(-962 -112)
(5) Medium Base 75W max.
T24-1

3130705EN3(-962 -112)
(5) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★

C. SMALL THREE LIGHT CHANDELIER
D: 18.625" H: 19"
6' of Wire pre-laced through 3' of Chain
DAMP

3130703(-962 -112)
(3) Medium Base 75W max.
T24-1

3130703EN3(-962 -112)
(3) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★



B

Brushed Nickel Finish (-962)
Etched White Glass



C

Midnight Black Finish (-112)
Etched White Glass

FINISH CODES

(-962) Brushed Nickel
(-112) Midnight Black

D. LARGE THREE LIGHT PENDANT
D: 16" H: 18.5"
10' Wire pre-laced through 6' Chain
DAMP

6528803(-962 -710 -112)
(3) Medium Base 75W max.
T24-1

6528803EN3(-962 -710 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

E. LARGE THREE LIGHT SEMI-FLUSH MOUNT
D: 16" H: 12.5"
DAMP

7728803(-962 -710 -112)
(3) Medium Base 75W max.
T24-1

7728803EN3(-962 -710 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

F. ONE LIGHT MINI-PENDANT
D: 4" H: 6.5"
Supplied with 10' of Wire,
(3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting
Hardware incl.
DAMP

6130701(-962 -710 -112)
(1) Medium Base 75W max.
T24-1

6130701EN3(-962 -710 -112)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



D

Brushed Nickel Finish (-962)
Etched White Glass



Brushed Nickel Finish (-962)
Etched White Glass



F

Bronze Finish (-710)
Etched White Glass



Midnight Black Finish (-112)
Etched White Glass



E

Bronze Finish (-710)
Etched White Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black

G. FOUR LIGHT WALL / BATH

W: 34" H: 7.125" E: 7.375"
Height from center of outlet box
up: 2.5625" down: 4.5265"
DAMP

4430704(-962 -710 -112)
(4) Medium Base 75W max.
T24-1

4430704EN3(-962 -710 -112)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



G

Brushed Nickel Finish (-962)
Etched, White Inside Glass

H. THREE LIGHT WALL / BATH

W: 24" H: 7.125" E: 7.375"
Height from center of outlet box
up: 2.5625" down: 4.5265"
DAMP

4430703(-962 -710 -112)
(3) Medium Base 75W max.
T24-1

4430703EN3(-962 -710 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



H

Bronze Finish (-710)
Etched, White Inside Glass

I. TWO LIGHT WALL / BATH

W: 13.75" H: 7.125" E: 7.375"
Height from center of outlet box
up: 2.5625" down: 4.5265"
DAMP

4430702(-962 -710 -112)
(2) Medium Base 75W max.
T24-1

4430702EN3(-962 -710 -112)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



I

Midnight Black Finish (-112)
Etched, White Inside Glass

J. ONE LIGHT WALL / BATH SCONCE

W: 5" H: 15" E: 6.25"
Height from center of outlet box
up: 6" down: 8"
DAMP

4130701(-962 -710 -112)
(1) Medium Base 75W max.
T24-1

4130701EN3(-962 -710 -112)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



J

Brushed Nickel Finish (-962)
Etched, White Inside Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black



PRODUCT SHOWN: HETTINGER MEDIUM SIX LIGHT
CHANDELIER IN BRUSHED NICKEL FINISH

A. LARGE NINE LIGHT CHANDELIER
D: 30" H: 24.625"
10' Wire pre-laced through 6' Chain
DAMP

3139109-962
(9) Medium Base 60W max.
T24-1

3139109EN3-962
(9) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★

B. MEDIUM SIX LIGHT CHANDELIER
D: 24.5" H: 18.25"
10' Wire pre-laced through 6' Chain
DAMP

3139106-962
(6) Medium Base 75W max.
T24-1

3139106EN3-962
(6) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★



A

Brushed Nickel Finish (-962)
Etched White Glass



B

Brushed Nickel Finish (-962)
Etched White Glass

FINISH CODE

(-962) Brushed Nickel

C. EXTRA LARGE THREE LIGHT PENDANT

D: 19" H: 22.25"
10' Wire pre-laced through 6' Chain
DAMP

6639103-962
(3) Medium Base 75W max.
T24-1

6639103EN3-962
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

D. MEDIUM TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 13.25" H: 11.25" Semi-Flush H: 10.5"
10' Wire pre-laced through 3' Chain
DAMP

7739102-962
(2) Medium Base 75W max.
T24-1

7739102EN3-962
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

E. ONE LIGHT MINI-PENDANT

D: 3.5" H: 7.1875"
12' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

6124601-962
(1) Medium Base 75W max.
T24-1

6124601EN3-962
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



C

Brushed Nickel Finish (-962)
Etched White Glass



E

Brushed Nickel Finish (-962)
Etched White Glass



D

Bronze Finish (-710)
Etched White Glass

FINISH CODE

(-962) Brushed Nickel

F. FOUR LIGHT WALL / BATH
W: 29" H: 8" E: 6.25"
Height from center of outlet box
up: 5.75" down: 2.25"
DAMP

4439104(-05 -962 -710 -112 -848)
(4) Medium Base 75W max.
T24-1

4439104EN3(-05 -962 -710 -112 -848)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



F

Satin Brass Finish (-848)
Etched, White Inside Glass

G. THREE LIGHT WALL / BATH
W: 20.5" H: 8" E: 6.25"
Height from center of outlet box
up: 5.75" down: 2.25"
DAMP

4439103(-05 -962 -710 -112 -848)
(3) Medium Base 75W max.
T24-1

4439103EN3(-05 -962 -710 -112 -848)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



G

Brushed Nickel Finish (-962)
Etched, White Inside Glass

H. TWO LIGHT WALL / BATH
W: 13.5" H: 8" E: 5.75"
Height from center of outlet box
up: 5.75" down: 2.25"
DAMP

4439102(-05 -962 -710 -112 -848)
(2) Medium Base 75W max.
T24-1

4439102EN3(-05 -962 -710 -112 -848)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



H

Midnight Black Finish (-112)
Etched, White Inside Glass



Bronze Finish (-710)
Etched, White Inside Glass

I. ONE LIGHT WALL / BATH SCONCE
W: 4.5" H: 8" E: 5"
Height from center of outlet box
up: 5.75" down: 2.25"
DAMP

4139101(-05 -962 -710 -112 -848)
(1) Medium Base 75W max.
T24-1

4139101EN3(-05 -962 -710 -112 -848)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



I

Chrome Finish (-05)
Etched, White Inside Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black
(-848) Satin Brass

A. LARGE EIGHT LIGHT CHANDELIER
L: 35.5" W: 35.5" H: 27.75"
Supplied with 10' of Wire,
(3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

3113708-962
(8) Medium Base 75W max.
T24-1

3113708EN3-962
(8) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

B. MEDIUM FOUR LIGHT CHANDELIER
L: 24.75" W: 24.75" H: 19.25"
Supplied with 10' of Wire,
(3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

3113704-962
(4) Medium Base 75W max.
T24-1

3113704EN3-962
(4) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

C. ONE LIGHT MINI-PENDANT
L: 5.75" W: 5.75" H: 12"
Supplied with 10' of Wire,
(3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

6113701(-962 -778)
(1) Medium Base 75W max.
T24-1

6113701EN3(-962 -778)
(1) Med. Base LED 3000K,
9W 800 Lumen lamp incl.
T24-2 EN★

D. MEDIUM TWO LIGHT CEILING SEMI-FLUSH MOUNT
L: 13" W: 13" H: 7.5"
DAMP

7713702-962
(2) Medium Base 75W max.
T24-1

7713702EN3-962
(2) Med. Base LED 3000K,
9W 800 Lumen lamp incl.
T24-2 EN★

E. MEDIUM TWO LIGHT CEILING FLUSH MOUNT
L: 13" W: 13" H: 5.375"
DAMP

7513702-962
(2) Medium Base 60W max.
T24-1

7513702EN3-962
(2) Med. Base LED 3000K,
9W 800 Lumen lamp incl.
T24-2 EN★

FINISH CODE

(-962) Brushed Nickel



A

Brushed Nickel Finish (-962)
Etched White Glass



B

Brushed Nickel Finish (-962)
Etched White Glass



C

Brushed Nickel Finish (-962)
Etched White Glass



D

Brushed Nickel Finish (-962)
Etched White Glass



E

Brushed Nickel Finish (-962)
Etched White Glass

F. FOUR LIGHT WALL / BATH
W: 32.5" H: 9.125" E: 6.625"
Height from center of outlet box
up: 6.625" down: 2.5"
DAMP

4413704-962
(4) Medium Base 75W max.
T24-1

4413704EN3-962
(4) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



F

Brushed Nickle Finish (-962)
Etched White Glass

G. THREE LIGHT WALL / BATH
W: 23.625" H: 9.125" E: 6.625"
Height from center of outlet box
up: 6.625" down: 2.5"
DAMP

4413703-962
(3) Medium Base 75W max.
T24-1

4413703EN3-962
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



B

Brushed Nickle Finish (-962)
Etched White Glass

H. TWO LIGHT WALL / BATH
W: 16.125" H: 9.125" E: 6.625"
Height from center of outlet box
up: 6.625" down: 2.5"
DAMP

4413702-962
(2) Medium Base 75W max.
T24-1

4413702EN3-962
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



H

Brushed Nickel Finish (-962)
Etched White Glass

I. ONE LIGHT WALL / BATH SCONCE
W: 5.75" H: 10.125" E: 6.625"
Height from center of outlet box
up: 7.625" down: 2.5"
DAMP

4113701-962
(1) Medium Base 75W max.
T24-1

4113701EN3-962
(1) Med. Base LED 3000K,
9W Bulb lamps incl.
T24-2 EN★



I

Brushed Nickle Finish (-962)
Etched White Glass

FINISH CODE

(-962) Brushed Nickel



PRODUCT SHOWN: FRANPORT LARGE
NINE LIGHT CHANDELIER IN BRONZE FINISH

A. LARGE NINE LIGHT CHANDELIER
D: 30" H: 27.625"
10' Wire pre-laced through 6' Chain
DAMP

3128909(-962 -710)
(9) Medium Base 75W max.
T24-1

3128909EN3(-962 -710)
(9) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

B. MEDIUM FIVE LIGHT CHANDELIER
D: 26" H: 22.875"
10' Wire pre-laced through 6' Chain
DAMP

3128905(-962 -710)
(5) Medium Base 75W max.
T24-1

3128905EN3(-962 -710)
(5) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

C. SMALL THREE LIGHT CHANDELIER
D: 20" H: 21"
10' Wire pre-laced through 6' Chain
DAMP

3128903(-962 -710)
(3) Medium Base 75W max.
T24-1

3128903EN3(-962 -710)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



A

Bronze Finish (-710)
Satin Etched Glass



B

Brushed Nickel Finish (-962)
Satin Etched Glass



C

Bronze Finish (-710)
Satin Etched Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze

D. LARGE THREE LIGHT PENDANT
D: 20.75" H: 22.75"
6' Wire pre-laced through 3' Chain
DAMP

6624503-962
(3) Medium Base 75W max.
T24-1

6624503EN3-962
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

E. LARGE THREE LIGHT SEMI-FLUSH CONVERTIBLE PENDANT
D: 20.75" H: 14.25" Semi-Flush H: 11.75"
6' Wire pre-laced through 3' Chain
DAMP

7724503-962
(3) Medium Base 75W max.
T24-1

7724503EN3-962
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



D

Brushed Nickel Finish (-962)
Satin Etched Glass



E

Brushed Nickel Finish (-962)
Satin Etched Glass

FINISH CODE

(-962) Brushed Nickel

F. FOUR LIGHT WALL / BATH
W: 29.375" H: 8.25" E: 6.25"
Height from center of outlet box
up: 5.75" down: 2.5"
DAMP

4428904(-05 -962 -710 -112)
(4) Medium Base 75W max.
T24-1

4428904EN3(-05 -962 -710 -112)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



F

Chrome Finish (-05)
Etched, White Inside Glass

G. THREE LIGHT WALL / BATH
W: 21" H: 8.25" E: 6.25"
Height from center of outlet box
up: 5.75" down: 2.5"
DAMP

4428903(-05 -962 -710 -112)
(3) Medium Base 75W max.
T24-1

4428903EN3(-05 -962 -710 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



G

Bronze Finish (-710)
Etched, White Inside Glass

H. TWO LIGHT WALL / BATH
W: 13.25" H: 8.25" E: 6.25"
Height from center of outlet box
up: 5.75" down: 2.5"
DAMP

4428902(-05 -962 -710 -112)
(2) Medium Base 75W max.
T24-1

4428902EN3(-05 -962 -710 -112)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



H

Midnight Black Finish (-112)
Etched, White Inside Glass

I. ONE LIGHT WALL / BATH SCONCE
W: 5" H: 8" E: 6.875"
Height from center of outlet box
up: 4" down: 4"
DAMP

4128901(-05 -962 -710 -112)
(1) Medium Base 75W max.
T24-1

4128901EN3(-05 -962 -710 -112)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



I

Brushed Nickel Finish (-962)
Etched, White Inside Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black



PRODUCT SHOWN: ROBIE NINE LIGHT CHANDELIER IN MIDNIGHT BLACK FINISH

A. EXTRA LARGE TWELVE LIGHT CHANDELIER
D: 40" H: 40.625"
10' of Wire pre-laced through 6' of Chain
DAMP

3121612(-962 -710 -112)
(12) Medium Base 75W max.
T24-1

3121612EN3(-962 -710 -112)
(12) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

B. LARGE NINE LIGHT CHANDELIER
D: 33" H: 34"
10' of Wire pre-laced through 6' of Chain
DAMP

3121609(-962 -710 -112)
(9) Medium Base 75W max.
T24-1

3121609EN3(-962 -710 -112)
(9) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

C. MEDIUM FIVE LIGHT CHANDELIER
D: 24.125" H: 23.375"
6' of Wire pre-laced through 3'
of Chain
DAMP

3121605(-962 -710 -112)
(5) Medium Base 75W max.
T24-1

3121605EN3(-962 -710 -112)
(5) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



A
Midnight Black Finish (-112)
Etched White Glass



B
Bronze Finish (-710)
Etched White Glass



C
Brushed Nickel Finish (-962)
Etched White Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black

D. SMALL THREE LIGHT CHANDELIER
D: 21.375" H: 22.125"
6' of Wire pre-laced through 3' of Chain
DAMP

3121603(-962 -710 -112)
(3) Medium Base 75W max.
T24-1

3121603EN3(-962 -710 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

E. ONE LIGHT MINI-PENDANT
D: 4.375" H: 6.5"
Supplied with 10' of Wire,
(3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

6121601(-962 -710 -112)
(1) Medium Base 75W max.
T24-1

6121601EN3(-962 -710 -112)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

F. LARGE THREE LIGHT PENDANT
D: 16" H: 18.5"
10' Wire pre-laced through 6' Chain
DAMP

6528803(-962 -710 -112)
(3) Medium Base 75W max.
T24-1

6528803EN3(-962 -710 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

G. LARGE THREE LIGHT SEMI-FLUSH MOUNT
D: 16" H: 12.5"
DAMP

7728803(-962 -710 -112)
(3) Medium Base 75W max.
T24-1

7728803EN3(-962 -710 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



D

Bronze Finish (-710)
Etched White Glass



F

Brushed Nickel Finish (-962)
Etched White Glass



E

Midnight Black Finish (-112)
Etched White Glass



G

Bronze Finish (-710)
Etched White Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black

H. FOUR LIGHT WALL / BATH
W: 34" H: 8.125" E: 6.75"
Height from center of outlet box
up: 5.625" down: 2.5"
DAMP

4421604(-05 -962 -710 -112)
(4) Medium Base 75W max.
T24-1

4421604EN3(-05 -962 -710 -112)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



H

Chrome Finish (-05)
Etched, White Inside Glass

I. THREE LIGHT WALL / BATH
W: 24" H: 8.125" E: 6.75"
Height from center of outlet box
up: 5.625" down: 2.5"
DAMP

4421603(-05 -962 -710 -112)
(3) Medium Base 75W max.
T24-1

4421603EN3(-05 -962 -710 -112)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



I

Brushed Nickel Finish (-962)
Etched, White Inside Glass

J. TWO LIGHT WALL / BATH
W: 14.625" H: 8.125" E: 6.75"
Height from center of outlet box
up: 5.625" down: 2.5"
DAMP

4421602(-05 -962 -710 -112)
(2) Medium Base 75W max.
T24-1

4421602EN3(-05 -962 -710 -112)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



J

Bronze Finish (-710)
Etched, White Inside Glass

K. ONE LIGHT WALL / BATH SCONCE
W: 5" H: 8.125" E: 7.375"
Height from center of outlet box
up: 4.625" down: 3.5"
DAMP

4121601(-05 -962 -710 -112)
(1) Medium Base 75W max.
T24-1

4121601EN3(-05 -962 -710 -112)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



K

Midnight Black Finish (-112)
Etched, White Inside Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black



PRODUCT SHOWN: HANFORD LARGE NINE LIGHT
CHANDELIER IN BRUSHED NICKEL FINISH

A. LARGE NINE LIGHT CHANDELIER
D: 33" H: 37"
12' Wire pre-laced through 10' Chain
DAMP

3124509-962
(9) Medium Base 75W max.
T24-1

3124509EN3-962
(9) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

B. MEDIUM FIVE LIGHT CHANDELIER
D: 27.75" H: 27.75"
6' Wire pre-laced through 3' Chain
DAMP

3124505-962
(5) Medium Base 75W max.
T24-1

3124505EN3-962
(5) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

C. SMALL THREE LIGHT CHANDELIER
D: 20" H: 22"
6' of Wire pre-laced through 3' of Chain
DAMP

3124503-962
(3) Medium Base 75W max.
T24-1

3124503EN3-962
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

D. MEDIUM THREE LIGHT LANTERN
D: 18.25" H: 32.75"
6' Wire pre-laced through 3' Chain
DAMP

5224503-962
(3) Medium Base 75W max.
T24-1

5224503EN3-962
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



A
Brushed Nickel Finish (-962)
Satin Etched Glass



B
Brushed Nickel Finish (-962)
Satin Etched Glass



C
Brushed Nickel Finish (-962)
Satin Etched Glass



D
Brushed Nickel Finish (-962)
Satin Etched Glass

FINISH CODE

(-962) Brushed Nickel

E. EXTRA LARGE THREE LIGHT PENDANT
D: 20.75" H: 22.75"
6' Wire pre-laced through
3' Chain
DAMP

6624503-962
(3) Medium Base 75W max.
T24-1

6624503EN3(-962)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

F. ONE LIGHT MINI-PENDANT
D: 5.25" H: 6.75"
10' Wire, (3) 12" Stems,
(1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

6124501(-962 -710)
(1) Medium Base 75W max.
T24-1

6124501EN3(-962 -710)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



E

Brushed Nickel Finish (-962)
Satin Etched Glass



F

Brushed Nickel Finish (-962)
Satin Etched Glass

G. LARGE THREE LIGHT SEMI-FLUSH CONVERTIBLE PENDANT
D: 20.75" H: 14.25" Semi-Flush H: 11.75"
6' Wire pre-laced through
3' Chain
DAMP

7724503-962
(3) Medium Base 75W max.
T24-1

7724503EN3-962
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



G

Brushed Nickel Finish (-962)
Satin Etched Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze

H. FOUR LIGHT WALL / BATH
W: 33.5" H: 11.25" E: 6.5"
Height from center of outlet box
up: 6" down: 5.25"
DAMP

4424504(-962 -710)
(4) Medium Base 75W max.
T24-1

424504EN3(-962 -710)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



H

Brushed Nickel Finish (-962)
Satin Etched Glass

I. THREE LIGHT WALL / BATH
W: 24" H: 10.75" E: 6.5"
Height from center of outlet box
up: 6" down: 4.75"
DAMP

4424503(-962 -710)
(3) Medium Base 75W max.
T24-1

4424503EN3(-962 -710)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



I

Bronze Finish (-710)
Satin Etched Glass

J. TWO LIGHT WALL / BATH
W: 14.5" H: 9.75" E: 6.5"
Height from center of outlet box
up: 6" down: 3.75"
DAMP

4424502(-962 -710)
(2) Medium Base 75W max.
T24-1

4424502EN3(-962 -710)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



J

Brushed Nickel Finish (-962)
Satin Etched Glass

K. ONE LIGHT WALL / BATH SCONCE
W: 5.25" H: 10.25" E: 6.75"
Height from center of outlet box
up: 7.25" down: 3"
DAMP

4124501(-962 -710)
(1) Medium Base 75W max.
T24-1

4124501EN3(-962 -710)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



K

Bronze Finish (-710)
Satin Etched Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze

ELMWOOD PARK BUILDER SERIES



PRODUCT SHOWN: ELMWOOD PARK MEDIUM FOUR LIGHT LINEAR CHANDELIER IN BRUSHED NICKEL FINISH

A. LARGE NINE LIGHT CHANDELIER
D: 32" H: 27.625"
12' of Wire pre-laced through 6' of Chain
DAMP

3137309(-962 -710)
(9) Medium Base 75W max.
T24-1

3137309EN3(-962 -710)
(9) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★

B. MEDIUM FIVE LIGHT CHANDELIER
D: 26" H: 24.125"
12' of Wire pre-laced through 6' of Chain
DAMP

3137305(-962 -710)
(5) Medium Base 75W max.
T24-1

3137305EN3(-962 -710)
(5) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★

C. MEDIUM FOUR LIGHT LINEAR CHANDELIER
L: 40" W: 4.375" H: 24.75"
Supplied with 6' of Wire, (3) 12" Stems, (1) 6" Stem
DAMP

6637304(-962 -710)
(4) Medium Base 75W max.
T24-1

6637304EN3(-962 -710)
(4) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★

D. SMALL THREE LIGHT CHANDELIER
D: 20.5" H: 21"
6' of Wire pre-laced through 3' of Chain
DAMP

3137303(-962 -710)
(3) Medium Base 75W max.
T24-1

3137303EN3(-962 -710)
(3) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★



A

Brushed Nickel Finish (-962)
Satin Etched Inner Glass, Clear Outer Glass



B

Bronze Finish (-710)
Satin Etched Inner Glass, Clear Outer Glass



C

Brushed Nickel Finish (-962)
Satin Etched Inner Glass, Clear Outer Glass



D

Bronze Finish (-710)
Satin Etched Inner Glass, Clear Outer Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze

E. MEDIUM THREE LIGHT HANGING SHADE
D: 19" H: 18"
Supplied with 6' of Wire,
(3) 12" Stems, (1) 6" Stem,
Sloped Ceiling Mounting Hardware incl.
DAMP

6537303(-962 -710)
(3) Medium Base 75W max
T24-1

6537303EN3(-962 -710)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

F. LARGE THREE LIGHT SEMI FLUSH MOUNT
D: 19" H: 15.75"
DAMP

7737303(-962 -710)
(3) Medium Base 75W max.
T24-1

7737303EN3(-962 -710)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

G. ONE LIGHT MINI-PENDANT
D: 4.375" H: 6.875"
Supplied with 6' of Wire,
(3) 12" Stems, (1) 6" Stem,
Sloped Ceiling Mounting Hardware incl.
DAMP

6137301(-962 -710)
(1) Medium Base 75W max.
T24-1

6137301EN3(-962 -710)
(1) Med. Base LED
9W Bulb lamps incl.
T24-2 EN★

H. MEDIUM TWO LIGHT SEMI-FLUSH MOUNT
D: 15" H: 11"
DAMP

7737302(-962 -710)
(2) Medium Base 75W max.
T24-1

7737302EN3(-962 -710)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

I. MEDIUM TWO LIGHT CEILING FLUSH MOUNT
D: 14" H: 6.125"
DAMP

7537302(-962 -710)
(2) Medium Base 60W max.
T24-1

7537302EN3(-962 -710)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze



E

Brushed Nickel Finish (-962)
Satin Etched Inner Glass,
Off White Organza Silk Outer Shade



G

Bronze Finish (-710)
Satin Etched Inner Glass, Clear Outer Glass



H

Bronze Finish (-710)
Satin Etched Inner Glass,
Off White Organza Silk Outer Shade



F

Bronze Finish (-710)
Satin Etched Inner Glass,
Off White Organza Silk Outer Shade



I

Bronze Finish (-710)
Satin Etched Inner Glass, Clear Outer Glass

J. FOUR LIGHT WALL / BATH

W: 31.25" H: 8.5" E: 6.25"
Height from center of outlet box
up: 6.25" down: 2.25"
DAMP

4437304(-962 -710)
(4) Medium Base 75W max.
T24-1

4437304EN3(-962 -710)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



J

Brushed Nickel Finish (-962)
Satin Etched Inner Glass, Clear Outer Glass

K. THREE LIGHT WALL / BATH

W: 22.25" H: 8.5" E: 6.25"
Height from center of outlet box
up: 6.25" down: 2.25"
DAMP

4437303(-962 -710)
(3) Medium Base 75W max.
T24-1

4437303EN3(-962 -710)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



K

Bronze Finish (-710)
Satin Etched Inner Glass, Clear Outer Glass

L. TWO LIGHT WALL / BATH

W: 13.25" H: 8.5" E: 6.25"
Height from center of outlet box
up: 6.25" down: 2.25"
DAMP

4437302(-962 -710)
(2) Medium Base 75W max.
T24-1

4437302EN3(-962 -710)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



L

Brushed Nickel Finish (-962)
Satin Etched Inner Glass, Clear Outer Glass

M. ONE LIGHT WALL / BATH SCONCE

W: 4.5" H: 8" E: 6.25"
Height from center of outlet box
up: 5" down: 3"
DAMP

4137301(-962 -710)
(1) Medium Base 75W max.
T24-1

4137301EN3(-962 -710)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



M

Bronze Finish (-710)
Satin Etched Inner Glass, Clear Outer Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze



PRODUCT SHOWN: EMMONS SMALL THREE LIGHT
CHANDELIER IN BRUSHED NICKEL FINISH

A. LARGE NINE LIGHT CHANDELIER
D: 35" H: 35"
10' Wire pre-laced through 6' Chain
DAMP

3139009-962
(9) Medium Base 75W max.
T24-1

3139009EN3-962
(9) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★

B. MEDIUM FIVE LIGHT CHANDELIER
D: 24" H: 26.75"
10' Wire pre-laced through 6' Chain
DAMP

3139005-962
(5) Medium Base 75W max.
T24-1

3139005EN3-962
(5) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★

C. SMALL THREE LIGHT CHANDELIER
D: 19.5" H: 22.5"
6' Wire pre-laced through 3' Chain
DAMP

3139003-962
(3) Medium Base 75W max.
T24-1

3139003EN3-962
(3) Med. Base LED 3000K, 9W, 800 Lumen lamps incl.
T24-2 EN★



A
Brushed Nickel Finish (-962)
Satin Etched Glass



B
Brushed Nickel Finish (-962)
Satin Etched Glass



C
Bronze Finish (-710)
Satin Etched Glass

FINISH CODE
(-962) Brushed Nickel

D. LARGE THREE LIGHT PENDANT
D: 17.75" H: 22.5"
10' Wire pre-laced through 6' Chain
DAMP

6639003-962
(3) Medium Base 75W max.
T24-1

6639003EN3-962
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★

E. ONE LIGHT MINI-PENDANT
D: 6" H: 5.75"
6' Wire, (3) 12" Stems, (1) 6" Stem
Sloped Ceiling Mounting Hardware incl.
DAMP

6139001-962
(1) Medium Base 75W max.
T24-1

6139001EN3-962
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

F. MEDIUM TWO LIGHT SEMI-FLUSH MOUNT
D: 13" H: 9"
DAMP

7739002(-962 -710)
(2) Medium Base 75W max.
T24-1

7739002EN3(-962 -710)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



D
Brushed Nickel Finish (-962)
Satin Etched Glass



E
Brushed Nickel Finish (-962)
Satin Etched Glass



F
Brushed Nickel Finish (-962)
Satin Etched Glass



Bronze Finish (-710)
Satin Etched Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze

G. FOUR LIGHT WALL / BATH
W: 32" H: 6.25" E: 7.5"
Height from center of outlet box
up: 3.75" down: 2.5"
DAMP

4439004(-962 -710)
(4) Medium Base 75W max.
T24-1

4439004EN3(-962 -710)
(4) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



G

Brushed Nickel Finish (-962)
Satin Etched Glass

H. THREE LIGHT WALL / BATH
W: 23.25" H: 6.25" E: 7.5"
Height from center of outlet box
up: 3.75" down: 2.5"
DAMP

4439003(-962 -710)
(3) Medium Base 75W max.
T24-1

4439003EN3(-962 -710)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



H

Bronze Finish (-710)
Satin Etched Glass

I. TWO LIGHT WALL / BATH
W: 14.75" H: 6.25" E: 7.5"
Height from center of outlet box
up: 3.75" down: 2.5"
DAMP

4439002(-962 -710)
(2) Medium Base 75W max.
T24-1

4439002EN3(-962 -710)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



I

Brushed Nickel Finish (-962)
Satin Etched Glass

J. ONE LIGHT WALL / BATH SCONCE
W: 6" H: 6.25" E: 7.5"
Height from center of outlet box
up: 3.75" down: 2.5"
DAMP

4139001(-962 -710)
(1) Medium Base 75W max.
T24-1

4139001EN3(-962 -710)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★



J

Bronze Finish (-710)
Satin Etched Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze

A. MEDIUM ONE LIGHT PENDANT
D: 15.75" H: 8.5"
10' of wire pre-laced through 6' of chain
DAMP

6516501(-05 -962 -710 -112 -848)
(1) Medium Base 75W max.
T24-1

6516501EN3(-05 -962 -710 -112 -848)
(1) Med. Base LED 3000K,
9W, 800 Lumen lamp incl.
T24-2 EN★

B. MEDIUM THREE LIGHT PENDANT
D: 18.625" H: 20.625"
10' Wire pre-laced through 6' Chain
DAMP

6616503(-962 -710 -112 -848)
(3) Medium Base 75W max.
T24-1

6616503EN3(-962 -710 -112 -848)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



A

Chrome Finish (-05)
Satin Etched Glass



Bronze Finish (-710)
Satin Etched Glass



B

Midnight Black Finish (-112)
Satin Etched Glass



Brushed Nickel (-962)
Satin Etched Glass



Satin Brass Finish (-848)
Satin Etched Glass

FINISH CODES

(-05) Chrome
(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black
(-848) Satin Brass

C. MEDIUM THREE LIGHT SEMI-FLUSH / PENDANT
D: 18.625" H: 16.375" Semi-Flush H: 14.875"
6' Wire pre-laced through 3' Chain
DAMP

7716503(-962 -710 -112 -848)
(3) Medium Base 75W max.
T24-1

7716503EN3(-962 -710 -112 -848)
(3) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



C

Shown as Semi-Flush
Midnight Black Finish (-112)
Satin Etched Glass



D

Shown as Semi-Flush
Satin Brass Finish (-848)
Satin Etched Glass

D. SMALL TWO LIGHT SEMI-FLUSH / PENDANT
D: 13.875" H: 12.375" Semi-Flush 11.375"
6' Wire pre-laced through 3' Chain
DAMP

7716502(-962 -710 -112 -05 -848)
(2) Medium Base 75W max.
T24-1

7716502EN3(-962 -710 -112 -05 -848)
(2) Med. Base LED 3000K,
9W, 800 Lumen lamps incl.
T24-2 EN★



Satin Brass Finish (-848)
Satin Etched Glass



Midnight Black Finish (-112)
Satin Etched Glass



Chrome Finish (-05)
Satin Etched Glass



Brushed Nickel Finish (-962)
Satin Etched Glass

FINISH CODES

(-962) Brushed Nickel
(-710) Bronze
(-112) Midnight Black
(-05) Chrome
(-848) Satin Brass



PRODUCT SHOWN: ROMEE SMALL THREE LIGHT LANTERN IN CHROME FINISH

RESOURCES

ELECTRONIC TRANSFORMERS

Electronic transformers range in size from single output 60w (Class II), single output 150w zero-load, and single output 150w (Class I). Our transformers run quiet, are instant-on, feature fire-rated housings and dim easily with electronic low-voltage (ELV) dimmers. Generation Lighting Electronic Transformers specify whether they have a minimum load requirement — starting at 15w — or whether they are zero-load capable. Zero-load transformers have been designed for the low wattage draws of LED technology. For proper operation of an electronic transformer, the wattage load must fall within the specified range. Generation Lighting Electronic Transformers are moisture and shock resistant, featuring soft start circuitry for increased lamp life. Electronic transformers, as with many electronic components, may cause radio frequency interference (RFI). Our Electronic Transformers have built-in filters to help eliminate RFI. Should RFI be noticeable, rotate the unit to change the direction of the electronic field or replace with a magnetic transformer, which will not cause RFI.

MAGNETIC TRANSFORMERS

Generation Lighting laminated magnetic transformers are core and coil, isolated type transformers. We offer several sizes of laminated magnetic transformers ranging from 75 to 300w at 12v, and 60 to 200w at 24v in either AC or DC. Each transformer features thermal protection on the primary (120v) side. Our laminated magnetic transformers have resettable thermal circuit breakers on the low voltage side. Other features include a faraday shield, potted and encased core and coil for added safety and ease of installation. A boost tap is integrated to single-tap magnetic transformers to compensate for voltage drop. For optimum operation we recommend the load on all laminated magnetic transformers be between 50 and 100% of the rated wattage when used with xenon and halogen light sources. Magnetic transformers are zero load with LED lamp source. Not meeting minimum recommend loads can overdrive luminaires and greatly reduce lamp life. Be sure to keep insulation away from transformers. Magnetic transformers should be mounted vertically. If the transformer must be mounted horizontally, the ambient temperature must be below 120°F and the maximum load should be reduced to 80% of output.

OPERATING TEMPERATURES

Generation Lighting systems require adequate ventilation to dissipate heat generated during their operation. Care must be taken to avoid installing the system in confined areas where excessive heat may result in the transformer circuit breaker tripping or causing damage to the system and/or the area being illuminated. Surface temperatures on transformers, wiring and luminaires must not exceed 90°C (194°F).

DIMMING

When dimming a low-voltage system, it is recommended that the dimming occur on the primary side of the transformer, reducing the power coming into the transformer. The dimmer must be matched to the type of transformer that's powering the system.

- For electronic transformers use an electronic low voltage (ELV) dimmer.
- For magnetic transformers use a standard, incandescent line voltage dimmer or a magnetic low voltage (MLV) dimmer.

REMOTE MOUNTING

When a transformer needs to be mounted in a remote location, a properly sized jumper Wire (the cable between the transformer and the start of the lighting run, or between two illuminated sections) must be used. The jumper Wire can be Generation Lighting Cable run in additional protection (9435 track and 9439 cover or listed conduit), Romex or Type AC. Be sure to check with your local electrical inspector. The jumper Wire and lighting run must be connected in an approved wiring compartment, such as 9459 (-xx) or 9481 (-xx).

POWERING SYSTEMS

We recommend all systems used with Generation Lighting Systems be powered on the line voltage (120v or primary) side of the connection for optimum performance and safety. For applications which require operating to be done on the low voltage (secondary) side of the connection, there are two factors which need to be considered:

- It is very important that the switch used is rated for the amperage created; and
- Meet minimum load on electronic transformer To calculate amperage, use the following formula: Amperage = Wattage / Voltage

VOLTAGE DROP

Voltage drop is the difference between voltage of luminaires close to the transformer and luminaires at the end of an illuminated section.

- All lamp sources function optimally with no more than 10% voltage drop. Voltage outside of this range will affect lamp life and overall performance.
- To compensate for voltage drop, please calculate as stated below and use appropriate Wire.

CALCULATING VOLTAGE DROP:

Step 1:

Amps (Watts/Voltage) x Run/Length x 2 (for AC circuit) x Resistance per Foot(1) = Voltage Drop (in Volts)

Step 2:

- For 12v systems add voltage drop to 12 to determine tap to use.
- For 24v systems add voltage drop to 24 to determine tap to use.

RESISTANCE PER FOOT CHART

Wire Size	Resistance
4	0.000249
6	0.000395
8	0.000640
10*	0.001080
12	0.001620
14	0.002525
16	0.004016
18	0.006385

*Size of 10/2 AWG Generation Lighting Cable

Electronic AC Transformers

Part Number	Name	AC/DC	Type	Voltage	Connnection (Hardware, Plug-in)	
96622S-12	75W 12v Zero-Load Transformer	AC	Electronic	120v/12v	Hard-Wire	
96624S-12	150w 12v Zero-Load Transformer	AC	Electronic	120v/12v	Hard-Wire	
96623S-12	75W 24v Zero-Load Transformer	AC	Electronic	120v/24v	Hard-Wire	

Magnetic AC Transformers

Part Number	Name	AC/DC	Type	Connnection	
94458-12	75W, 12v Magnetic Transformer	AC	Magnetic	Hard-Wire	
94460-12	150w, 12v Magnetic Transformer	AC	Magnetic	Hard-Wire	
94462-12	300w, 12v Magnetic Transformer	AC	Magnetic	Hard-Wire	
94461-12	250w, 24v Magnetic Transformer	AC	Magnetic	Hard-Wire	

Electronic DC Transformers

Part Number	Name	AC/DC	Type	Connnection	
98745S-12	60W 24v DC Transformer	DC	Electronic	Hard-Wire	
98746S-12	105w 24v DC Transformer	DC	Electronic	Hard-Wire	
98747S-12	150w 24v DC Transformer	DC	Electronic	Hard-Wire	

Magnetic DC Transformers

Part Number	Name	AC/DC	Type	Connnection	
98743S-12	200w 24v DC Magnetic Transformer, Wet or Dry Location	DC	Magnetic	Hard-Wire	

TRANSFORMER REFERENCE CHART

	Wattage	Primary Voltage (in)	Secondary Voltage (out)	Minimum Load (electronic only)	Dimensions	Listing
	75W	120v	12v	Zero Load	L: 7.805" W: 1.36" H: 0.949"	cETL dry
	150w	120v	12v	Zero Load	L: 8.385" W: 2.53" H: 1.219"	cETL dry
	75W	120v	24v	Zero Load	L: 7.805" W: 1.36" H: 0.949"	cETL dry

	Wattage	Primary Voltage (in)	Secondary Voltage (out)	Minimum Load (electronic only)	Dimensions	Listing
	75W	120v	12v	N/A	L: 8.75" W: 4.25" H: 3.75"	cUL Dry
	150w	120v	12v	N/A	L: 10.5" W: 4.313" H: 4.313"	cUL Dry
	300w	120v	12v	N/A	L: 10.563" W: 4.375" H: 3.875"	cUL Dry
	250w	120v	24v	N/A	L: 10.75" W: 4.5" H: 4.25"	cUL Dry

	Wattage	Primary Voltage (in)	Secondary Voltage (out)	Minimum Load (electronic only)	Dimensions	Listing
	60W	120v	24v	Zero Load	L: 9.5" W: 4.125" H: 2.125"	cETL DAMP
	105w	120v	24v	Zero Load	L: 9.5" W: 4.125" H: 2.125"	cETL DAMP
	150w	120v	24v	Zero Load	L: 9.5" W: 4.125" H: 2.125"	cETL DAMP

	Wattage	Primary Voltage (in)	Secondary Voltage (out)	Minimum Load (electronic only)	Dimensions	Listing
	200w	120v	24v	N/A	L: 8.875" W: 4.375" H: 4"	cETL WET

LAMP REFERENCE CHART

	Item Number	Wattage	Voltage	Light Output (Lumens)	Efficacy (LM/W)	Lamp Type	Base Type	Light Source	Color Temperature
	**97500S**	6.5	120V	650	100	Vintage ST19	Medium	LED	2300K
	**S39188**	6.5	120V	180	N/A	1-PAR20	Medium	LED	N/A
	**97531S**	3.5	120V	160	45.7	T6	Candelabra	LED	2200K
	97532S	3.5	120V	160	45.7	T6	Candelabra	LED	2700K
	**97541S**	3.5	120V	300	66.7	T14	Medium	LED	2200K
	97542S	3.5	120V	300	66.7	T14	Medium	LED	2700K
	**97512S**	9	120V	800	80	A19	Medium	LED	2700K
	**LTB10C35027CB**	3.5	120V	350	100	B10	Candelabra	LED	2700K
	9728	5	12V AC	23	6	T3¼	Wedge	Incandescent	2300K
	**9731**	3	12V AC	15	6	T3¼	Wedge	Xenon	2400K
	9732	5	12V AC	33	8	T3¼	Wedge	Xenon	2550K
	**9774**	18	12V AC	210	13	T^5	Wedge	Xenon	2800K
	9777	12	12V AC	120	10	T^5	Wedge	Incandescent	2750K
	96116S-32	.708	12V AC	59	83	T^3	Festoon	LED	2700K
	96116S-33	.708	12V AC	59	83	T^3	Festoon	LED	2700K
	**96118S-32**	.708	12V AC	60	85	T^3	Festoon	LED	3000K
	96118S-33	.708	12V AC	60	85	T^3	Festoon	LED	3000K
	97118-32	5	12V AC	33	8	T^3	Festoon	Xenon	2550K
	97118-33	5	12V AC	33	8	T^3	Festoon	Xenon	2550K
	**97119-32**	10	12V AC	83	10	T^3	Festoon	Xenon	2650K
	97119-33	10	12V AC	83	10	T^3	Festoon	Xenon	2650K

LAMP REFERENCE CHART

	Beam Spread	CRI	Rated Life (Hours)	Comparable Equivalent	Warranty	Dimmable	Certification	Dimensions	Energy Star	Location Rating
	360°	80	15,000	60w Incandescent	3-Year Ltd.	Yes*	RoHS	D: 2.375" L: 5.375"	—	DAMP
	40°	--	25,000	50w Incandescent	3-Year Ltd.	No	RoHS	D: 2.5" L: 3.25"	—	DAMP
	360°	90	15,000	40w Incandescent	3-Year Ltd.	Yes*	RoHS	D: .75" L: 3.25"	—	DAMP encl.
	360°	90	15,000	40w Incandescent	3-Year Ltd.	Yes*	RoHS	D: .75" L: 3.25"	—	DAMP encl.
	360°	90	15,000	60w Incandescent	3-Year Ltd.	Yes*	RoHS	D: 1.75" L: 4.2"	—	DAMP encl.
	360°	90	15,000	60w Incandescent	3-Year Ltd.	Yes*	RoHS	D: 1.75" L: 4.2"	—	DAMP encl.
	300°	90	25,000	60w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 2.36" L: 4.37"	EN★ CEC	DAMP
	300°	90	25,000	40w Incandescent	3-Year Ltd.	Yes*	RoHS	D: 1.25" L: 4.25"	EN★ CEC	DAMP encl.
	—	90	9,000	—	1-Year Ltd.	Yes*	RoHS	D: .406" L: .906"	—	DAMP
	—	90	19,000	—	1-Year Ltd.	Yes*	RoHS	D: .406" L: .906"	—	DAMP
	—	90	8,000	—	1-Year Ltd.	Yes*	RoHS	D: .406" L: .906"	—	DAMP
	—	90	10,000	—	1-Year Ltd.	Yes*	RoHS	D: .594" L: 1.406"	—	DAMP
	—	90	2,000	—	1-Year Ltd.	Yes*	RoHS	D: .594" L: 1.406"	—	DAMP
	—	90	50,000 to 70%	—	3-Year Ltd.	Yes*	RoHS	D: .466" L: 1.649"	—	DAMP
	—	90	50,000 to 70%	—	3-Year Ltd.	Yes*	RoHS	D: .466" L: 1.649"	—	DAMP
	—	90	50,000 to 70%	—	3-Year Ltd.	Yes*	RoHS	D: .466" L: 1.649"	—	DAMP
	—	90	50,000 to 70%	—	3-Year Ltd.	Yes*	RoHS	D: .466" L: 1.649"	—	DAMP
	—	90	16,000	—	1-Year Ltd.	Yes*	RoHS	D: .375" L: 1.687"	—	—
	—	90	16,000	—	1-Year Ltd.	Yes*	RoHS	D: .375" L: 1.687"	—	—
	—	90	12,000	—	1-Year Ltd.	Yes*	RoHS	D: .375" L: 1.687"	—	—
	—	90	12,000	—	1-Year Ltd.	Yes*	RoHS	D: .375" L: 1.687"	—	—

* When dimming LED light sources, derate your dimmer to 25% of its rated capacity. For example, a 600 watt dimmer should be derated to 150 watt capacity. Consult your dimmer manufacturer for more information and restrictions.



PRODUCT SHOWN: JONAH MEDIUM CHANDELIER
IN SATIN NICKEL/CHROME FINISH

TO ORDER ADDITIONAL CHAIN OR STEMS:

1. Locate the row for your collection and fixture.
2. Write down the style number in the Chain or Stem column.
3. Replace the "xxx" with the desired finish code from Finishes Available column.

Family	Chain	Stems	Sloped Ceiling Mounting Hardware	Finishes Available
Alturas	**9100-xxx**	**9199-xxx**	**9122-xxx**	Brushed Nickel (-962), Satin Brass (-848), Midnight Black (-112)
Ansley	**—**	**STEMKIT-12-xxx**	**—**	Aged Iron (AI)
Bakersville	**9100-xxx**	**—**	**—**	Antique Bronze (-71), Black (-12)
Belton	**—**	**9199-xxx**	**9122-xxx**	Brushed Nickel (-962), Bronze (-710), Midnight Black (-112)
Brentwood	**9103-12**	**—**	**—**	Black (-12)
Cadence	**CHAIN SQ DAB**	**—**	**—**	Dark Antique Brass / Matte Black (DAB/MB)
Canfield	**9100-xxx**	**9199-xxx**	**9122-xxx**	Brushed Nickel (-962), Bronze (-710), Midnight Black (-112)
Cape May	**9100-xxx**	**—**	**—**	Burled Iron (-780), Black (-12)
Chateau	**CHAIN xxx**	**—**	**—**	Mocha Bronze (MBZ)
Cotswold Lane	**CHAIN xxx**	**—**	**—**	Black (BK), Grecian Bronze (GBZ)
Dawes	**—**	**9199-xxx**	**9122-xxx**	Brushed Nickel (-962), Bronze (-710)
Driscoll	**9100-xxx**	**—**	**—**	Brushed Nickel (-962), Satin Brass (-848)
Dunning	**9103-846**	**9199-846**	**9122-846**	Stardust (-846)
Ellis Harper	**—**	**9199-962**	**9122-962**	Brushed Nickel (-962)
Elmwood Park	**9100-xxx**	**9199-xxx**	**9122-xxx**	Brushed Nickel (-962), Bronze (-710)
Emmons (3139012-xxx)	**9107-xxx**	**—**	**—**	Brushed Nickel (-962), Bronze (-710)
Emmons (All others)	**9100-xxx**	**9199-xxx**	**9122-xxx**	Brushed Nickel (-962)
Ethan	**—**	**STEMKIT-12-AF**	**—**	(Antique Forged Iron/Brushed Steel (AF/BS)
Franport (3128909-xxx	**9116-xxx**	**—**	**—**	Brushed Nickel (-962), Bronze (-710)
Franport (All others)	**9100-xxx**	**—**	**—**	Brushed Nickel (-962), Bronze (-710)
Fredricksburg	**—**	**9199-xxx**	**9122-xxx**	Weathered Copper (-44), Satin Aluminum (-04), Black (-12)
Geary	**9100-xxx**	**—**	**—**	Chrome (-05), Bronze (-710), Midnight Black (-112), Brushed Nickel (-962), Satin Brass (-848)
Hanford (3124515-xxx	**9116-xxx**	**—**	**—**	Brushed Nickel (-962)
Hanford (All others)	**9100-xxx**	**9199-xxx**	**9122-xxx**	Brushed Nickel (-962), Bronze (-710)

*Accessories come in accent finish.

Family	Chain	Stems	Sloped Ceiling Mounting Hardware	Finishes Available
Herrington	**9103-12**	**—**	**—**	Black (-12)
Hettinger	**9100-xxx**	**9199-xxx**	**9122-xxx**	Brushed Nickel (-962)
Hunnington	**9100-xxx**	**—**	**—**	Black (-12), Weathered Pewter (-57)
Jonah	**—**	**STEMKIT-58-xxx**	**—**	Satin Nickel/Chrome (SN/CH)
Kea	**—**	**9199-xxx**	**9122-xxx**	Brushed Nickel (-962), Bronze (-710)
Kemal (3130709-xxx)	**9116-xxx**	**—**	**—**	Brushed Nickel (-962), Midnight Black (-112)
Kemal (All Others)	**9100-xxx**	**9199-xxx**	**9122-xxx**	Brushed Nickel (-962), Midnight Black (-112)
Kent	**9103-xxx**	**—**	**—**	Black (-12), Oxford Bronze (-746)
Kerrville	**9100-xxx**	**9199-xxx**	**9122-xxx**	Chrome (-05), Brushed Nickel (-962), Bronze (-710)
Labette	**9100-xxx**	**—**	**—**	Black (-12)
Lancaster	**9100-xxx**	**—**	**—**	Antique Bronze (-71), Antique Brushed Nickel (-965), Black (-12), Polished Brass (-02)
Loras	**CHAIN-xxx**	**—**	**—**	Chrome (CH), Dark Weathered Iron (DWI)
Marielle	**CHAIN-xxx**	**—**	**—**	Antique Gild (ADB)
Martinsville	**CHAIN xx**	**—**	**—**	Black (BK), Corinthian Bronze (CB)
Millbrooke	**CHAIN BK**	**—**	**—**	Antique Bronze (ANBZ)
Mitte	**—**	**9199-112**	**—**	Midnight Black (-112)
Moffet Street	**—**	**9199-xxx**	**9122-xxx**	Chrome (-05)*, Brushed Nickel (-962), Satin Brass (-848), Bronze (-710)
Nance	**9100-xxx**	**9199-xxx**	**9122-xxx**	Brushed Nickel (-962), Bronze (-710)
Oslo (66160-xxx)	**—**	**9196-xxx**	**—**	Chrome (-05), Brushed Nickel, (-962), Midnight Black (-112), Bronze (-710)
Oslo (31162-xxx)	**9116-xxx**	**—**	**—**	Chrome (-05), Brushed Nickel, (-962), Midnight Black (-112), Bronze (-710)
Oslo (All others)	**9100-xxx**	**9199-xxx**	**9122-xxx**	Chrome (-05), Brushed Nickel, (-962), Midnight Black (-112), Bronze (-710)
Perryton	**—**	**9199-xxx**	**9122-xxx**	Chrome (-05), Satin Brass (-848), Bronze (-710), Midnight Black (-112)
Pratt Street Metal	**—**	**9199-xxx**	**9122-xxx**	Brushed Nickel (-962), Autumn Bronze (-715)
Pratt Street Prismatic	**—**	**9199-xxx**	**9122-xxx**	Brushed Nickel (-962), Autumn Bronze (-715)
Ravenwood Manor	**9103-846**	**9199-846**	**—**	Stardust (-846)
Redding Station	**CHAIN-xxx**	**—**	**—**	Restoration Bronze (RSZ), Tarnished Silver (TRD), Textured Black (TXB)
Robie (3121612-xxx)	**9116-xxx**	**—**	**—**	Brushed Nickel (-962), Bronze (-710), Midnight Black (-112)

*Accessories come in accent finish.

Family	Chain	Stems	Sloped Ceiling Mounting Hardware	Finishes Available
Robie (All others)	**9100-xxx**	**9199-xxx**	**9122-xxx**	Brushed Nickel (-962), Bronze (-710), Midnight Black (-112)
Romee	**9100-xxx**	**—**	**—**	Chrome (-05), Brushed Nickel (-962), Bronze (-710)
Sevier	**9100-xxx**	**—**	**—**	Black (-12), Antique Bronze (-71)
Seville	**9100-xxx**	**9199-xxx**	**9122-xxx**	Brushed Nickel (-962), Bronze (-710)
Socorro	**9100-xxx**	**9199-xxx**	**9122-xxx**	Stardust (-846)
Stone Street	**—**	**9199-xxx**	**9122-xxx**	Brushed Nickel (-962)
Towner	**—**	**9199-xxx**	**9122-xxx**	Brushed Nickel (-962), Satin Brass (-848)
Tybee	**9100-xxx**	**—**	**—**	Black (-12), Antique Bronze (-71)
Urban Renewal	**—**	**STEMKIT-12-xxx**	**—**	Dark Antique Brass (DAB), Oil Rubbed Bronze (ORB), Rustic Iron (RI)
Vado	**—**	**9199-xxx**	**—**	Black (-12), Antique Bronze (-71)
Valentina	**CHAIN xxx**	**—**	**—**	Oxidized Bronze (OBZ)
Wilburn	**9100-xxx**	**—**	**—**	Antique Bronze (-71), Black (-12)
Windom	**9100-xxx**	**9199-xxx**	**9122-xxx**	Brushed Nickel (-962), Satin Brass (-848), Bronze (-710), Midnight Black (-112)

*Accessories come in accent finish.

DECORATIVE WIRE EXTENDER
L: 0.812" W: 0.562" H: 0.5"
Wattage: 600w max.

9032(-24 -12)
Snap together splicer/Wire extender for 18/2 SPT 11/2 and ground Wire. Corrosion resistant contacts simply pierce the conductors for the electrical connection. Fits into a link of Chain. Must be used with approved Chain only.



9032-24
Grey Finish



9032-12
Black Finish

INDEX

11018 458
11019 457
11028QC 456
11033AT-15 456, 457, 458
1109 459
1115 453
1121-14 459
1126-14 455
1128 455
1133AT-15 455
1151AT-14 455, 456, 458
1152AT-15 453, 454
1153AT-15 453, 454
1154AT-14 455, 456, 458
1155AT-15 455
1156AT-14 453, 454
1158AT-14 457
1162AT-14 453, 454
1166AT-15 453, 454
1179 454
14210S-15 449
14550S-15 448
14620S-15 447
14795 448
14825RD-15 446
14827RD-15 446
14916RD-15 444
149212RD-15 446
14929RD-15 446
14936RD-15 445
3102803(-962 -848 -710 -112) 481
3102803EN3(-962 -848 -710 -112) 481
3102805(-962 -848 -710 -112) 481
3102805EN3(-962 -848 -710 -112) 481
3102809(-962 -848 -710 -112) 481
3102809EN3(-962 -848 -710 -112) 481
3110205-846 106
3110208-846 129
3110209-846 106
3113704-962 504
3113704EN3-962 504
3113708-962 504
3113708EN3-962 504
3114503(-962 -710 -112) 489
3114503EN7(-962 -710 -112) 489
3114505(-962 -710 -112) 489
3114505EN7(-962 -710 -112) 489
3115209(-05 -962 -710) 484
3115209EN3(-05 -962 -710) 484
31160(-05 -962 -112) 469
31160EN3(-05 -962 -112) 469
31161(-05 -962 -112) 469
31161EN3(-05 -962 -112) 469
31162(-05 -962 -112) 469
31162EN3(-05 -962 -112) 469
31170(-112 -710 -962) 472
31170EN7(-112 -710 -962) 472
31171(-112 -710 -962) 472
31171EN7(-112 -710 -962) 472
31172(-112 -710 -962) 472
31172EN7(-112 -710 -962) 472
3120203(-962 -710) 475
3120203EN3(-962 -710) 475
3120205(-962 -710) 475
3120205EN3(-962 -710) 475
3120209(-962 -710) 475
3120209EN3(-962 -710) 475
3121603(-962 -710 -112) 512
3121603EN3(-962 -710 -112) 512
3121605(-962 -710 -112) 511
3121605EN3(-962 -710 -112) 511
3121609(-962 -710 -112) 511
3121612(-962 -710 -112) 511
3121612EN3(-962 -710 -112) 511
3124503-962 515
3124503EN3-962 515
3124505-962 515
3124505EN3-962 515
3124509-962 515
3124509EN3-962 515
3124603(-848 -962 -112) 99, 463
3124603EN3(-848 -962 -112) 99, 463
3124605(-848 -962 -112) 99, 463
3124605EN3(-848 -962 -112) 99, 463
3124609(-848 -962 -112) 99, 463
3124609EN3(-848 -962 -112) 99, 463
3124673(-112 -848 -962) 101, 465
3124673EN7(-112 -848 -962) 101, 465
3124675(-112 -848 -962) 101, 465
3124675EN7(-112 -778 -848 -962) 101
3124675EN7(-112 -848 -962) 465
3124679(-112 -848 -962) 100, 464
3124679EN7(-112 -848 -962) 100, 464
3124904-846 113
3124904EN-846 113
3124906-846 113
3124906EN-846 113
3128803(-962 -710 -112) 493
3128803EN3(-962 -710 -112) 493
3128805(-962 -710 -112) 493
3128805EN3(-962 -710 -112) 493
3128809(-962 -710 -112) 492
3128809EN3(-962 -710 -112) 492
3128903(-962 -710) 507
3128903EN3(-962 -710) 507
3128905(-962 -710) 507
3128905EN3(-962 -710) 507
3128909(-962 -710) 507
3128909EN3(-962 -710) 507
3130703(-962 -112) 497
3130703EN3(-962 -112) 497
3130705(-962 -112) 497
3130705EN3(-962 -112) 497
3130709(-962 -112) 496
3130709EN3(-962 -112) 496
3137303(-962 -710) 519
3137303EN3(-962 -710) 519
3137305(-962 -710) 519
3137305EN3(-962 -710) 519
3137309(-962 -710) 519
3137309EN3(-962 -710) 519
3139003-962 523
3139003EN3-962 523
3139005-962 523
3139005EN3-962 523
3139009-962 523
3139009EN3-962 523
3139106-962 501
3139106EN3-962 501
3139109-962 501
3139109EN3-962 501
3140403(-848 -962) 92
3140403EN3(-848 -962) 92
3140405EN3(-848 -962) 92
3141303-848 95
3141303EN3-848 95
3141305(-848 -962) 95
3141305EN3(-848 -962) 95
3141307(-848 -962) 95
3141307EN3(-848 -962) 95
3214505(-962 -710 -112) 489
3214505EN7(-962 -710 -112) 489
3214509(-962 -710 -112) 488
3214509EN7(-962 -710 -112) 488
3224906-846 113
3224906EN-846 113
3320205(-962 -710) 476
3320205EN(-962 -710) 476
3ERAR44AGPD 366
3ERAR44BSD 366
3ERAR44MBKD 366
3ERAR44RZWD 366
3ERAR52AGP 364
3ERAR52BSD 364
3ERAR52MBKD 364
3ERAR52RZWD 364
3ERHR44AGPD 367
3ERHR44BSD 367
3ERHR44MBKD 367
3ERHR44RZWD 367
3ERHR52AGPD 365
3ERHR52BSD 365
3ERHR52MBKD 365
3ERHR52RZWD 365
3JVR44AGP 363
3JVR44AGPD 361
3JVR44BS 363
3JVR44BSD 361
3JVR44MBK 363
3JVR44MBKD 361
3JVR44RZW 363
3JVR44RZWD 361
3JVR52AGP 360
3JVR52AGPD 359
3JVR52BS 360
3JVR52BSD 359
3JVR52MBK 360
3JVR52MBKD 359
3JVR52RZW 360
3JVR52RZWD 359
3JVR58AGP 357, 391
3JVR58AGPD 356, 390
3JVR58BS 357
3JVR58BSD 356
3JVR58MBK 357, 391
3JVR58MBKD 356, 390
3JVR58RZW 357, 391
3JVR58RZWD 356, 390
3LD48BS 389
3LD48BSD 388
3LD48BZ 389
3LD48BZD 388
3LD48MBK 389
3LD48MBKD 388
3LD48RZW 389
3LD48RZWD 388
3OBSHR52BSD 373
3OBSHR52MBKD 373
3OBSHR52RZWD 373
3OBSHR52SBD 373
3OBSR52BSD 372
3OBSR52MBKD 372
3OBSR52RZWD 372
3OBSR52SBD 372
3SY52BSD 374
3SY52MBKD 374
3SY52OZD 374
3SY52RZWD 374
3TTHR44BSD 369
3TTHR44MBKD 369
3TTHR44RZWD 369
3TTHR44SBD 369
3TTHR52BSD 368
3TTHR52MBKD 368
3TTHR52RZWD 368
3TTHR52SBD 368
4102801(-05 -962 -848 -710 -112) 215, 483
4102801EN3(-05 -962 -848 -710 -112) 215, 483
41036-999 207
41036EN3-999 207
4111601(-05 -962 -710) 243
4111601EN3(-05 -962 -710) 243
4113701-962 233, 505
4113701EN3-962 233, 505
4114501(-05 -962 -710 -112) 231, 491
4114501EN7(-05 -962 -710 -112) 231, 491
4115201(-05 -962 -710) 230, 487
4115201EN3(-05 -962 -710) 230, 487

41160(-05 -962 -112) 471
41160(-05 -962 -710 -112) 222
41160EN3(-05 -962 -112) 471
41160EN3(-05 -962 -710 -112) 222
41161(-05 -962 -112) 471
41161(-05 -962 -710 -112) 222
41161EN3(-05 -962 -112 471
41161EN3(-05 -962 -710 -112) 222
41162(-05 -962 -112) 471
41162(-05 -962 -710 -112) 222
41162EN3(-05 -962 -112) 471
41162EN3(-05 -962 -710 -112) 222
41163(-05 -962 -112) 471
41163(-05 -962 -710 -112) 222
41163EN3(-05 -962 -112) 471
41163EN3(-05 -962 -710 -112) 222
41170(-05 -112 -710 -962) 223, 473
41170EN7(-05 -112 -710 -962) 223, 473
41171(-05 -112 -710 -962) 223, 473
41171EN7(-05 -112 -710 -962) 223, 473
41172(-05 -112 -710 -962) 223, 473
41172EN7(-05 -112 -710 -962) 223, 473
41173(-05 -112 -710 -962) 223, 473
41173EN7(-05 -112 -710 -962) 223, 473
4120201(-05 -962 -710) 229, 479
4120201EN3(-05 -962 -710) 229, 479
4121601(-05 -962 -710 -112) 238, 513
4121601EN3(-05 -962 -710 -112) 238, 513
4122991S-962 249
4123-15 206
4123EN3-15 206
4124501(-962 -710) 244, 517
4124501EN3(-962 -710) 244, 517
4124601(-05 -848 -962 -778 -112) 237, 467
4124601EN3(-05 -848 -962 -778 -112) 237, 467
4128801(-05 -962 -710 -112) 495
4128801(-05 -962 -710) 225
4128801EN3(-05 -962 -710 -112) 495
4128801EN3(-05 -962 -710) 225
4128901(-05 -962 -710 -112) 241, 509
4128901EN3(-05 -962 -710 -112) 241, 509
4130701(-962 -710 -112) 232, 499
4130701EN3(-962 -710 -112) 232, 499
4137301(-962 -710) 224, 521
4137301EN3(-962 -710) 224, 521
4138-15 206
4138EN3-15 206
4139001(-962 -710) 245, 525
4139001EN3(-962 -710) 245, 525
4139101(-05 -962 -710 -112 -848) 235, 503
4139101EN3(-05 -962 -710 -112 -848) 503
4139101EN3(-05 -962 -710-112 -848) 235
4140401(-05 -848 -962) 227
4140401EN3(-05 -848 -962) 227
4141301(-848 -962) 205, 217
4141301EN3(-848 -962) 205, 217
4141501-112 218
4141501EN7-112 218
4148-15 206
414893S-15 206
4148EN3-15 206
424504EN3(-962 -710) 517
4322991S-962 249
4402802(-05 -962 -848 -710 -112) 215, 483
4402802EN3(-05 -962 -848 -710 -112) 215, 483
4402803(-05 -962 -848 -710 -112) 215, 483
4402803EN3(-05 -962 -848 -710 -112) 215, 483
4402804(-05 -962 -848 -710 -112) 215, 483
4402804EN3(-05 -962 -848 -710 -112) 215, 483
4411602(-05 -962 -710) 243
4411602EN3(-05 -962 -710) 243
4411603(-05 -962 -710) 243
4411603EN3(-05 -962 -710) 243
4411604(-05 -962 -710) 243
4411604EN3(-05 -962 -710) 243
4413702-962 233, 505
4413702EN3-962 233, 505
4413703-962 505
4413703(-05 -962 -778) 233
4413703EN3-962 233, 505
4413704-962 233, 505
4413704EN3-962 233, 505
4414502(-05 -962 -710 -112) 231, 491
4414502EN7(-05 -962 -710 -112) 231, 491
4414503(-05 -962 -710 -112) 231, 491
4414503EN7(-05 -962 -710 -112) 231, 491
4414504(-05 -962 -710 -112) 231, 491
4414504EN7(-05 -962 -710 -112) 231, 491
441504EN7-112 218
4415202(-05 -962 -710) 230, 487
4415202EN3(-05 -962 -710) 230, 487
4415203(-05 -962 -710) 230, 487
4415203EN3(-05 -962 -710) 230, 487
4415204(-05 -962 -710) 230, 487
4415204EN3(-05 -962 -710) 230, 487
4420202(-05 -962 -710) 229, 479
4420202EN3(-05 -962 -710) 229, 479
4420203(-05 -962 -710) 229, 479
4420203EN3(-05 -962 -710) 229, 479
4420204(-05 -962 -710) 228, 478
4420204EN3(-05 -962 -710) 228, 478
4420205(-05 -962 -710) 228, 478
4420205EN3(-05 -962 -710) 228, 478
4421602(-05 -962 -710 -112) 238, 513
4421602EN3(-05 -962 -710 -112) 238, 513
4421603(-05 -962 -710 -112) 238, 513
4421603EN3(-05 -962 -710 -112) 238, 513
4421604(-05 -962 -710 -112) 238, 513
4421604EN3(-05 -962 -710 -112) 238, 513
4422991S-962 249
4424502(-962 -710) 244, 517
4424502EN3(-962 -710) 244, 517
4424503(-962 -710) 244, 517
4424503EN3(-962 -710) 244, 517
4424504(-962 -710) 244, 517
4424504EN3(-962 -710) 244, 517
4424602(-05 -848 -962 -778 -112) 237, 467
4424602EN3(-05 -848 -962 -778 -112) 237, 467
4424603(-05 -848 -962 -778 -112) 237, 467
4424603EN3(-05 -848 -962 -778 -112) 237, 467
4424604(-05 -848 -962 -778 -112) 237, 467
4424604EN3(-05 -848 -962 -778 -112) 237, 467
4428802(-05 -962 -710 -112) 495
4428802(-05 -962 -710) 225
4428802EN3(-05 -962 -710 -112) 495
4428802EN3(-05 -962 -710) 225
4428803(-05 -962 -710 -112) 495
4428803(-05 -962 -710) 225
4428803EN3(-05 -962 -710 -112) 495
4428803EN3(-05 -962 -710) 225
4428804(-05 -962 -710 -112) 495
4428804(-05 -962 -710) 225
4428804EN3(-05 -962 -710 -112) 495
4428804EN3(-05 -962 -710) 225
4428902(-05 -962 -710 -112) 241, 509
4428902EN3(-05 -962 -710 -112) 241, 509
4428903(-05 -962 -710 -112) 241, 509
4428903EN3(-05 -962 -710 -112) 241, 509
4428904(-05 -962 -710 -112) 241, 509
4428904EN3(-05 -962 -710 -112 509
4428904EN3(-05 -962 -710 -112) 241
4430702(-962 -710 -112) 232, 499
4430702EN3(-962 -710 -112) 232, 499
4430703(-962 -710 -112) 232, 499
4430703EN3(-962 -710 -112) 232, 499
4430704(-962 -710 -112) 232, 499
4430704EN3(-962 -710 -112) 232, 499
4435793S-04 248
4437302(-962 -710) 224, 521
4437302EN3(-962 -710) 224, 521
4437303(-962 -710) 224, 521
4437303EN3(-962 -710) 224, 521
4437304(-962 -710) 224, 521
4437304EN3(-962 -710) 224, 521
4439002(-962 -710) 245, 525
4439002EN3(-962 -710) 245, 525
4439003(-962 -710) 245, 525
4439003EN3(-962 -710) 245, 525
4439004(-962 -710) 245, 525
4439004EN3(-962 -710) 245, 525
4439102(-05 -962 -710 -112 -848) 235, 503
4439102EN3(-05 -962 -710 -112 -848) 235, 503
4439103(-05 -962 -710 -112 -848) 235, 503
4439103EN3(-05 -962 -710 -112 -848) 235, 503
4439104(-05 -962 -710 -112 -848) 235, 503
4439104EN3(-05 -962 -710 -112 -848) 235, 503
4440402(-05 -848 -962) 227
4440402EN3(-05 -848 -962) 227
4440403(-05 -848 -962) 227
4440403EN3(-05 -848 -962) 227
4440404(-05 -848 -962) 227
4440404EN3(-05 -848 -962) 227
4441302(-848 -962) 217
4441302EN3(-848 -962) 217
4441303(-848 -962) 217
4441303EN3(-848 -962) 217
4441304(-848 -962) 217
4441304EN3(-848 -962) 217
4441502-112 218
4441502EN7-112 218
4441503-112 218
4441503EN7-112 218
4441504-112 218
4535793S-04 248
4635793S-04 248
4737(-05 -98) 251
4738(-05 -98) 251
4739(-05 -98) 250
4740(-05 -98) 250
49119(-962 -710) 207
49119EN3(-962 -710) 207
49274S-15 410, 414
49275S-15 410, 414
49276S-15 410, 414
49277S-15 410, 414
49278S-15 410, 414
4933593S-962 207
49374S-15 410, 414
49375S-15 410, 414
49376S-15 410, 414
49377S-15 410, 414
49378S-15 410, 414
495193S-15 410, 414
495293S-15 410, 414
495393S-15 410, 414
495493S-15 410, 414
495593S-15 410, 414
495603S-15 415
495606S-15 415
495612S-15 415
495624S-15 415
495672S-15 415
495688S-15 415
496624S-15 415
4975BLE-15 412, 414
4976BLE-15 412, 414
4977BLE-15 412, 414
5115004(-848 -05 -710 -112) 135
5115004EN(-848 -05 -710 -112) 135
5115008(-848 -05 -710 -112) 134
5115008EN(-848 -05 -710 -112) 134
5126003(-962 -710) 143
5126003EN(-962 -710) 143
5134503(-848 -962 -872 -710) 137
5134503EN(-848 -962 -872 -710) 137
5134504(-848 -962 -872 -710) 137
5134504EN(-848 -962 -872 -710) 137
5134508(-848 -962 -872 -710) 136

INDEX

5134508EN(-848 -962 -872 -710) 136
5134903(-05 -962 -710) 142
5134903EN(-05 -962 -710) 142
5134906(-05 -962 -710) 142
5134906EN(-05 -962 -710) 142
5134908(-05 -962 -710) 142
5134908EN(-05 -962 -710) 142
5140603-12 141
5140603EN-12 141
5141501-112 139
5141501EN7-112 139
5215004(-848 -05 -710 -112) 135
5215004EN(-848 -05 -710 -112) 135
5224503-962 515
5224503EN3-962 515
5234508(-848 -962 -872 -710) 136
5234508EN(-848 -962 -872 -710) 136
5240603-12 141
5240603EN-12 141
5241504-112 139
5241504EN7-112 139
5315008(-848 -05 -710 -112) 134
5315008EN(-848 -05 -710 -112) 134
5326(-15 -962 -710) 192
5326EN3(-15 -962 -710) 192
5328(-15 -962 -710) 192
5328EN3(-15 -962 -710) 192
5340604-12 141
5340604EN-12 141
5341504-112 139
5341504EN7-112 139
5366-15 192
5366EN3-15 192
5367PC-15 192
5367PCEN3-15 192
5720593S-15 194
5727093S-15 197
591320S-15 196
591321S-15 196
59132LE-15 195
591360S-15 196
591361S-15 196
59136LE-15 195
5920593S-15 194
5927093S-15 197
59270LE-15 195
59271LE-15 195
5COM52AGP 383
5COM52AGPD-V1 382
5COM52BS 383
5COM52BSD-V1 382
5COM52MBK 383
5COM52MBKD-V1 382
5COM52RB 383
5COM52RBD-V1 382
5COM52RZW 383
5COM52RZWD-V1 382
5CSM60AGPD-V1 380
5CSM60BS 381
5CSM60BSD-V1 380
5CSM60MBK 381
5CSM60MBKD-V1 380
5CSM60RB 381
5CSM60RBD-V1 380
5CSM60RZW 381
5CSM60RZWD-V1 380
5CU52BK 395
5CU52RB 395
5CU52WH 395
5DIC44AGPD-V1 379
5DIC44BKD-V1 379
5DIC44BSD-V1 379
5DIC44PND-V1 379
5DIC44RBD-V1 379
5DIC44WHD-V1 379
5DIC52AGPD-V1 378
5DIC52BKD-V1 378
5DIC52BSD-V1 378
5DIC52PND-V1 378
5DIC52RBD-V1 378
5DIC52WHD-V1 378
5DIO52AGPD 377
5DIO52BKD 377
5DIO52RBD 377
5DISM52AGPD 375
5DISM52BSD 375
5DISM52MBKD 375
5DISM52RZWD 375
5DIW52BKD 394
5DIW52PBSD 394
5DIW52RBD 394
5DIW52WHD 394
5LD52BS 387
5LD52BSD 385
5LD52BSF 386
5LD52BZ 387
5LD52BZD 385
5LD52BZF 386
5LD52MBK 387
5LD52MBKD 385
5LD52MBKF 386
5LD52RZW 387
5LD52RZWD 385
5LD52RZWF 386
5LDDC52BSD 384
5LDDC52BZD 384
5LDDC52MBKD 384
5LDDC52RZWD 384
5LDO44BZ 393
5LDO44MBK 393
5LDO44RZW 393
5LDO52BZD 392
5LDO52MBKD 392
5LDO52RZWD 392
5LWDR52AGPD 371
5LWDR52BSD 371
5LWDR52BSLGD 371
5LWDR52MBKD 371
5LWDR52RZWD 371
5LWDSM60AGPD 370
5LWDSM60BSD 370
5LWDSM60BSLGD 370
5LWDSM60MBKD 370
5LWDSM60RZWD 370
60029(-746 -12) 295
60029EN7(-746 -12) 295
60031(-746 -12) 295
60031EN7(-746 -12) 295
6008(-02 -12) 303
6008EN7(-02 -12) 303
60131-12 297
60131EN7-12 297
6025-12 307
6025EN7-12 307
6039(-02 -965 -71 -12) 301
6039EN(-02 -965 -71 -12) 301
60531(-746 -12) 293
60531EN3(-746 -12) 293
60938(-71 -12) 287
60938EN7(-71 -12) 287
60941(-71 -12) 286
60941EN3(-71 -12) 286
6102801(-962 -848 -710 -112) 482
6102801EN3(-962 -848 -710 -112) 482
6113701(-962 -778) 504
6113701EN3(-962 -778) 504
6114501(-962 -710 -112) 490
6114501EN7(-962 -710 -112) 490
6115201(-05 -962 -710) 486
6115201EN3(-05 -962 -710) 486
61160(-05 -962 -112) 470
61160EN3(-05 -962 -112) 470
61170(-112 -710 -962) 472
61170EN7(-112 -710 -962) 472
6120201(-962 -710) 477
6120201EN3(-962 -710) 477
6121601(-962 -710 -112) 512
6121601EN3(-962 -710 -112) 512
6124501(-962 -710) 516
6124501EN3(-962 -710) 516
6124601-962 502
6124601(-848 -962 -112) 466
6124601EN3-962 502
6124601EN3(-848 -962 -112) 466
6124901-846 165
6128801(-962 -710 -112) 494
6128801EN3(-962 -710 -112) 494
6130701(-962 -710 -112) 498
6130701EN3(-962 -710 -112) 498
6137301(-962 -710) 520
6137301EN3(-962 -710) 520
6139001-962 524
6139001EN3-962 524
6140401(-848 -962) 156
6140401EN(-848 -962) 156
6141301(-848 -962) 169
6141301EN3(-848 -962) 169
62027(-57 -12) 326
6208901(-12 -71) 271
6208901EN7(-12 -71) 271
62240(-780 -12) 282
62240EN3(-780 -12) 282
6227801-112 490
6227801EN7-112 490
6238701(-71 -12) 291
6238701EN7(-71 -12) 291
6238751(-71 -12) 288
6238751EN3(-71 -12) 288
6247701(-04 -44 -12) 171, 334
6247701EN3(-04 -44 -12) 171, 334
6290901(-71 -12) 269
6290901EN3(-71 -12) 269
65060(-962 -715) 172
65060EN3(-962 -715) 172
65061(-962 -715) 172
65061EN3(-962 -715) 172
65062(-962 -715) 172
65062EN3(-962 -715) 172
65085(-848 -962 -715) 173
65085EN3(-848 -962 -715) 173
65086(-848 -962 -715) 173
65086EN3(-848 -962 -715) 173
65087(-848 -962 -715) 173
65087EN3(-848 -962 -715) 173
6514401(-848 -962 -710) 175
6514401EN3(-848 -962 -710) 175
6514402(-848 -962) 174
6514402EN3(-848 -962) 174
6514501-962 490
6514501EN7-962 490
6515201(-05 -962 -710) 486
6515201EN3(-05 -962 -710) 486
65160(-05 -962 -112) 470
65160EN3(-05 -962 -112) 470
6516501(-05 -962 -710 -112 -848) 526
6516501EN3(-05 -962 -710 -112 -848) 526
6517401(-962 -710 -846) 170
6517401EN3(-962 -710 -846) 170
6528803(-962 -710 -112) 494, 498, 512
6528803EN3(-962 -710 -112) 494, 498, 512
6536901(-710 -962) 157
6536901EN7(-710 -962) 157
6537303(-962 -710) 520
6537303EN3(-962 -710) 520
6613304-846 131
6613304EN3-846 131
6614501-962 490
6614504(-962 -710 -112) 117, 488

6614504EN7(-962 -710 -112) 117, 488
6615008(-848 -05 -710 -112) 124
6615008EN(-848 -05 -710 -112) 124
6615203(-05 -962 -710) 486
6615203EN3(-05 -962 -710) 486
66160(-05 -962 -112) 118, 470
66160EN3(-05 -962 -112) 118, 470
6616503(-962 -710 -112 -848) 526
6616503(-962 -710) 476
6616503EN3(-962 -710 -112 -848) 526
6616503EN3(-962 -710) 476
6624503-962 508, 516
6624503EN3-962 508
6624503EN3(-962) 516
6624603(-848 -962 -112) 466
6624603EN3(-848 -962 -112) 466
6628003(-962 -710) 148
6628003EN3(-962 -710) 148
6634506(-848 -962 -872 -710) 123
6634506EN(-848 -962 -872 -710) 123
6634507(-848 -962 -872 -710) 122
6634507EN(-848 -962 -872 -710) 122
6637304(-962 -710) 121, 519
6637304EN3(-962 -710) 121, 519
6639003-962 524
6639003EN3-962 524
6639103-962 502
6639103EN3-962 502
6641504-112 127
6641504EN7-112 127
69025-12 305
69025EN3-12 305
69029(-57 -12) 327
6902997S(-57 -12) 327
69029EN3(-57 -12) 327
69131-12 296
69131EN3-12 296
7'POST-BK 350
7'POST-BRAL 350
7'POST-CB 350
7'POST-ES 350
7'POST-GBZ 350
7'POST-HTBZ 350
7'POST-ORB 350
7'POST-SBR 350
7'POST-WAL 350
736301EN3(-71 -12) 276
7443593S-962 193
7449403(-15 -962 -848) 179
7449405(-15 -962 -848) 178
7449603(-05 -962 -848 -112) 181
7449605(-05 -962 -848 -112) 180
7513702-962 504
7513702EN3-962 504
7514503(-962 -710) 490
7514503EN(-962 -710) 490
7524902-846 191
7524902-846EN-846 191
7537302(-962 -710) 520
7537302EN3(-962 -710) 520
7541502-112 190
7541502EN7-112 190
75434(-15 -05 -962 -848 -710 -112) 188
75434EN3(-15 -05 -962 -848 -710 -112) 188
75435(-15 -05 -962 -848 -710 -112) 188
7543502-962 193
7543502EN3-962 193
7543503-962 193
7543503EN3-962 193
75435EN3(-15 -05 -962 -848 -710 -112) 188
75436(-15 -05 -962 -848 -710 -112) 188
75436EN3(-15 -05 -962 -848 -710 -112) 188
75444EN3-710 188
7567(-15 -32) 343
7567EN3(-15 -32) 343
7569(-15 -32) 343
7569093S(-112 -848 -962) 185
7569EN3(-15 -32) 343
7643593S-962 193
7650893S(-753 -71) 187
7713702-962 504
7713702EN3-962 504
7714502(-962 -710 -112) 490
7714502EN7(-962 -710 -112) 490
7715202(-05 -962 -710) 486
7715202EN3(-05 -962 -710) 486
77160(-05 -962 -112) 470
77160EN3(-05 -962 -112) 470
7716502(-962 -710 -112 -05 -848) 527
7716502(-962 -710) 477
7716502EN3(-962 -710 -112 -05 -848) 527
7716502EN3(-962 -710) 477
7716503(-962 -710 -112 -848) 527
7716503EN3(-962 -710 -112 -848) 527
7724503-962 508, 516
7724503EN3-962 508, 516
7724602(-848 -962 -112) 466
7724602EN3(-848 -962 -112) 466
7724903-846 191
7724903EN-846 191
7728002(-962 -710) 149
7728002EN3(-962 -710) 149
7728803(-962 -710 -112) 494, 498, 512
7728803EN3(-962 -710 -112) 494, 498, 512
7737302(-962 -710) 520
7737302EN3(-962 -710) 520
7737303(-962 -710) 520
7737303EN3(-962 -710) 520
7739002(-962 -710) 524
7739002EN3(-962 -710) 524
7739102-962 502
7739102EN3-962 502
7750893S(-753 -71) 187
78027(-57 -12) 326
78027EN7(-57 -12) 326
78131-12 297
78131EN7-12 297
78136-12 287, 307, 315
78136EN7-12 315
7821402EN7(-71 -12) 343
7847902-12 275
7847902EN3-12 275
7890902(-71 -12) 269
7890902EN3(-71 -12) 269
79039(-57 -12) 327
7903997S(-57 -12) 327
79039EN3(-57 -12) 327
79131-12 296
79131EN3-12 296
79136-12 286, 305, 314
79136EN3-12 286, 305, 314
7950893S(-753 -71) 187
8037(-02 -965 -71 -12) 300
8037EN7(-02 -965 -71 -12) 300
8038(-02 -965 -71 -12) 300
8038EN7(02 -965 -71 -12) 300
8039(-02 -965 -71 -12) 300
8039EN(-02 -965 -71 -12) 300
8040(-02 -965 -71 -12) 300
8040EN(-02 -965 -71 -12) 300
8067(-02 -965 -71 -12) 300
8067EN7(-02 -965 -71 -12) 300
8101(-71 -12) 351
8102(-15 -12) 351
8112-12 351
8114-12 351
8120-12 351
82027(-57 -12) 326
82027EN7(-57 -12) 326
82029(-746 -12) 295
82029EN7(-746 -12) 295
82065-12 344
82065EN3-12 344
8209-(-02 -12) 303
8209EN7(-02- 12) 303
82131-12 297
82131EN7-12 297
821402(-71 -12) 343
82200-12 315
82200EN-12 315
82202-12 315
82202EN7-12 315
82240-780 282
82240EN3-780 282
8229(-965 -71 -12) 301
8229EN(-965 -71 -12) 301
8231-12 307
8231EN-12 307
8236301(-71 -12) 276
8236301EN3(-71 -12) 276
8238601(-71 -12) 291
8238601EN7(-71 -12) 291
8238651(-71 -12) 289
8238651EN3(-71 -12) 289
8238701-71 291
8238701EN7(-71 -12) 291
8238751(-71 -12) 289
8238751EN3(-71 -12) 289
8239(-02 -965 -71 -12) 301
8239EN(-02 -965 -71 -12) 301
8247901(-71 -12) 275
8247901EN3(-71 -12) 275
8250701-71 321
8250701EN3-71) 321
8252-68 345
8252701(-12) 273
8252701EN3(-12) 273
82529(-746 -12) 293
82529EN3(-746 -12) 293
8252EN3-68 345
8254-68 345
8254EN3-68 345
8255-12 344
8255EN7-12 344
8257(-965 -71 -12) 299
82570-71 298
82570EN3-71 298
8257EN7(-965 -71 -12) 299
8259-46 280
8259EN-46 280
8262(-46 -44) 279
8262EN(-46 -44) 279
8269(-98 -44 -12) 335
8269EN3(-98 -44 -12) 335
8275-32 344
8275EN7-32 344
8290901(-71 -12) 269
8290901EN3(-71 -12) 269
82938(-71 -12) 287
82938EN7(-71 -12) 287
82941(-71 -12) 286
82941EN3(-71 -12) 286
83046-714 341
83046-714/T 341
83046EN3-714 341
8304701-714 341
8304701-714/T 341
8304701EN3-714 341
8304801-714 341
8304801-714/T 341
8304801EN3-714 341
83057(-15 -12) 339
83057EN3(-15 -12) 339
8335(-15 -12) 338
8335EN3(-15 -12) 338
8338701(-71 -12) 290
8338701EN7(-71, 12) 290
8338751(-71 -12) 288

INDEX

8338751EN3(-71 -12) 288
84029EN7(-746 -12) 294
84030(-746 -12) 294
84030EN7(-746 -12) 294
84031(-746 -12) 294
84031EN7(-746 -12) 294
84032(-746 -12) 294
84032EN7(-746 -12) 294
84157D-71 299
84157DEN3-71 299
84158D(-71 -12) 299
84158DEN3(-71 -12) 299
8438501-12 333
8438501EN3-12 333
8438701(-71 -12) 290
8438701EN7(-71, -12) 290
8438751(-71 -12) 288
8438751EN3(-71 -12) 288
84529(-746 -12) 292
84529EN3(-746 -12) 292
84530(-746 -12) 292
84530EN3(-746 -12) 292
84531(-746 -12) 292
84531EN3(-746 -12) 292
84532(-746 -12) 292
84532EN3(-746 -12) 292
8456(-965 -71 -12) 299
84560-71 298
84560EN3-71 298
8456EN7-965-71-12 299
8457(-965 -71 -12) 299
84570-71 298
84570EN3-71 298
8457EN7-965-71-12 299
8458(-965 -71 -12) 299
84580-71 298
84580EN3-71 298
8458EN7-965-71-12 299
8459-46 280
8459EN-46 280
8460-46 280
8460EN-46 280
8461-46 280
8461EN-46 280
8462(-44 -46) 279
8462D-44 278
8462DEN3-44 278
8462EN7(-44 -46) 279
8463(-44 -46) 279
8463D-44 278
8463DEN3-44 278
8463EN(-44 -46) 279
84670-71 298
84670EN3-71 298
8468(-965 -71 -12) 299
8468EN(-965 -71 -12) 299
8507(-02 -12) 302
8507EN7(-02 -12) 302
8508901(-12 -71) 271
8508901EN7(-12 -71) 271
8509(-02 -12) 302
8509EN7(02 -12) 302
8510(-02 -12) 302
8510EN7(-02 -12) 302
8518301(-04 -71 -12) 263
8518301EN3(-04 -71 -12) 263
8519301(-71 -12) 277
8519301EN3(-71 -12) 277
85200-12 315
85200EN7-12 315
8520701(-04 -71 -12) 263
8520701EN3(-04 -71 -12) 263
8536301(-71 -12) 276
8536301EN3(-71 -12) 276
8538501(-04 -12) 333
8538501EN3(-04 -12) 333
8538601(-71 -12) 265
8538601EN3(-71 -12) 265
8538701(-71 -12) 291
8538701EN7(-71 -12) 291
8538751(-71 -12) 289
8538751EN3(-71 -12) 289
8547701(-04 -44 -12) 334
8547701(-04 -44)/T 334
8547701EN3(-04 -44 -12) 334
8547901(-71 -12) 274
8547901DEN3(-71 -12) 274
8547901EN3(-71 -12) 274
8550-12 340
8550001-12 340
8550001EN3-12 340
8550701-71 321
8550701EN3-71 321
8550EN7-12 340
8552701(-71 -12) 273
8552701EN3(-71 -12) 273
8560701(-15 -71 -12) 348
8560701PM(-15 -71 -12) 348
8560701PMEN3(-15 -71 -12) 348
8560702(-15 -71 -12) 349
8560702PM(-15 -71 -12) 349
8560702PMEN3(-15 -71 -12) 349
8588(-15 -155 -10 -12) 324
8588EN7)-15 -155 -10 -12) 324
8590901(-71 -12) 268
8590901D(-71 -12) 268
8590901DEN3(-71 -12) 268
8590901EN3(-71 -12) 268
8592(-15 -965 -71 -12) 325
8592001(-15 -965 -71 -12) 325
8592001EN3(-15 -965 -71 -12) 325
8592EN7(-15 -965 -71 -12) 325
8593(-15 -965 -71 -12) 325
8593001(-15 -965 -71 -12) 325
8593001EN3(-15 -965 -71 -12) 325
8593EN7(-15 -965 -71 -12) 325
8608901(-12 -71) 271
8608901EN7(-12 -71) 271
8618301(-04 -71 -12) 263
8618301EN3(-04 -71 -12) 263
8619301(-71 -12) 277
8619301EN3(-71 -12) 277
8620701(-71-12 -04) 263
8620701EN3(-71 -12 -04) 263
8636301(-71 -12) 276
8636301EN3(-71 -12) 276
8638501-12 333
8638501EN3-12 333
8638601(-71 -12) 265
8638601EN3(-71 -12) 265
8638701(-71 -12) 291
8638701EN7(-71 -12) 291
8638751(-71 -12) 289
8638751EN3(-71 -12) 289
8642(-15 -12) 349
8647701(-04 -44 -12) 334
8647701(-04 -44)/T 334
8647701EN3(-04 -44 -12) 334
8650701-71 321
8650701EN3-71 321
8652701(-71 -12) 273
8652701EN3(-71 -12) 273
8690901(-71 -12) 268
8690901D(-71 -12) 268
8690901DEN3(-71 -12) 268
8690901EN3(-71 -12) 268
8708901(-12 -71) 271
8708901EN7(-12 -71) 271
8718301(-04 -71 -12) 263
8718301EN3(-04 -71 -12) 263
8719301(-71 -12) 277
8719301EN3(-71 -12) 277
8720(-15 -32) 342
8720701(-04 -71) 263
8720701EN3(-04 -71) 263
8720EN7(-15 -32) 342
8736301(-71 -12) 276
8738703(-71 -12) 290
8738703EN(-71 -12) 290
8738751(-71 -12) 288
8738751EN3(-71 -12) 288
8747901(-71 -12) 274
8747901DEN3(-71 -12) 274
8747901EN3(-71 -12) 274
8750(-15 -12) 340
8750701-71 321
8750701EN3-71 321
8750EN7(-15 -12) 340
8752701(-71 -12) 273
8752701EN3(-71 -12) 273
8753(-15 -34) 340
8753EN3(-15 -34) 340
8765(-15 -12) 342
8765EN7(-15 -32) 342
8788(-15 -155 -10 -12) 324
8790901(-71 -12) 267
8790901D-12 267
8790901DEN3(-71 -12) 267
8790901EN3(-71 -12) 267
88025(-57 -12) 326
88025EN7(-57 -12) 326
88027(-57 -12) 326
88027EN7(-57 -12) 326
8808901(-12 -71) 271
8808901EN7(-12 -71) 271
88131-12 297
88131EN7-12 297
88132-12 297
88132EN7-12 297
88200-12 315
88200EN7-12 315
88201-12 315
88201EN-12 315
88203-12 315
88203EN7-12 315
8822-12 306
8822EN7-12 306
8824-12 306
88240(-780 -12) 283
88240D-780 283
88240DEN3-780 283
88240EN3(-780 -12) 283
88241(-780) 283
88241EN3(-780 -12) 283
88242(-780 -12) 282
88242EN3(-780 -12) 282
88243(-780 -12) 282
88243EN3(-780 -12) 282
88244(-780 -12) 283
88244EN3(-780 -12) 283
8824EN7-12 306
8825-12 306
8825EN7-12 306
8838701(-71 -12) 291
8838701EN7(-71 -12) 291
8838751(-71 -12) 289
8838751EN3(-71 -12) 289
8847901(-71 -12) 274
8847901DEN3(-71 -12) 274
8847901EN3(-71 -12) 274
8869(-98 -44 -12) 335
8869EN3(-98 -44 -12) 335
8870(-98 -44 -12) 335
8870EN3(-98 -44 -12) 335
8871(-98 -44 -12) 335
8871EN3(-98 -44 -12) 335
88880-51 330
88880EN3-51 330

88881-51 330
88881EN3-51 330
88882-51 330
88882EN3-51 330
8890901(-71 -12) 267
8890901D(-71 -12) 267
8890901DEN3(-71 -12) 267
8890901EN3(-71 -12) 267
88936(-71 -12) 285
88936EN7(-71 -12) 285
88937(-71 -12) 284
88937EN7(-71 -12) 284
88940(-71 -12) 285
88940EN7(-71 -12) 285
88941(-71 -12) 284
88941EN7(-71 -12) 284
89025-12 305
89025EN3-12 305
89029(-57 -12) 327
8902997S(-57 -12) 327
89029EN3(-57 -12) 327
89031(-57 -12) 327
8903197S-12 327
89031EN3(-57 -12) 327
89062-46 278
89062EN3-46 278
8909PEN3-12 340
89101-12 314
89101EN3-12 314
89102-12 314
89102EN3-12 314
89103-12 314
89103EN3-12 314
89104-12 314
89104EN3-12 314
89129(-57 -12) 327
89129EN3(-57 -12) 327
89131-12 296
89131EN3-12 296
89132-12 296
89132EN3-12 296
89202-12 314
89202EN3-12 314
89231-12 296
89231EN3-12 296
89273-46 278
89273EN3-46 278
8938701(-71 -12) 290
8938701EN7(-71,-12) 290
8938751(-71 -12) 288
8938751EN3(-71 -12) 288
89805(-15 -12) 338
89805EN3(-15 -12) 338
89806(-15 -12) 338
89806EN3(-15 -12) 338
89807(-15 -12) 339
89807EN3(-15 -12) 339
89822-12 304
89822EN3-12 304
89824-12 304
89824EN3-12 304
89825-12 304
89825EN3-12 304
8988EN3(-15 -155 -10 -12) 324
89936(-71 -12) 285
89936EN3(-71 -12) 285
89937(-71 -12) 284
89937EN3(-71 -12) 284
89940(-71 -12) 285
89940EN3(-71 -12) 285
89941(-71 -12) 284
89941EN3(-71 -12) 284
900004-15 424, 426
900005-15 424, 426
900006-15 424, 426
900007-15 424, 426
9027-15 415
9032-12 539
9032-24 539
905000-15 426
905001-15 426
905002-15 426
905003-15 426
905004-15 426
905005-15 426
905006-15 426
905007-15 426
905040-15 426
905045-32 427
90610-68 347
90611-68 347
90612-68 347
90613-68 347
90614-68 347
90615-68 347
90616-68 347
90617-68 347
90618-68 347
90619-68 347
90621-68 347
93401S(-15 -849 -171) 258
93403S(-15 -849 -171) 258
93405S(-15 -849 -171) 258
93481S(-15 -849 -171) 258
93483S(-15 -849 -171) 258
93485S(-15 -849 -171) 258
9380(-15 -12) 435
9428(-15 -12) 433, 434
9435(-15 -12) 435
9438(-15 -12) 435
94401S(-15 -849 -171) 259
94403S(-849 -171) 259
94405S(-15 -849 -171) 259
9443-12 435
94458-1 435
94458-12 439, 532
94460-12 435, 439, 532
94461-12 532
94462-12 435, 439, 532
94481S(-15 -849 -171) 259
94483S(-849 -171) 259
94485S(-15 -849 -171) 259
9450 427, 435
9459(-15 -12) 435
9469(-15 -12) 435
9470(-15 -12) 435
9471(-15 -12) 435
9481-15 435
9488-12 435
95220S-15 415
95221S-15 415
95222S-15 415
95223S-15 415
95230S-15 415
95231S-15 415
95236S-15 415
95237S-15 415
9600(-71 -12) 347
96091S(-15 -71 -12) 347
96116S-32 535
96116S-33 535
96116S(-32 -33) 431, 434
96118S-32 434, 535
96118S-33 535
96118S(-32 -33) 431
9647 347
96622S-12 435, 439, 532
96623S-12 532
96624S-12 435, 439, 532
97118-32 535
97118-33 535
97118(-32 -33) 432, 434
97119-32 535
97119-33 535
97119(-32 -33) 432, 434
9728 433, 535
9731 433, 535
9732 433, 535
97500S 535
97512S 535
97531S 535
97532S 535
97541S 535
97542S 535
9774 535
9777 535
9830(-15 -12) 431, 432, 434
984003S(-12 -15) 420
984006S(-12 -15) 420
984012S(-12 -15) 420
984018S(-12 -15) 420
984024S(-12 -15) 420
984072S(-12 -15) 420
984099S(-12 -15) 421
984100S (-15 -962 -12) 420
984100S(-15 -962 -12) 418
984101S(-12 -15) 421, 438
984102S(-12 -15) 421
984124S(-12 -15) 420
984172S(-12 -15) 420
984201S(-12 -15) 421, 438
984218S-15 421, 438
984230S-15 421, 438
9862 427, 435
98670-15 427
98672-97 427
98700S-986 430, 434
98701S-986 430, 434
98702S-986 430, 434
98703S-986 430, 434
98743S-12 427
98743S-12 437, 532
98745S-12 427, 437, 532
98746S-12 427, 437, 532
98747S-12 427, 437, 532
C
CK250 396
CK300 396
CT100 396
CT150 396
D
DJC1005(BS SB MBK) 91
DJC1016(BS SB MBK) 91
DJC1024(SB MBK) 93
DJC1035(SB MBK) 93
DJC1048(BS SB MBK) 87
DJC1058(BS SB MBK) 87
DJC1086(BS SB MBK) 89
DJC1099(BS SB MBK) 88
DJC1104(SB MBK) 97
DJC1114(SB MBK) 97
DJC1126(SB MBK) 97
DJF1002SB 184
DJF1011(MWT NVY MBK) 189
DJP1002SB 147
DJP1011SB 147
DJP1021(MWT NVY MBK) 154
DJP1031(MWT NVY MBK) 154
DJP1041(MWT NVY MBK) 154
DJP1052SB 146
DJP1063SB 146
DJP1074SB 146
DJP1091(BS SB MBK) 152
DJP1101(BS SB MBK) 153
DJP1111(SBMWT SBMBK) 155
DJT1011S (SB1 MBK1) 75
DJT1041(SB1 MBK1) 73
DJT1051(GW1 GNV1 GBK1) 79

INDEX

DJT1061(GW1 GNV1 GBK1) 83
DJT1071(GW1 GNV1 GBK1) 81
DJT1081(SB1 MBK1) 77
DJV1001(CH BS SB MBK) 210
DJV1002(CH BS SB MBK) 210
DJV1003(CH BS SB MBK) 210
DJV1004(CH BS SB MBK) 210
DJV1011(BS SB MBK) 213
DJV1012(BS SB MBK) 213
DJV1013(BS SB MBK) 213
DJV1014(BS SB MBK) 213
DJV1021(CH BS SB MBK) 212
DJV1022(CH BS SB MBK) 212
DJV1023(CH BS SB MBK) 212
DJV1024(CH BS SB MBK) 212
DJV1031(CH BS SB MBK) 211
DJV1032(CH BS SB MBK) 211
DJV1033(CH BS SB MBK) 211
DJV1034(CH BS SB MBK) 211
DJW1001(BS SB MBK) 200
DJW1011(SB MBK) 200
DJW1022(BS SB MBK) 201
DJW1051(BS SB MBK) 201
DR12AGP 401
DR12BBS 401
DR12BK 401
DR12BNZ 401
DR12BS 401
DR12BZ 401
DR12HAB 401
DR12MBK 401
DR12OZ 401
DR12PN 401
DR12RB 401
DR12RZW 401
DR12SB 401
DR12SN 401
DR12WH 401
DR18AGP 401
DR18BBS 401
DR18BK 401
DR18BNZ 401
DR18BS 401
DR18BZ 401
DR18HAB 401
DR18MBK 401
DR18OZ 401
DR18PN 401
DR18RB 401
DR18RZW 401
DR18SB 401
DR18SN 401
DR18WH 401
DR24AGP 401
DR24BBS 401
DR24BK 401
DR24BNZ 401
DR24BS 401
DR24BZ 401
DR24HAB 401
DR24MBK 401
DR24OZ 401
DR24PN 401
DR24RB 401
DR24RZW 401
DR24SB 401
DR24SN 401
DR24WH 401
DR36AGP 401
DR36BBS 401
DR36BK 401
DR36BNZ 401
DR36BS 401
DR36BZ 401
DR36HAB 401
DR36MBK 401
DR36OZ 401
DR36PN 401
DR36RB 401
DR36RZW 401
DR36SB 401
DR36SN 401
DR36WH 401
DR48AGP 401
DR48BBS 401
DR48BK 401
DR48BNZ 401
DR48BS 401
DR48BZ 401
DR48HAB 401
DR48MBK 401
DR48OZ 401
DR48PN 401
DR48RB 401
DR48RZW 401
DR48SB 401
DR48SN 401
DR48WH 401
DR60AGP 401
DR60BBS 401
DR60BK 401
DR60BNZ 401
DR60BS 401
DR60BZ 401
DR60HAB 401
DR60MBK 401
DR60OZ 401
DR60PN 401
DR60RB 401
DR60RZW 401
DR60SB 401
DR60SN 401
DR60WH 401
DR72AGP 401
DR72BBS 401
DR72BK 401
DR72BNZ 401
DR72BS 401
DR72BZ 401
DR72HAB 401
DR72MBK 401
DR72OZ 401
DR72PN 401
DR72RB 401
DR72RZW 401
DR72SB 401
DR72SN 401
DR72WH 401
DRC12MBK 401
DRC12RZW 401
DRC18MBK 401
DRC18RZW 401
DRC24MBK 401
DRC24RZW 401
DRC36MBK 401
DRC36RZW 401
DRC48MBK 401
DRC48RZW 401
DRC60MBK 401
DRC60RZW 401
DRC72MBK 401
DRC72RZW 401
E
ESSWC-10 398
ESSWC-11 398
ESSWC-3-WH 398
ESSWC-4-WH 398
ESSWC-5-WH 398
ESSWC-6-WH 398
ESWC-1 398
F
F1902/6MBZ 111
F1938/8+4MBZ 111
F2110/8+4+4MBZ 110
F2303/8MBZ 111
F2478/6OBZ 109
F2629/8+4AF/BS 112
F2630/8AF/BS 130
F2985/6SN/CH 107
F2986/8SN/CH 119
F2987/9SN/CH 107
F3169/5DWI 105
F3280/8ADB 108
F3281/12ADB 108
F3290/12AI 103
F3291/8AI 103
F3292/8AI 128
F3340/5AI/ADB 104
F3341/8AI/ADB 104
FM312(CH BS ORB) 186
FM312EN3/(CH BS ORB) 186
FM313(CH BS ORB) 186
FM313EN3/(CH BS ORB) 186
L
LTB10C35027CB 535
M
MC224BS-V1 403
MC224RB-V1 403
MC224RZW-V1 403
MC242 403
MC247BS 403
MC247RB 403
MC247RZW 403
MC260BS 403
MC260MBK 403
MC260PN 403
MC260RZW 403
MC261AGP 403
MC261BS 403
MC261OZ 403
MC261RZW 403
MC264AGP 403
MC264BK 403
MC264RZW 403
MC265AGP 403
MC265BK 403
MC265BS 403
MC265RZW 403
MC266BK 403
MC266OZ 403
MC266RB 403
MC266RZW 403
MC360AGP 402
MC360BK 402
MC360BS 402
MC360RB 402
MC360RZW 402
MC362AGP 402
MC362BS 402
MC362MBK 402
MC362RZW 402
MC93AGP 400
MC93BBS 400
MC93BK 400
MC93BS 400
MC93BZ 400
MC93CH 400
MC93KOA 400
MC93MBK 400
MC93OZ 400
MC93PN 400
MC93RB 400
MC93RZW 400
MC93SN 400
MC93WGR 400
MC93WH 400
MC95AGP 400
MC95BBS 400

MC95BK 400
MC95BNZ 400
MC95BS 400
MC95BZ 400
MC95CH 400
MC95GRY 400
MC95KOA 400
MC95OZ 400
MC95PN 400
MC95RB 400
MC95RZW 400
MC95SN 400
MC95TI 400
MC95WH 400
MCRC1 396
MCRC1T 396
MCRC3 396
MCRC3W 396
MCSMRC 398
MPC03ORB(ORB PN SN) 177
MPC07ORBORB 177
MR1107AF 252
MR1119ORB 253
MR1152 252
MR1154 252
MR1300(BBS MBK PN) 253
MR1301(BBS MBK PN) 253
MR1303(BBS MBK PN) 253
O
OL12900TXB 323
OL12901TXB 323
OL12902TXB 323
OL14372CO 331
OL15200ANBZ 316
OL15201ANBZ 316
OL15202ANBZ 316
OL15203ANBZ 316
OL15204ANBZ 316
OL15207ANBZ 317
OL15209ANBZ 317
OL2200BB 322
OL2202BB 322
OL2601ORB 328
OL2602ORB 328
OL5400(BK GBZ) 309
OL5401(BK GBZ) 309
OL5402(BK GBZ) 309
OL5403(BK GBZ) 309
OL5404(BK GBZ) 309
OL5405(BK GBZ) 309
OL5407(BK GBZ) 311
OL5408(BK GBZ) 311
OL5411(BK GBZ) 310
OL5412(BK GBZ) 310
OL5413(BK GBZ) 311
OL5414(BK GBZ) 310
OL5420BK 312
OL5421BK 312
OL5422BK 312
OL5423BK 312
OL5424BK 312
OL5427BK(BK GBZ) 313
OL5428BK 313
OL5431BK 313
OL5432BK 313
OL5433BK 313
OL5900(CB BK) 281
OL5900EN7(CB BK) 281
OL5901(CB, BK) 281
OL5901EN/(CB BK) 281
OL5902(CB BK) 281
OL5902EN/(CB BK) 281
OL5904(CB, BK) 281
OL5904EN/(CB BK) 281
OL5907(CB BK) 281
OL5907EN/(CB BK) 281
OL5911(CB BK) 281
OL5911EN/(CB BK) 281
OL7400ASTB 329
OL7402ASTB 329
OL7600ES 319
OL7601ES 319
OL7602ES 319
OL7604ES 319
OL7613ES 319
OL7621ES 318
OL7622ES 318
OL7623ES 318
OL7627ES 318
OL7633ES 318
OL8600(RSZ TRD TXB) 337
OL8600RSZ-L1 337
OL8600RSZ/T 337
OL8600TRD-L1 337
OL8600TRD/T 337
OL8600TXB-L1 337
OL8600TXB/T 337
OL8601(RSZ TRD TXB) 337
OL8601RSZ-L1 337
OL8601RSZ/T 337
OL8601TRD-L1 337
OL8601TRD/T 337
OL8601TXB-L1 337
OL8601TXD/T 337
OL8701ORB 331
OL9004(RSZ TRD TXB) 337
OL9004RSZ-L1 337
OL9004RSZ/T 337
OL9004TRD-L1 337
OL9004TRD/T 337
OL9004TXB-L1 337
OL9004TXB/T 337
P
P1234RI 162
P1240DAB 163
P1242AF 163
P1253 (BK BS DBZ) 176
P1261ORB 162
P1282DAB/MB 167
P1283DAB/MB 167
P1334SN/CH 161
P1354(ORB SN) 166
P1355(ORB SN) 166
P1357(ORB SN) 166
P1394DFW/DWZ 158
P1395DFW/DWZ 158
P1449 (CH DWI) 159
P1459 (CH DWI) 159
P1484(CH SN ORB) 160
PIER MT-ASTB 352
PIER MT-BK 352
PIER MT-BRAL 352
PIER MT-CB 352
PIER MT-ES 352
PIER MT-GBZ 352
PIER MT-HTBZ 352
PIER MT-ORB 352
PIER MT-SBR 352
PIER MT-WAL 352
PIERMOUNT-ANBZ 352
PIERMOUNT-CO 352
PIERMOUNT-DWZ 352
PIERMOUNT-HTCP 352
PIERMOUNT-NCP 352
PIERMOUNT-PBS 352
PIERMOUNT-PDB 352
PIERMOUNT-PTBZ 352
PIERMOUNT-SBL 352
PIERMOUNT-TXB 352
PIERMOUNT-WCT 352
POST-ANBZ 350
POST-CO 350
POST-DWZ 350
POST-HTCP 350
POST-NCP 350
POST-PBS 350
POST-PDB 350
POST-PTBZ 350
POST-SBL 350
POST-TXB 350
POST-WCT 350
POSTBASE ASTB 353
POSTBASE BK 353
POSTBASE ES 353
POSTBASE GBZ 353
POSTBASE HTBZ 353
POSTBASE ORB 353
POSTBASE-ANBZ 353
POSTBASE-CO 353
POSTBASE-DWZ 353
POSTBASE-NCP 353
POSTBASE-PBS 353
POSTBASE-PDB 353
POSTBASE-PTBZ 353
POSTBASE-SBL 353
S
S39188 535
SF292AF/BS 190
V
VS23301SN/CH 239
VS23302SN/CH 239
VS23303SN/CH 239
VS2461BBS 247
VS2463BBS 247
VS2471MBK 221
VS2472MBK 221
VS2473MBK 221
W
WB1451(BS ORB) 204
WB1560AF/BS 204
WB1703(DAB PN) 219
WB1704(DAB PN) 219
WB1828SGM 331
WB1846ANBZ 205
WB1850(CH DWI) 203
WB1920ADB 204
WB1940AI 205

FAMILY INDEX

TABLE
BINX 76
BUCKLEY 78
FERNWOOD 82
MORESBY 80
PENDER 72
PORTEAU 74

CHANDELIERS
ALTURAS 98
ANSLEY 102
BURKE 90
CAPALINO 86
CELESTE 104
CHATEAU 110
DRISCOLL 92
EGMONT 88
ETHAN 112
HADDEN 96
JONAH 107
LORAS 105
MARIELLE 108
PORTEAU 93
RAVENWOOD MANOR 106
SOCORRO 113
TOWNER 94
VALENTINA 109

LINEAR
ANSLEY 128
BELTON 116
DUNNING 131
ELMWOOD PARK 120
ETHAN 130
JONAH 119
MITTE 126
MOFFET STREET 122
OSLO 118
PERRYTON 124
RAVENWOOD MANOR 129

LANTERNS
DAWES 143
LABETTE 140
MITTE 138
MOFFET STREET 136
PERRYTON 134
ROMEE 142

HANGING SHADE
CORTES 147
NANCE 148
THURLO 146

PENDANTS
BELLECARRA 152
BELLE 176
CADENCE 167
DIVISION STREET 170
DRISCOLL 156
FREDRICKSBURG 171
HOBSON 166
HYDE 154
JONAH 161
KEA 157
LORAS 159
MARINO 160
MATRIMONIO 158
MULTI-PORT CANOPIES 177
PEMBERTON 155
PRATT STREET METAL 173
PRATT STREET PRISMATIC 172
SOCORRO 164
STONE STREET 174
TOWNER 168
URBAN RENEWAL 162

FLUSH & SEMI-FLUSH MOUNT
BOWAN 194
CLIP CEILING 193
CORTES 184
DROP LENS 196
ETHAN 190
HYDE 189
KOLMAR 197
LINEAR FLUSH MOUNT 195
MAHONE 187
MITTE 190
NASH 188
RHETT 185
SOCORRO 191
SUNSET DRIVE 186
TOMKIN 192
WEBSTER 192

WALL SCONCES
ANSLEY 205
BURKE 200
CAPALINO 201
EDLA 206
EGMONT 201
ETHAN 204
LORAS 202
MARIELLE 204
MARLENA 205
METROPOLIS 207
MILA 204
NEARU 207
NEVA 207
PORTEAU 200
RAVEL 207
STEPPED GLASS 206
TOWNER 205

VANITY & MIRRORS
ABBOTT 246
ADELAIDE 220
ALTURAS 236
BAYFIELD 242
BELCARRA 213
BELTON 231
BRAUNFELS 248
CANFIELD 225
CENTER STAGE 250
CROFTON 211
DRISCOLL 226
ELLIS HARPER 233
ELMWOOD PARK 224
EMMONS 245
ETHAN 252
FRANPORT 240
HANFORD 244
HETTINGER 234
INFINITY 252
JACKIE 253
KEMAL 232
KERRVILLE 230
KIT 253
MITTE 218
OSLO 222
PROSPECT PARK 239
ROBIE 238
SAYWARD 210
SEVILLE 228
TOFFINO 212
TOWNER 216
URBAN RENEWAL 219
VANDEVENTER 249
WINDOM 214

LED STEP AND HALL LIGHTING
LED STEP/HALL LIGHTING 256

OUTDOOR
ADDRESS LIGHTS 346
ALBAN 262
ALUMINUM POSTS 350
BAKERSVILLE 284
BAYSIDE 338
BRENTWOOD 304
CALDER 320
CAPE MAY 282
CEILING FLUSH MOUNTS 343
CHATHAM 278
CHILDRESS 276
CLASSICO 302
COTSWOLD LANE 308
CRITTENDEN 332
CROWELL 274
DAKOTA 318
DARBY 331
DIE-CAST ALUMINUM PIER MOUNTS 352
DIE-CAST ALUMINUM POST BASES 353
EDDINGTON 277
EXTRUDED ALUMINUM POSTS 350
FLOOD LIGHTS 348
FREDRICKSBURG 334
HERRINGTON 296
HUNNINGTON 326
JAMESTOWNE 298
KENT 292
LANCASTER 300
LENNEX 331
LIGHTHOUSE 322
MARKET SQUARE 328
MARTINSVILLE 381
MEDFORD LAKES 330
MILLBROOKE 316
MULLBERRY HILL 324
NEW CASTLE 324
PAINTABLE OUTDOOR WALL SCONCES 341
POST LANTERNS 344
RANDHURST 331
REDDING STATION 336
RENVILLE 264
ROSCOE 323
SEBRING 335
SEVIER 288
TOMEK 272
TRAFALGAR 280
TYBEE 270
WALL LANTERNS 242
WALL SCONCES 340
WHITAKER 329
WILBURN 266
WYNFIELD 314

CEILING FANS
CEILING FAN ACCESSORIES 336
COLONY 60 LED 380
COLONY 60 381
COLONY 52 LED 382
COLONY 52 383
CRUISE OUTDOOR 52 395
DISCUS CLASSIC 52 LED 378
DISCUS CLASSIC 44 LED 379
DISCUS ORNATE 52 LED 376
DISCUS OUTDOOR 52 LED 394
DISCUS SMART 52 LED 375
ERA 52 LED 364
ERA 52 HUGGER LED 365
ERA 44 LED 366
ERA 44 HUGGER LED 367
JOVIE 58 LED 356
JOVIE 58 357
JOVIE 52 LED 358
JOVIE 52 369
JOVIE 44 LED 361
JOVIE 44 362
JOVIE OUTDOOR 58 LED 390
JOVIE OUTDOOR 58 391
LINDEN DC 52 LED 384
LINDEN 52 LED 385
LINDEN 52 LED 3 386
LINDEN 52 387
LINDEN 48 LED 388
LINDEN 48 389
LINDEN OUTDOOR 52 LED 392
LINDEN OUTDOOR 44 393
LOWDEN 52 LED 371
LOWDEN SMART 60 LED 370
ORBIS 52 LED 372
ORBIS 52 HUGGER LED 373
SYRUS 52 LED 374
TITUS 54 HUGGER LED 368
TITUS 44 HUGGER LED 369

LIGHTING SYSTEMS
JANE LED TAPE 424
HIGH OUTPUT LED MODULES 430
LED DISK LIGHTS 416
LED FESTOON 431
SELF-CONTAINED FLUORESCENT 412
VIVID 120V LED 410
WEDGE BASE 433
XENON FESTOON 432

RECESSED
4" HOUSING 1115 453
4" HOUSING 1179 452
6" HOUSING 11018 457
6" HOUSING 11019 456
6" HOUSING 11028QC 455
6" HOUSING 1109 458
6" HOUSING 1128 454
6" HOUSING 1128QC 454
TRAVERSE AUBREY WALL WASH 445
TRAVERSE DIRECT 449
TRAVERSE FLEX 447
TRAVERSE LOTUS 446
TRAVERSE LYTE 448
TRAVERSE MIRAGE 444
WAFER LYTE 450

BUILDER SERIES
ALTURAS 464
BELTON 490
CANFIELD 494
ELLIS HARPER 506
ELMWOOD PARK 520
EMMONS 524
FRANPORT 508
GEARY 528
HANFORD 516
HETTINGER 502
KEMAL 498
KERRVILLE 486
OSLO 470
ROBIE 512
SEVILLE 476
WINDOM 482

VISUAL COMFORT & CO.

7400 Linder Avenue
Skokie, IL 60077

Phone: 800.969.3347
Fax: 866.490.7765
visualcomfort.com | @visualcomfort

©2024 Visual Comfort & Co.